PLAT 4.40A. SH-56E 403 Alley 15'W 4.4 av. . 56 W 1CINNO1 Dain Johnson Donated, June 1982, by
ALBERT W. SEABRIGHT, P.E. P.
COUNTY ENGINEER 1949

Rough Skotch. Dord Doscription for Virgil Martin

My Lealinght 21 1950

Falls-11 L. C Pla+ 4.00A. Desc 5.30A.


VIRGIL MARTIN Part of F. P. Martin Land Pt. Lots 9 and 21, Section 11, Falls Twp.

Being a part of Lot 9 and part of Lot 21, Section 11, Falls Township, Hocking County, and State of Ohio, and further described as beginning at a point 15 feet west of the northwest corner of Lot 1435, of Glenview Heights Addition to the City of Logan, Onio: thence South 0° - 04' West 465.6 feet on the west line of the alley west of Warner Avenue in said Glenview Heights Addition to a point 150 feet north of the north line of Jennison Avenue in said addition; thence North 89* - 56' West 410 feet to the Tschappat property line, as recorded in Volume 82, Page 533, Hocking County Recorder's Office: thence on said Tschappat property line North 0° - 59' East 606 feet to the post marking the northeast corner of the Tschappat property; thence South 89° - 54' East 403 feet to a point on the said west line of the alley west of Warner Avenue extending northward; thence South 0° - 04' West 105.4 feet to a point; thence South 89° - 56' East 185 feet on a line 35 feet north of the alley along the north side of said Glenview Heights Addition: thence South 0° - 04' West 35 feet to a point on the East line of said Warner Avenue extended north 15 feet: thence North 89° - 56' West 185 feet on the North line of said alley along the North side of Glenview Heights Addition to the place of beginning, containing 5.8 acres, more or less.

> Conated, June 1982, by BEST W. SEABRIGHT, P.E., P BOY ENGINEER 1949 - 103

logan C'Yy Falls Twp. Sec. 11 Map 2 of Lot 13

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 13 of the North Hills Addition of Section 11, Township 14, Range 17.



CERTIFICATION:

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 6th day of June , 2004 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 8127

Survey by:

SVE Surveying — S. Vince Evans P.S. 8127 37381 Davis Chapel Road, Logan, Ohio 43138 Phone (740) 380—3884 FAX (740) 380—0134




EXHIBIT "A"

Being a part of the tract of land that is now or formerly in the name of Logan Clay Products Company as recorded in Deed Book 108 at page 549 and Deed Book 174 at page 323, Hocking County Recorder's Office, said tract being situated in Fractional Lot 9, Section 11, T14N, R17W, Falls Township, Hocking County, State of Ohio and being more particularly described as follows:

Beginning at a 1" iron pipe found on the Northwest corner of Fractional Lot 9;

Thence along the north line of Section 11, North 89 degrees 22 minutes 37 seconds East, passing through a 1" iron pipe found at 190.62 feet, going a total distance of 822.21 feet to a 1" iron pipe found at the northwest corner of a 6.58 acre tract as recorded in Deed Book 203 at page 876;

Thence leaving the north line of said section and along the west line of said 6.58 acre tract, South 00 degrees 16 minutes 28 seconds West a distance of 798.04 feet to a 1" iron pipe found at the southwest corner of said 6.58 acre tract on the north line of a 3.47 acre tract as recorded in Deed Book 214 at page 624;

Thence along the north line of said 3.47 acre tract, South 81 degrees 44 minutes 07 seconds West a distance of 99.64 feet to a 1" iron pipe found on the northwest corner of said 3.47 acre tract on the Corporation Line to the City of Logan;

Thence along the Corporation Line to the City of Logan and the west line of said 3.47 acre tract, South 00 degrees 22 minutes 10 seconds West a distance 471.11 feet to an iron pin found on the northwest corner of a 0.75 acre tract as recorded in Deed Book 213 at page 370;

Thence continuing along said corporation line and along the west line of said 0.75 acre tract, South 00 degrees 10 minutes 56 seconds West a distance of 121.20 feet to a 5/8" iron pin with a plastic identification cap set on the northeast corner of Lot No. 10 in "North Hills Addition" to Logan as recorded in Plat Book "C" at page 45;

Thence along the north line of said "North Hills Addition", South 89 degrees 28 minutes 15 seconds West a distance of 199.85 feet to a 5/8" iron pin with a plastic identification cap set on the northeast corner of Lot 29 in "North Hills Second Addition" to Logan as recorded in Plat Book "E" at page 7;

Thence along the boundary of the above mentioned "North Hills Second Addition" the following six courses:

- [1] South 89 degrees 33 seconds West a distance of 100.00 feet to a point;
- [2] North 58 degrees 47 minutes 10 seconds West, passing through a 5/8" iron pin with a plastic identification cap set at 2.00 feet, going a total distance of 41.57 feet to an iron pin found;
- [3] North O2 degrees 24 minutes West, passing through an iron pin found at 65.09 feet, going a total distance of 285.00 feet to an iron pin found;
- [4] South 87 degrees 37 minutes 48 seconds West a distance of 145.09 feet to an iron pin found;
- [5] North 00 degrees 56 minutes 40 seconds West a distance of 2.99 feet to a 5/8" iron pin with a plastic identification cap set, and;
- [6] South 87 degrees 37 minutes 48 seconds West, passing through an iron pin found at 50.00 feet, going a total distance of 188.12 feet to an iron pin found on the west line of Fractional Lot 9;

EXHIBIT "A"

Thence leaving the boundary line of the "North Hills Second Addition" and along the west line of Fractional Lot 9, North 01 degree 52 minutes 14 seconds West a distance of 1103.44 feet to the place of beginning, containing 14.0465 acres in the City of Logan and 7.8897 acres in Section 11, for a total of 21.9362 acres, more or less, and subject to all easements of record.

All 5/8" iron pins with plastic identification caps set are stamped "Seymour-6044".

The bearings used in the above described tract are based on the east line of Lots 25, 26, and 27 in "North Hills Second Addition" as being North 2 degrees 24 minutes West and are for the determination of angles only.

The above described tract was surveyed by George F. Seymour, Ohio Professional Surveyor No. 6044, February 20, 1993.

Approved • Mathematically
Hocking County Engineer's office
By July Date 2-25-93

DEDICATION OF STREETS by FRANK MARTIN MORTH WOOD STEXTENSION & WEST JENNISON AVE. EXTENSION

DESCRIPTION FOR MORTH WOODST EXTENSION - DESCRIPTION FOR WEST JENNISON AVE. EXTENSION.

Being a part of fr. Lot 21, in Section 11, Falls Township, Tl4N, R17W, Hocking County and State of Ohio, and Beginning at the intersection of the west line of North Wood Street with the north line of West Jennison Avenue in the City of Logan, said intersection being a corner on the Logan City Corporation Line; thence North 0° - 02' East 150 feet; thence South 89° - 58' East 39.73 feet; thence South 0° - 02' West 150 feet; thence North 89° - 58' West 39.73 feet to the place of beginning, containing 0.1368 Acres.


Being a part of Fr. Lot 21, in Section 11, Falls Township, T14N, R17W, Hocking County and State of Ohio, and Beginning at the intersection of the west line of North Wood Street with the north line of West Jennison Avenue in the City of Logan, said intersection being a corner on the Logan City Corporation line; thence North 89° - 58' West 233.30 feet; thence South 0° - 02' West 40 feet; thence South 89° - 58' East 233.30 feet; thence North 0° - 02' East 40 feet to the place of beginning, containing 0.2142 Acres.

STATE OF OHIO, HOOMING COUNTY, Sa:

I, r. P. Eartie, being the owner of the above described lands proposed to be dedicated for road purposes as provided in Section 6306 of the General Code of Onio.

(Signed) A. P. Marker Marker.

Sworn to and subscribed in my prosence at Logar, 1949.



I certify this plat to correctly show, to the best of my unowledge and belief, the proposed extensions of West Sennison Ave., and North Wood St. aliet W. Lealiet May 5 1949.

1 ;

Charence Poston

31-598 Frank P. Martin

Also

Convey Lot 1988

Convey Lot 1942 | Subst 9

Beg 1-1733ch EOt SE Con. Lot 118

T-N 4.93 TO NW Cor Lot 21

T-SE 84°30 1-075ch TONE Corsaid Lot

T-S 4.86 & ch. tos E Cor Lot 19

T-W 1.0733ch - 52 ML

NW 81° 2ch

NW 81° 2ch

NW 81° 25ch

NW 81° 25ch

NW 81° 25ch

EX 12 h

(24) of Nwor

Ex 1.18/24

1.18/24

1.18/24

1.18/24

lef 30-60

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S COUNTY ENGINEER 1949 - 1962


Wood St. &W.

Jennison Ave

Northwest corner of the said tract recorded in Volume 76, Page 380; thence continuing with said bearing South 0° - 02' West 80 feet to an iron pin; thence South 89° - 58' East 100 feet to the place of beginning, containing 0.2066 Acres, said tract herein conveyed being a part of the tract conveyed to Martin from Poston as per conveyance recorded Volume 31, Page 598.

Sec Back OF PLAT

Donated, June 1982, by ALDELT W. SEABRIGHT, P.E., P. COUNTY EMBINEER 1949 - 198



DISCRIPTION OF SURVEY FOR MR. & MRS. DAVID VAUGHN

Being a part of the tract of land described in Vol. 108, Pg. 549, and Vol. 174, Pg. 323, Hocking County Deed Records, situated in Frac. Lot No. 9 of Sec. 11, Falls Twp., T-14N, R-17W, City of Logan, Hocking County, Ohio, and being more particularly described as follows:

Beginning at a 5/8" iron pin found on the NE corner of Lot No. 25 of the "North Hills Addition No. 2" (Plat Cab. 1, Pg. 97A);

Thence, with the north line of said Lot 25, S 87 degrees 40' 34" W a distance of 145.11 ft. to a 5/8" iron pin found on the NW corner of said Lot;

Thence, with the east line of Wood St., N 0 degrees 56' 07" W a distance of 2.99 ft. to a Seymour pin found;

Thence leaving Wood St. and with the east boundary of a 50.0 ft. wide ingress and egress easement conveyed to James and Kristin Kilbarger in O.R. Vol. 49, Pg. 902, the following three (3) courses:

- 1) N 2 degrees 19' 26" W a distance of 48.62 ft. to an iron pin set;
- 2) With a curve to the right having a radius of 323.66 ft. to a central angle of 46 degrees 36' 18", and a chord bearing N 20 degrees 58' 42" E a distance of 256.07 ft. to an iron pin set;
- 3) N 44 degrees 16' 53" E a distance of 187.32 ft. to an iron pin set on the southwesterly boundary of the 7.8897 Ac. tract described in O.R. Vol. 49, Pg. 902 and O.R. 661, Pg. 184;

Thence with said boundary and along the City of Logan Corporation line the following three (3) courses:

- 1) S 45 degrees 43' 07" E a distance of 178.00 ft. to a 5/8" iron pin found;
- 2) N 53 degrees 02' 46" E a distance of 186.10 ft. to a Seymour pin found;
- 3) S 0 degrees 34' 41" W a distance of 118.02 ft. to 3/4" iron pin found on the NW corner of the 3.4725 Ac. tract described in Deed Vol. 214, Pg. 624;

Thence, with the west line of said tract, S 0 degrees 16' 04" W a distance of 470.98 ft. to an iron pin set on the NW corner of the 0.75 Ac. tract described in O.R. Vol. 319, Pg. 983;

Thence, with the west line of said tract, S 0 degrees 26' 10" W a distance of 121,38 ft. to a Seymour pin found on the NE corner of Lot No. 10 of the "North Hills Addition" (Plat Cabinet 1, Pg. 59B);

Thence, with north line of Lot 10 and an extension thereof, S 89 degrees 32' 47" W a distance of 299.98 ft. to an iron pin set on the northeasterly corner of Lot 28 said of "North Hills Addition No. 2";

Thence, with the northerly line of said Lot 28, N 58 degrees 47' 46" W a distance of 41.57 ft. to an iron pin set on the southeasterly corner of Lot 27 of said addition;

Thence, with the east line of said "North Hills Addition No. 2", N 2 degrees 21' 55" W, passing a 5/8"iron pin found on the SE corner of Lot 26 at 65.00 ft., going a total distance of 284.95 ft. to the place of beginning, containing 6.1311 acres, more or less, and being subject to all valid easements.

Cited bearings are based on the west line of the 3.4725 Ac. tract described in Deed Vol. 214, Pg. 624;

All iron pins described as being set are 5/8" X 30"with a 1 1/4" plastic I.D. cap stamped "M.P.B. S-6803".

All Seymour iron pins described as being found are 5/8" with a $1\frac{1}{4}$ " plastic I.D. cap stamped "Seymour-6044".

The above description is the result of an actual survey made by Michael P. Berry, Ohio Registered Surveyor No. 6803, on March 17, 2020.

APPROVED MATHEMATICALLY Hocking County Engineer's Office By: CW Date: M. 4 D. 15 Y. 2020

Michael P. Berry

#6803