
Falls11 L.C

- pus are 1 50 4 XVX くろんし · . · . · 87,00 ARNER lote Forma 20, いやさ 400 1 . A. Set Steel Pins 3 YN150M -<u>584-14'E</u> = a/1 /"= 50' Lots 1449-1450 view Addition to ity of Logan KingCounty Ohio Sum Owned by MAYNE MCKINNEY 10 COUNTY CLICKEER 1949 - 1 28

9 0 40 157 Sennison Miley Z, Warner Ave. 9 Lats AN.8 SKGtch Surveyo cach 46.2 Sor / Ambroso Primma Conty Lot: 1432 COUNTY ENGIN AJS. In Carb. ER 1949 - 196, 120.0 1. 46.2 Witch Cine 22 1946 Lot 1432 1 23.2 × 20-00 115/10-1

LOGAN CITY 9 LOT 976 PLATE SHOWING JUL LO BA555 FOR MONUMERIC POUDS NO. 976  $O^{=}$ SECOND ADDITION TO THE CITY FALLS YUP., MOCKENG CO., OTTO $\bigcirc$ LOCA on the roothers RM LINE OF へいたい ADE BASED BEANINGS CZUED AS RUNNER NBA ° 02'05 W. NOUN -55.



Falls11 L.C Lot 1405Pt Not WAngle

Leonard Hayes. Parcel off. Lot 11405 West Angle Ave Not to Scale! 1.P. in Line with 98 1366 40010 N.VI Cor House 1.0x 100. 2002 00: VEST ANGLE AVE Donated, Juno 1982, by ALBERT W. SEABRICHT, P.E., P.C. COUNTY ENGINEER 1949 - 103 Survey A. Q.W. Sealnight Aug 6 1949.

#### LEONARD HAYNES West Angle Avenus Small parcel off SE Cor. Lot 1405

Being a small parcel of land off the Southeast corner of Lot 1405 as the lots are consecutively numbered on West Angle Avenus, in the City of Logan, Falls Township, Section 11, T14N, R17W, Hocking County and State of Ohio, and further described as beginning at the iron pin marking the southeast corner of said Lot 1405; thence on the East line of said Lot 1405 North 0° - 07' West 45.25 feet to an iron pin; thence South 2° - 24' West 45.04 feet to an iron pin on the North line of said West Angle Avenue; thence with said North line of West Angle Avenue South 84° - 21' East 2.00 to the place of beginning, containing .002 Acres.


#### LEONARD HAYNES West Angle Avenue Small parcel of SE Corner

NOTE - By request length on lot increased to 72 fest (45.25 by survey)

Being a small parcel of land off the Southeast corner of Lot 1405 as the lots are consecutively numbered on West Angle Avenue, in the City of Logan, Falls Township, Section 11, T14N, R17N, Hocking County and State of Ohio, and further described as beginning at the iron pin marking the Southeast corner of said Lot 1405; thence on the East line of said Lot 1405 North 0° - 07' West 45.25 feet to an iron pin; thence continuing North 0° - 07' West 26.75 feet to a point; thence South 1° - 28' West 71.82 feet to an iron pin on the North line of said Angle Avenue; thence with said North line of Angle Avenue, South 84° - 21' East 2.00 feet to the place of beginning, containing .002 Acres, more or less.

# LOGAN CITY


Falls 11 BESNG LOTS NO. 1AA2, JAA3, JAAA, JAA5, AND PART OF GLEUVIEW MEIGHTS ADD. TO THE TAE LOT Idals OF CITY LOGAN, OHIO OF




Falls/16E Lot 1466

the second s

O POWER Pols Maple o Trer OBLAZEd Cluster CrabTrices 34.66 307 12 11 43.5' D 26.70 16 EV Points Blazed cluster Crab Trees NE Post N Lot 1466 Robt Wells 120 House over P.L. 4.10 Note Donated, June 1992, by TTV SEABRICHT, P.H., P NEW SECONEER 1949 - 195 Istory Frame ALBE 7 COU 10056 overLotL 4005 5W Cut HOUSE OVER P.L. 4.1' *Yore*h Set 4 113 for Lot 1466 Robt Wells A' V 5 30,0 24,0 32 3ept- 11-12 1968 Poind winn 43,5 SEF Post pt-16 1968 SOGRAGON St. S.





Falls11.L.C.

D. J. EDGAR Lot 1375 and 16.5 ft. off East side 1374 Logan City

Being Lot 1375 and 16.5 ft. off East side 1374 on Angle Avenue, in the City of Logan, and State of Ohio, and further described as follows:

Commencing at an iron pin on the north line of said Angle Avenue, 16.5 ft. west of the southeast corner of said Lot 1374; thence north 120 ft. and parallel with the side line of said Lot 1374, to the alley and passing an iron pin at 114.29 ft.; thence on the alley line 60 ft. east to the northeast corner of said Lot 1375; thence south on the east line of said Lot 1375 and passing an iron pin at 4.81 ft. to the said north line of Angle Avenue; thence west 60 ft. to the place of beginning, containing .16 Acres.

10 m m G

### Hocking County Commissioners

Lot 1375 and Part Lot 1374, West Angle Avenue, Logan, Ohio

#### (Lot D on Plat)

Being lot 1375 and a 10.875 ft. strip off the East side of lot 1374, as the lots are consecutively numbered in the City of Logan, Section 11, Falls Township, T 14 N; R 17 W; Hocking County and State of Ohio and further described as follows:

Beginning at an iron pin set on the North line of West Angle Ave. in said City of Logan, 49.5 ft. from the Southeast corner of lot 1376, thence with the said North line of West Angle Ave., Westward 54.375 ft. to an iron ping thence Morthward and parallel with the side lines of said lots 1375 and 1374, a distance of 115.11 ft. to an iron pin; thence in continuation Northward, 4.81 ft. to the South line of the alley; thence with the said South line of the alley Eastward 54.375 ft. to the Northeast corner of said lot 1375; thence with the East line of said lot 1375, a distance of 4.81 ft. to an iron pin; thence in continuation with said east line, again Southward 115.11 ft. to the place of beginning, containing .155 Acres.

# Hooking County Conmissioners

A. B. Store

新门标

Part Lot 1374 and Part Lot 1373, West Angle Ave., Logan, Ohio

· · · · Sort.

( Lot C on Plat )

(LOB C ON Plat ) Being the West 32.625 ft, part of lot 1374, and the East 21.665 ft. part of lot 1373 as the lots are consecutively numbered in the City of Logan, Bection 11, Falls Town-ship, 7 14 NJ R 17 WJ Hocking County, and State of Ohio and further described as follover

Beginning at an iron pin set on the North Line of West Angle Avenue in said Gity of Logen, 99.875 ft. from the Southeast corner of lot 13761 thende with the said North Line of West Angle Avenue, Westward 54.29 ft. to an iron pins thende Northward and parallel with the side lines of said lots 1374 and 1373, a distance of 120 ft. to an iron pin set on the south alloy lines thence Eastward with said south alley line. 54.29 ft.; thence Southward and parallel with said side lines of lots 1374 and 1373; a distance of 4.61 ft. to an iron pins thence sgain Southward and parallel with said side lines, 115.11 ft. to the place of beginning, containing .155 Acres.

#### Hocking County Commissioners

#### Part Lot 1372 and Part Lot 1371 - West Angle Ave., Logan, Ohio

#### (Lot A on Plat)

Being the West 10.96 ft. of lot 1732 and the east 43.415 ft. part of 1371 as the lots are consecutively numbered in the City of Logan, Section 11, Falls Township, T 14 N; R 17 W; Hocking County and State of Ohio, and further described as follows:

Beginning at an iron pin set on the North line of West Angle Avenue in said City of Logan, 208.54 ft. from the Southeast corner of lot 1376; thence with the said North Line of West Angle Avenue, westward 54.375 ft. to an iron pin; thence northward and parallel with the side lines of lots 1372 and 1371, a distance of 120 ft. to an iron pin set on the South line of the alley; thence with the said South line of the alley, eastward 54.375 ft. to an iron pin; thence southward and parallel with said side lines of lots 1372 and 1371, a distance of 120 ft. to the said containing .155 Acres.

#### Hooking County Commissioners

Part Lot 1373 and Part Lot 1372, West Angle Ave., Logan, Ohio

(Lot B on Plat)

Being the 21.835 ft. West part of lot 1373, and the 32.54 ft. East part of lot 1372, as the lots are consecutively numbered in the City of Logan, Section 11, Falls Township, T 14 N; R 17 W; Hocking County, State of Ohio, and further described as follows:

Beginning at an iron pin setton the North line of West Angle Avenue in said City of Logan, 154.165 ft. from the Southeast corner of lot 1376j thence with the said North line of West Angle Avenue, Westward 54.375 ft. to an iron pin; thence Northward and parallel with the side lines of said lots 1373 and 1372, a distance of 120 ft. to an iron pin set on the South alley line; thence Eastward with said South alley line 54.375 ft. to an iron pin; thence Southward and parallel with said side lines of lots 1373 and 1372, a distance of 120 ft. to the place of beginning, containing .155 Acres.

**.** , 120 LOT 1411 б Ю Triangular Parcel 4.69 and 2' × 42.345 and 42.5' Acquired from C&M. Blosser g 118 584º-14'E 2.00'-LOT 1/10 Quadrangular Parce 0 2×4 and 42.345'× 42.5' 435 Acquired from 10 A& H. Gasser 120 1411 12.5 116' N 84º 1A'W 4.00'-C&M. Blosser ennis 43.5 584°-14'E 4,00 Й И 1410 Donated, June 1982, by 12.5 A&HGasser ALBERT W. SEABRIGHT, P.E., P.C Scale 1"= 20' COUNTY ENGINEER 1949 - 1964 D - EANGLE AVE. 120 584°-14'E 43.5' PLAT SHOWING ANGLE AVE Two Parcels of land acquired by and One Parcel of land vacated by The City of Logan in Glenview Addition along Alley North of Angle Ave and next Scale 1 = 50' East of Warrier Five. Scales as shown. Prepared by A.W. Seabright, Logan Ohio, Sept 6, 1957

Falls 11 LC. Alley Not WAngle Ave Eof Warner Ave

Proposition and the second second

#### CLARENCE & MARY BLOSSER Pt. Lot 1411, City of Logan Glenview Addition

335-2.1

## To City of Logan

Being a part of Lot 1411 in Glenview Addition to the City of Logan and as the lots in said City are consecutively numbered and more particularly described as beginning at an iron pin at the Boutheast corner of said Lot 1411; thence on the line of the alley North 0° - 04' West 42.5 feet; thence South 2° - 37' West 42.345 feet to the South line of said Lot 1411; thence on the South line South 84° - 14' East 2.00 feet, containing 42.34 Square Feet.

> Donated, June 1982, by MEERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

### ARTHUR AND HELEN GASSER Pt. Lot 1410, City of Logan Glenview Addition

# To the City of Logan

清晰的 计

Recharges

在有这家家和家家主主言。

Being a part of Lot 1410 in Glenview Addition to the City of Logan and as the lots in said City are consecutively numbered and more particularly described as beginning at an iron pin at the Northeast corner of said Lot 1410; thence on the alley line South  $0^{\circ} - 04^{\circ}$  East 42.5 feet to the Southeast corner of said Lot 1410; thence on the South line of said Lot 1410, North 84° - 14' West 4.00 feet; thence North 2° - 37' East 42.345 feet to the North line of said Lot 1410; thence on the North line of said Lot 1410, South  $84^{\circ} - 14^{\circ}$  East 2.00 feet to the place of beginning, containing 127.035 Square Feet.

### WILLIAM AND PAULINE DENNIS Part of alley west of Lot 1409, City of Logan Glenview Addition

Vacation of Part of Alley


化和非补偿的

ersers which address and a provide states of the

建制机械的


8 8 20 6 14 10 14

Beginning at the Southwest corner of Lot 1409 in Glenview Addition to the City of Logan, and as the lots are consecutively numbered; thence on the alley line common with the West line of said Lot 1409, North 0° - 04' West 85 feet; thence obliquely Westward of said alley line common with the vest line of said Lot 1409, South 2° - 37' West 84.69 feet to the North line of Angle Avenue in said Glenview Addition; thence on said North line of Angle Avenue, South 84° - 14' East 4.00 feet to the place of beginning, containing 169.38 Square Feet. PLAT SHOWING MOUNIENTATION AND GARAGE CLEARANCE ON LOTS LADE 1A31 OF THE GLEN-VIEW ANEIGATS" ADD. TO THE CITY OF LOGAN





OHID RECOSTERED SURVEYED (0440,6803


BREIKS LOT NO. 1433 OF THE GLIEWIJEW HEIGHTS ADD. TO THE CITY OF LOGAN (SLAT CAB. 1, RE. TA), SEC. 11 FALLS TWP., T-KKI, Q-ITW, MOCKSIE CO., OHIO NOTE: CITO BENERAL AND ON THE ENT RW





BEIX'S LOT NO. 1440 OF THE GLEWIEW HEIGHTS ADD. TO THE CITY OF LOGAN (SPAR CAB. 1, PG. 7A), SEC. 11 FALLS TUP., T-IAN, R-ITW, ADCERG CO., OHTO NOTS CETTED BEADERS ARE SARED ON THE EAST RIN LEVE OF WARNED AVE. AS DUXUESKO ° DA. OD ~ W. T. EM. MCANDSY (DAMAGED) LOTXO. 1441 (0.2.53, 5.601) 584·13:00~E /19.92 P. EC.W. WEST LOT NO. 1440 (0.R. VOL. A23, PE. 607) (Eqence) 1684.13.00 W 119.92 (ADJUTUEZ'S (SCALE=1=20) (ANJOINER'S BOARD FERCE) 0 = 73 × 30" 2800 PZUCS) W/V4 (ESHERCE) CEANER AD CAD STRARD "MB 5-6803" 0 = /" 222 Pare (A) LOTAD. 1439 (O.R. 453, 86.213) R. ADRXI APPROVED MATHEMATICALLY - 0 17 Hocking County Engineer's Office By: 11 Date: M. 07D. 20Y. 11 No the Complete survey No Description PLAT ACCAREST JALF / seal XXXDE JULY KB, 2011 BY: 7-19-11 5082. C.X. SKENSE CECTERIER COLO











# A Survey of Lots No. 1427, 1428 & 1429 of the Glenview Heights Subdivision

Situate in the State of Ohio, Hocking County, Falls Township, Section 11, Township 14 North, Range 17 West, City of Logan, and being all of Lots No. 1427, 1428 and 1429 of the Glenview Heights Subdivision recorded in Plat Cabinet 1 Page 7-A and being conveyed to Candy Kemmerer as recorded in Official Record 589, Page 347 of the Hocking County Recorder's office and being more particularly described as follows:

**Beginning** at a 1-3/4" diameter iron pipe found at the northeast corner of Lot No. 1426 of the Glenview Heights Subdivision being the southeast corner of Lot No. 1427 also being the west Right of Way line of Warner Avenue, said 1-3/4" diameter iron pipe found also being the **Point of Beginning** for the parcel herein described (reference a 1-1/2" iron pin with no cap found at South 03 Degrees 59 Minutes 35 Seconds West a distance of 46.20 feet);

Thence from the **Point of Beginning** leaving the west Right of Way line of Warner Avenue and along the south line of Lot No. 1427 also being the north line of Lot No. 1426 of the Glenview Heights Subdivision North 86 Degrees 00 Minutes 25 Seconds West a distance of 120.42 feet to an iron pin set at the southwest corner of Lot No. 1427 also being the northwest corner of Lot No. 1426 of the Glenview Heights Subdivision ang being the east Right of Way line of a 15' wide alley (reference a 5/8" iron pin with no cap found at South 04 Degrees 03 Minutes 11 Seconds West a distance of 46.20 feet and a 3/4" diameter iron pipe found at South 17 Degrees 38 Minutes 32 Seconds West a distance of 1.54 feet);

Thence along west line of Lot No. 1427, 1428 and 1429 of the Glenview Heights Subdivision and the east Right of Way line of a 15' wide alley North 04 Degrees 03 Minutes 11 Seconds East a distance of 138.60 feet to a 60D nail found at the northwest corner of Lot No. 1429 also being the southwest corner of Lot No. 1430 of the Glenview Heights Subdivision and on the east Right of Way line of a 15' wide alley (passing online the northwest corner of Lot No. 1427 at 46.20 feet distant and the northwest corner of Lot No. 1428 at 92.40 feet distant);

Thence along the north line of Lot No. 1429 and the south line of Lot No. 1430 of the Glenview Heights Subdivision South 86 Degrees 00 Minutes 25 Seconds East a distance of 120.28 feet to an iron pin set at the northeast corner of Lot No. 1429 also being the southeast corner of Lot No. 1430 of the Glenview Heights Subdivision and on the west Right of Way line of Warner Avenue;

Thence along the east line of Lot No. 1427, 1428 and 1429 and the west Right of Way of Warner Avenue South 03 Degrees 59 Minutes 35 Seconds West a distance of 138.60 feet to the **Point of Beginning** (passing online the northeast corner of Lot No. 1428 at 46.20 feet distant, a 3/4" diameter iron pipe at 91.17 feet distant and the northeast corner of Lot No. 1427 at 92.40 feet distant).

The above described tract contains 0.3831 acres more or less and being 0.1277 acres contained in Lot No. 1427, 0.1277 acres contained in Lot No. 1428 and 0.1277 acres contained in Lot No. 1429 of the Glenview Heights Subdivision recorded in Plat Cabinet 1 Page 7-A.

Subject to all legal easements and rights of way.

Subject to a 10 foot side building setback, a 25 foot front building setback and a 40 foot rear building setback.

All iron pins set are 3/4 inch diameter x 30 inch long rebar with a 1-1/4" yellow plastic cap stamped "Canter-7226".

Plat attached herewith and made a part thereof.

This description was prepared under the direction of Robert C. Canter, Registered Surveyor No. 7226 and is based on a field survey by Buckley Group, LLC., completed March 2020.


Prior Instrument Reference as of this writing is in Official Record 589, Page 347 of the Hocking County Recorder's Office.

All bearings, coordinates and distances are expressed as Ohio State Plane South Zone Grid, US Survey Feet NAD 83(2011). Reference the west Right of Way line of Warner Avenue as being: South 03 Degrees 59 Minutes 35 Seconds West.

Robert C. Canter, P.S. 7226

Buckley Group, LLC.

<u>12/07/2020</u> Date



WERNVED MATHEMATICALLY Hocking County Engineer's Office by: 22 Date: M.(2.D.9. Y. 2.020