
Losan Crty Lots 44-56

PLAT OF A .158 ACRE NONEXCLUSIVE WATER DISTRIBUTION LINE EASEMENT Sec. 12

AND A .055 ACRE WATER STORAGE TANK EASEMENT BOTH FOR THE CITY OF LOGAN PUSCONEST

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lots 31, 46, 47, 48, 49, 50, 51, 53, 54, 55, and 56 and Walnut Drive East of the Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; being a nonexclusive water distribution line easement and a water storage tank easement.



#### REFERENCE BEARING:

North line of Walnut Hills Subdivision as South 84 degrees 31 minutes 22 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

#### CERTIFICATION:

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 31st day of August, 2001 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner — Engineering and Surveying 9 East Second Street, Suite A, Logan, Ohio 43138 (740) 385-4260

#### SURVEY DESCRIPTION OF A .055 ACRE WATER STORAGE

#### TANK EASEMENT FOR THE CITY OF LOGAN

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 46 of the Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; being a water storage tank easement; and being more particularly described as follows:

**Beginning** at a 5/8" iron pin previously set at the Northeast corner of said Lot 46 on the City of Logan Corporation line; thence with the East line of said Lot 46 and leaving the Logan City Corporation line South 12 degrees 12 minutes 36 seconds West a distance of 82.98 feet to a 5/8" iron pin previously set at the Southeast corner of said Lot 46:

thence with the South line of said Lot 46 on a curve to the left having a radius of 236.70 feet and a chord bearing North 73 degrees 30 minutes 37 seconds West at a distance of 30.08 feet to a point;

thence North 12 degrees 12 minutes 36 seconds East a distance of 77.19 feet to a point on the North line of said Lot 46 and the City of Logan Corporation line;

thence with the North line of said Lot 46 and the City of Logan Corporation line South 84 degrees 31 minutes 22 seconds East a distance of 30.21 feet to the point of beginning, containing .055 acres more or less, and subject to any other public or private easements of record.

The above .055 acre surveyed easement of ingress and egress is intended to describe part of Lot 46 of the Walnut Hills Subdivision as deeded to Bevan Barnett, deed references Volume OR36, Page 687, and Volume 217, Page 512, both of the Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing subdivision plat. The reference bearing for this survey is the North line of Walnut Hills Subdivision as South 84 degrees 31 minutes 22 seconds East. Bearings are based upon an assumed meridian and are to denote angles only. All iron pins previously set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped LPG-6344. The above described property was surveyed from previous field work by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on August 31, 2001.

Approved - Mathematically Hocking County Engineer's Office

BY PN WIS DATE 09-10-01

Jany P Danton

Survey by:

Larry P. Gerstner - Engineering and Surveying 9 East Second Street, Suite A, Logan, Ohio 43138 740-385-4260

# SURVEY DESCRIPTION OF A .158 ACRE NONEXCLUSIVE WATER

#### DISTRIBUTION LINE EASEMENT FOR THE CITY OF LOGAN

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lots 31, 47, 48, 49, 50, 51, 53, 54, 55, and 56 and Walnut Drive East of the Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; being a nonexclusive water distribution line easement; and being more particularly described as follows:

Beginning at a 5/8" iron pin previously set at the Northwest corner of said Lot 47 on the City of Logan Corporation line; thence with the North line of Lot 47 and 56 and the City of Logan Corporation line South 84 degrees 31 minutes 22 seconds East a distance of 122.00 feet to a point and passing a 5/8" iron pin previously set at the Northwest corner of said Lot 56 at a distance of 115.81 feet;

thence leaving the City of Logan Corporation line and going into said Lot 56 South 30 degrees 39 minutes 02 seconds East a distance of 115.16 feet to a point;

thence going into said Lot 55 South 33 degrees 15 minutes 41 seconds East a distance of 110.97 feet to a point;

thence going into said Lot 54 South 36 degrees 29 minutes 27 seconds East a distance of 84.79 feet to a point;

thence going into said Lot 53 South 0 degrees 13 minutes 24 seconds East a distance of 57.45 feet to a point;

thence South 72 degrees 49 minutes 28 seconds East a distance of 117.99 feet to a point;

thence North 71 degrees 47 minutes 56 seconds East a distance of 79.16 feet to a 5/8" iron pin previously set at the Northeast corner of said Lot 31 on the City of Logan Corporation line and passing the East line of said Lot 53 at a distance of 4.34 feet and the West line of said Lot 31 at a distance of 60.90 feet:

thence with the East line of said Lot 31 and the City of Logan Corporation line South 4 degrees 41 minutes 34 seconds West a distance of 10.86 feet to a point;

thence leaving the City of Logan Corporation line South 71 degrees 47 minutes 56 seconds West a distance of 78.12 feet to a 5/8" iron pin previously set at the Southeast corner of said Lot 53 and passing the West line of said Lot 31 at a distance of 18.44 feet;

thence with the South line of said Lot 53 North 72 degrees 49 minutes 28 seconds West a distance of 128.53 feet to a point in said Lot 51 and passing a 5/8" iron pin previously set at the Southwest corner of said Lot 53 at a distance of 123.29 feet;

thence going into said Lot 50 North 0 degrees 13 minutes 24 seconds West a distance of 61.53 feet to a point;

thence going into said Lot 49 North 36 degrees 29 minutes 27 seconds West a distance of 81.79 feet to a point;

thence going into said Lot 48 North 33 degrees 15 minutes 41 seconds West a distance of 111.47 feet to a point;

thence going into said Lot 47 North 30 degrees 39 minutes 02 seconds West a distance of 110.30 feet to a point;

thence North 84 degrees 31 minutes 22 seconds West a distance of 118.10 feet to a point on the West line of said Lot 47;

thence with the West line of said Lot 47 North 12 degrees 12 minutes 36 seconds East a distance of 10.07 feet to the point of beginning, containing .158 acres more or less, and subject to any other public or private easements of record.

The above .158 acre surveyed water distribution line easement is intended to describe part of Lots 47, 49, 51, and 54 of the Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR36, Page 689, part of Lots 53 and 56 of the Walnut Hills Subdivision as deeded to Larry Gerstner, deed reference Volume OR63, Page 364, and part of Lots 31, 48, 50, and 55 of the Walnut Hills Subdivision as deeded to Bevan Barnett, deed references Volume 217, Page 512, and Volume OR36, Page 687, all of the Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing subdivision plat. The reference bearing for this survey is the Northwest line of Walnut Hills Subdivision as South 84 degrees 31 minutes 22 seconds East. Bearings are based upon an assumed meridian and are to denote angles only. All iron pins previously set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped LPG-6344. The above described property was surveyed from previous field work by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on August 31, 2001.

Approved - Mathematically Hocking County Engineer's Office

BY EN W/3 DATE 09-10-01

Survey by:

Larry P. Gerstner - Engineering and Surveying

9 East Second Street, Suite A, Logan, Ohio 43138 740-385-4260

LOGAN CITY 20 PLAT OF .084 AC LOT 27 PART, .262 AC LOT 28, & .201 AC LOT 20 FOR GARY ZINKON Lots(20)27,28 Falls 12 Situated in the City of Logan, Falls Township, Hocking County, Ohio; being the North part of Lot 27, all of Lot 28, and all of Lot 20, all of Walnut Hills Subdivision as recorded in Plat Book F, Pages 31 and 32, and revised in Plat Book G, Page 38, both of Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17. SCALE: 40 ZINKON 6ARY I 207 - 389, 390 LOT 28 27  $\alpha$ .262 ACRE .084 ACRE 0 2 LOT 27 PART ROBER & KATHLEEN HDSLER 143 - 400 REFERENCES: (52.0 Tax maps Deed descriptions Previous surveys Existing monumentation LOT 20 LARRY P. Platted subdivision .201 ACRE GERSTNER N

### LEGEND:

o 5/8" iron pin found

 $\Delta$  1-3/8" iron pipe found

o 5/8" iron pin with 14" plastic ID cap set

# REFERENCE BEARING:

Revised plat of Walnut Hills Subdivision.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 16th day of November, 1988 and that the plat is a correct representation of the premises as described by said survey.

Approved - Mathematically Hecking County Engineer's office 

FOR LOT 27 PART ONLY \* CONDITIONAL APPROVAL/TRANSFER-Not to be used as separate building site or transferred as an independent parcel in the future without Planning Commission and/or health Dept. approval.

Registered Surveyor No. 6344

N 82° 48'53"W - 80,00'

JENNIFER

70

 $\acute{\omega}$ 

5 0\_

STREET

Survey by:


Engineering and Surveying Larry P. Gerstner -119 West Main St., Logan, Ohio 43138

#### SURVEY DESCRIPTION OF .262 ACRE LOT 28 FOR GARY ZINKON

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 28 of Walnut Hills Subdivision as recorded in Plat Book F, Pages 31 and 32, and revised in Plat Book G, Page 38, both of Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the West corner of Lot 28 of Walnut Hills Subdivision; thence North 58 degrees 30 minutes 43 seconds East a distance of 113.11 feet to a 5/8" iron pin set; thence on a curve to the left having a radius of 152.81 feet and a chord bearing South 43 degrees 43 minutes 02 seconds East at a distance of 78.13 feet to a 5/8" iron pin set; thence South 34 degrees 07 minutes 28 seconds West a distance of 105.83 feet to a 1-3/8" iron pipe found; thence North 57 degrees 00 minutes 45 seconds West a distance of 29.73 feet to a 5/8" iron pin found; thence North 64 degrees 32 minutes 52 seconds West a distance of 20.10 feet to a 5/8" iron pin found; thence North 38 degrees 29 minutes 11 seconds West a distance of 39.39 feet to a 5/8" iron pin found; thence North 38 degrees 29 minutes 11 seconds West a distance of 39.53 feet to the point of beginning containing .262 acres more or less, subject to any private easements of record.

The above .262 acre survey is intended to describe all of the platted Lot 28 of Walnut Hills Subdivision as deeded to Gary Zinkon by deed reference Volume 207, Pages 389 and 390, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the revised plat of Walnut Hills Subdivision. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on November 16, 1988.



Survey by:

Jamy P. Verster

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Chio 43138 385-4260

Approved - Mathematically
Hocking County Engineer's office
By Date 11-7-89

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 20 of Walnut Hills Subdivision as recorded in Plat Book F, Pages 31 and 32, and revised in Plat Book G, Page 38, both of Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin found at the Southwest corner of Lot 20 of Walnut Hills Subdivision; thence North 7 degrees 17 minutes 54 seconds East a distance of 128.40 feet to a 5/8" iron pin found; thence South 57 degrees 00 minutes 45 seconds East at a distance of 23.73 feet to a 1-3/8" iron pipe found; thence South 81 degrees 22 minutes 14 seconds East a distance of 42.55 feet to a 1-3/8" iron pipe found; thence South 1 degree 58 minutes 02 seconds West a distance of 114.87 feet to a 5/8" iron pin set; thence North 82 degrees 48 minutes 53 seconds West a distance of 80.00 feet to the point of beginning containing .201 acres more or less, subject to any private easements of record.

The above .201 acre survey is intended to describe all of the platted Lot 20 of Walnut Hills Subdivision as deeded to Gary Zinkon by deed reference Volume 207, Pages 389 and 390, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the revised plat of Walnut Hills Subdivision. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on November 16, 1988.



Survey by:

Jam P. Newho.

Larry P. Gerstner - Engineering and Surveying 113 West Main Street, Logan, Ohio 43138 385-4260

Approved - Mathematically
Hecking County Engineer's office
By FN Date 1-7-88

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being the North part of Lot 27 of Walnut Hills Subdivision as recorded in Plat Book F, Pages 31 and 32, and revised in Plat Book G, Page 38, both of Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the North corner of Lot 27 of Walnut Hills Subdivision; thence with the Northeast line of Lot 27 South 38 degrees 29 minutes 11 seconds East a distance of 39.53 feet to a 5/8" iron pin found; thence leaving the Northeast line of Lot 27 South 68 degrees 52 minutes 49 seconds West a distance of 104.72 feet to a 5/8" iron pin found on the revised West line of Lot 27; thence with the revised West line of Lot 27 on a curve to the left having a radius of 132.236 feet and a chord bearing North 17 degrees 30 minutes 38 seconds West at a distance of 37.98 feet to a 5/8" iron pin set at the revised Northwest corner of Lot 27; thence with the Northwest line of Lot 27 North 68 degrees 59 minutes 35 seconds East a distance of 90.53 feet to the point of beginning containing .084 acres more or less, subject to any private easements of record.

The above .084 acre survey is intended to describe the remaining part of Lot 27 of Walnut Hills Subdivision as deeded to Gary Zinkon by deed reference Volume 207, Pages 389 and 390, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the revised plat of Walnut Hills Subdivision. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on November 16, 1388.



Jang P. Ventre

Survey by: Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260

Approved - Mathematically F-Hocking County Engineer's office

By Date 11-17-00

\* CONDITIONAL APPROVAL/TRANSFER-Not to be used as separate building site or transferred as an independent parcel in the future without Planning Commission and/or health Dept approval.

20 119 W MAIN ST. JUNE 23, L18 EARTH WORKS LOGAN OHIO SURVEY OF EASEMENT FOR DONALD SLEZAK LOGAN BEING AN EASEMENT OF INGRESS AND EGRESS CONSISTING OF PARTOELOT NO. WALNUT HILLS SUBDIVISION, OF THE CITY OF LOGAN, FALLS TOWNSHIP, HOCKING COUNTY; SECTION 12, TOWN SHIP 14, RANGE 17; DHIO. LEGEND REFERENCES - EXISTING PRIVATE DRIVE PK NAIL SET TAX MAPS 5/8" IRON PIN WITH 144" PLASTIC SURROUNDING DEEDS IDENTIFICATION CAP SET PREVIOUS SURVEYS 5/8" IRON PIN FOUND FXISTING MONUMENTATION REFERENCE BEARING: NORTHERNMOST LINE EXISTING PRIVATE DRIVE WAY BETWEEN LOTS 5:6 AS S 62 03' 16" W CYNTHIA BAILEY DONALD & PATRICIA 184 - 320 SLEZAK 380°24′ 00" W LOT 5 151 - 711 28,36'-10T3N80°29'00'E -26.79 N 38° 18'30"W -70.28 NZ7°03'20"W N 40° 28' 20" W - 44.62' N 45° 25'00" W-48.54 WALNUT DRIVE SCALE: 1"=50' 57° 05′ 02″ W - 25.86′

I HEREBY CERTIFY THAT AN ACTUAL SURVEY WAS MADE UNDER MY SUPERVISION OF THE PREMISES SHOWN HEREDN ON THE 23 DAY OF JUNE 1983, AND THAT THE PLAT IS A CORRECT REPRESENTATION OF THE PREMISES AS DESCRIBED BY SAID SURVEY.

ALICE DONAHEY
161-004
LOT 1

Approved - Mathematically

Hocking County Engineer's office

By P Date 24-8-3

REGISTERED SURVEYOR NO. 6344

#### EARTH WORKS

119 W. Main St. Logan, Ohio June 23, 1983 385-4260

### SURVEY DESCRIPTION OF .078 ACRE EASEMENT FOR DONALD SLEZAK

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot No. 1 of Walnut Hills Subdivision as platted in Plat Book F, Page 31, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being an easement of ingress and egress as described by the following survey:

Commencing for reference at a 5/8" iron pin found at the southwest corner of Kellyn Court which is also the Southeast corner of Lot 5 of said Walnut Hills Subdivision: thence with the line between Lots 5 and 6 of said Walnut Hills Subdivision the following two bearings and distances: South 62003'16" West a distance of 87.21 feet to a 5/8" iron pin found; thence South 36°39'27" West a distance of 92.40 feet to a point; thence leaving said line between Lots 5 and 6 and following the line between Lots 5 and 1 North 23004'15" West a distance of 95.30 feet to a point; thence leaving said line between Lots 5 and 1 and following the line between Lots 1 and 3 South 80°24'00" West a distance of 28.36 feet to a 5/8" iron pin set and the point of Beginning for an easement to be described; thence South 31°37'40" East a distance of 77.72 feet to a 5/8" iron pin set; thence South 34°23'00" East a distance of 81.63 feet to a PK nail set; thence South 83°50'00" East a distance of 14.00 feet to a PK nail set: thence South 7005'02" West a distance of 25.86 feet to a 5/8" iron pin set; thence North 45°25'00" West a distance of 48.54 feet to a 5/8" iron pin set; thence North 40°28'20" West a distance of 44.62 feet to a 5/8" iron pin set; thence North 27°03'20" West a distance of 37.16 feet to a 5/8" iron pin set; thence North 38°18'30" West a distance of 70.28 feet to a 5/8" iron pin set; thence North 80°29'00" East a distance of 26.79 feet to the point of beginning, containing .078 acres more or less.

The above described .078 acre surveyed easement of ingress and egress is intended to be a part of Lot 1 of Walnut Hills Subdivision as described in Plat Book F, Page 31, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, surrounding deeds, previous surveys, existing monumentation, and an

Easement for Slezak, Page 2

existing private driveway. The reference bearing for this survey is the northernmost line between Lots 5 and 6 of said Walnut Hills subdivision as South 62°03'16" West. All iron pins set by this survey are capped by a 1½" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on June 23, 1983.


Registered Surveyor No. 6344

Approved - Mathematically
Hocking County Engineer's office
By Date -2487



PLAT OF .222 ACRE LOT 56 OF WALNUT HILLS FOR NANCY BOWLING

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 56 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

Approved - Mathematically
Hacking County Engineer's 9-10

Fy w 1006 12-5-44

Registered Surveyor No. 6344

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 56 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northeast corner of Lot 56 of Walnut Hills Subdivision on the corporation limits of the City of Logan; thence with the boundary of said Lot 56 the following bearings and distances:

- 1) Leaving the corporation limits of the City of Logan South 39 degrees 34 minutes 00 seconds East a distance of 81.27 feet to a 5/8" iron pin set;
- 2) South 74 degrees 59 minutes 28 seconds West a distance of 110.38 feet to a 5/8" iron pin set;
- 3) North 30 degrees 39 minutes 02 seconds West a distance of 118.92 feet to a 5/8" iron pin set on the corporation limits of the City of Logan and passing a 5/8" iron pin set at a distance of 94.15 feet;
- 4) With the corporation limits of the City of Logan South 84 degrees 31 minutes 22 seconds East a distance of 116.00 feet to a 5/8" iron pin set, containing .222 acres more or less, subject to any public and private easements of record.


The above ,222 acre survey is intended to describe all of Lot 56 of Walnut Hills Subdivision as deeded to Nancy Bowling, deed reference Volume OR 36, Page 688, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

Arguined - Mathematically
Hocking County Engineer's office
By Juan 12-5-14

LARRY P.
GERSTNER
S-6344
DV C

2º PLAT OF .266 ACRE LOT 55 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 55 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



# REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

Approved - Maton Single Hocking County Engineer's Gulls By MALL Date 12-5-94

Registered Surveyor No. 6344

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 55 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 55 Walnut Hills Subdivision; thence with the boundary of said Lot 55 the following bearings and distances:

- 1) North 33 degrees 15 minutes 41 seconds West a distance of 111.22 feet to a 5/8" iron pin set;
- 2) North 74 degrees 59 minutes 28 seconds East a distance of 110.38 feet to a 5/8" iron pin set;
- degrees 34 minutes 00 seconds East a distance of 102.00 3) South 39 feet to a 5/8" iron pin set;
- 4) South 68 degrees 46 minutes 21 seconds West a distance of 118.63 feet to the point of beginning containing .266 acres more or less. subject to any public and private easements of record.

The above .266 acre survey is intended to describe all of Lot 55 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's This survey was based upon information obtained from tax maps, Office. deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.


Approved - Mathematically

Hocking County Engineer's office By A Mulato 12-5-94



PLAT OF .260 ACRE LOT 58 OF WALNUT HILLS FOR SUSIE PICKER

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 58 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



I hareby certify that an actual survey was made under my supervision of the

Situated in the City of Logan, Falls Township, Hocking County, Ohio; of Lot 58 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northeast corner of Lot 58 Walnut Hills Subdivision on the corporation limits of the City of Logan; thence with the boundary of said Lot 58 the following bearings and distances: /

1) With the corporation limits of the City of Logan South 4 degrees 41 minutes 34 seconds West a distance of 249.00 feet to a 5/8" iron pin set;

2) Leaving the corporation limits of the City of Logan North 62 degrees 18 minutes 10 seconds West a distance of 19.39 feet to a 5/8" iron pin set;

3) North 2 degrees 03 minutes 45 seconds West a distance of 53.38

feet to a 5/8" iron pin set;
4) With a curve to the left having a radius of 171.45 feet and a chord bearing North 20 degrees 48 minutes 53 seconds West a distance of 110.24 feet to a 5/8" iron pin set;

5) North 39 degrees 34 minutes 07 seconds West a distance of 50.42

feet to a 5/8" iron pin set;

6) North 68 degrees 22 minutes 24 seconds East a distance feet to the point of beginning containing .260 acres more


subject to any public and private easements of record.

The above .260 acre survey is intended to describe all of Lot 58 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of The reference bearing for this survey is the numerous platting errors. North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

08 LARRY P

Approved - Mathematically Hocking County Engineer's and And Win 12-5

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 54 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

> Approved - Mathematically Booking County Engineer's office Registered Surveyor No. 6344 1 MAN 11012-5-94

Survey by:

#### SURVEY DESCRIPTION OF .233 ACRE LOT 54 OF WALNUT HILLS FOR SUSIE PICKER

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 54 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the North corner of Lot 54 of Walnut Hills Subdivision; thence with the boundary of said Lot 54 the following bearings and distances:


- 1) South 39 degrees 33 minutes 54 seconds East a distance of 54.79 feet to a 5/8" iron pin set;
- 2) With a curve to the right having a radius of 121.45 feet and a chord bearing South 30 degrees 51 minutes 36 seconds East a distance of 36.75 feet to a 5/8" iron pin set;
- 3) South 72 degrees 31 minutes 49 seconds West a distance of 120.35 feet to a 5/8" iron pin set;
- 4) North 36 degrees 29 minutes 27 seconds West a distance of 83.29 feet to a 5/8" iron pin set;
- 5) North 68 degrees 46 minutes 21 seconds East a distance of 118.63 feet to the point of beginning containing .233 acres more or less, subject to any public and private easements of record.

The above .233 acre survey is intended to describe all of Lot 54 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

LARRY P.
GERSINER
S-6344

Approved - Mathematically
Hocking County Engineer's office
By Academic 12-5-94

LUT53 WALAUTHILLS Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 53 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

> Approved - Mathematically Hocking County Engineer's office 1. 11 Au vate 12-5-94

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 53 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northeast corner of Lot 53 of Walnut Hills Subdivision; thence with the boundary of said Lot 53 the following bearings and distances:

- 1) With a curve to the right having a radius of 121.45 feet and a chord bearing South 12 degrees 06 minutes 59 seconds East a distance of 42.39 feet to a 5/8" iron pin set;
- 2) South 2 degrees 03 minutes 45 seconds East a distance of 53.38 feet to a 5/8" iron pin set;
- 3) With a curve to the right having a radius of 102.33 feet and a chord bearing South 10 degrees 06 minutes 25 seconds West a distance of 43.15 feet to a 5/8" iron pin set;
- 4) North 72 degrees 49 minutes 28 seconds West a distance of 123.29 feet to a 5/8" iron pin set;
- 5) North O degrees 13 minutes 24 seconds West a distance of 64.73 feet to a 5/8" iron pin set;
- 6) North 72 degrees 31 minutes 49 seconds East a distance of 120.35 feet to the point of beginning containing .290 acres more or less, subject to any public and private easements of record.


The above .290 acre survey is intended to describe all of Lot 53 of Walnut Hills Subdivision as deeded to Nancy Bowling, deed reference Volume OR 36, Page 688, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

LARRY P.
GERSINER
S-6344

Approved - Mathematically liocking County Engineer's office By MALL Date 12-5-94

PLAT OF .182 ACRE LOT 52 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 52 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



#### REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

Hocking County Engineer's Registered Surveyor No. 6344

Survey by:

# SURVEY DESCRIPTION OF .182 ACRE LOT 52 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 52 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

particularly described as follows:

Beginning at a 5/8" iron pin set at the Southeast corner of Lot 52 of Walnut Hills Subdivision; thence with the boundary of said Lot 52 the

following bearings and distances:

1) With a curve to the right having a radius of 102.33 feet and a chord bearing South 58 degrees 03 minutes 59 seconds West a distance of 119.69 feet to a 5/8" iron pin set;

2) North 86 degrees 08 minutes 32 seconds West a distance of 15.87

feet to a 5/8" iron pin set;

3) North O degrees 13 minutes 24 seconds West a distance of 98.65

feet to a 5/8" iron pin set;

4) South 72 degrees 49 minutes 28 seconds East a distance of 123.29 feet to the point of beginning containing .182 acres more or less,

subject to any public and private easements of record.

The above .182 acre survey is intended to describe all of Lot 52 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.


LARRY P.
GERSINER
S-6344

Approved - Mathematically
Hocking County Engineer's effice
By Audusta 12-5-94

Yang P. Wenter

PLAT OF .247 ACRE LOT 51 OF WALNUT HILLS FOR SUSTE PICKER

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 51 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



# REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

Approved - Mathematically flocking County Engineer's office for January 12-5-94

Registered Surveyor No. 6344

Survey by:

#### SURVEY DESCRIPTION OF .247 ACRE LOT 51 OF WALNUT HILLS FOR SUSIE PICKER

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 51 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the North corner of Lot 51 of Walnut Hills Subdivision; thence with the boundary of said Lot 51 the

following bearings and distances:

1) South O degrees 13 minutes 24 seconds East a distance of 163.38 feet to a 5/8" iron pin set and passing a 5/8" iron pin set at a distance of 64.73 feet;

2) With a curve to the right having a radius of 106.50 feet and a chord bearing North 55 degrees 50 minutes 06 seconds West a distance of 107.49 feet to a 5/8" iron pin set;

3) North 25 degrees 31 minutes 40 seconds West a distance of 39.68

feet to a 5/8" iron pin set;

4) North 57 degrees 28 minutes 34 seconds East a distance of 125.01 feet to the point of beginning containing .247 acres more or less,

subject to any public and private easements of record.

The above .247 acre survey is intended to describe all of Lot 51 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4 plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.


Approved - Methematically
Hocking County Engineer's office
By Aur Date 12-5-94

LARRY P.
CERSTNER
S-6344
D V C

20

LOGAN CITY Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 49 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.

Walnut Hills



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

> ្រក្រសាទ ទី « មិនៅកែចក្សសំខែកា ing count language's office

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by:

My 12-2-94 Larry/F. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260 Larry/F. Gerstner

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 49 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 49 of Walnut Hills Subdivision; thence with the boundary of said Lot 49 the following bearings and distances:

1) North 25 degrees 31 minutes 40 seconds West a distance of 80.38 feet to a 5/8 iron pin set;

2) With a curve to the left having a radius of 236.70 feet and a chord bearing North 27 degrees 53 minutes 05 seconds West a distance of 19.51 feet to a 5/8" iron pin set;

3) North 44 degrees 53 minutes 36 seconds East a distance of 99.84 feet to a 5/8" iron pin set;

4) South 33 degrees 15 minutes 41 seconds East a distance of 111.22 feet to a 5/8" iron pin set;

5) South 52 degrees 24 minutes 46 seconds West a distance of 110.68 feet to the point of beginning containing .248 acres more or less, subject to any public and private easements of record.


The above .248 acre survey is intended to describe all of Lot 49 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4 plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

LARRY P.
GERSTNER
S-6344

ergenwed - Waldingonlisall Schilling County Engineer's office MANIEUTE 12-2-94

PLAT OF .211 ACRE LOT 50 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 50 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 28th day of November, 1994 and that the plat is a correct representation of the premises as described by said survey.

Jy Awited 11-29-44

Survey by:

# SURVEY DESCRIPTION OF .211 ACRE LOT 50 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 50 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 50 of Walnut Hills Subdivision; thence with the boundary of said Lot 50 the

following bearings and distances:

1) North 25 degrees 31 minutes 40 seconds West a distance of 73.87 feet to a 5/8" iron pin set;

2) North 52 degrees 24 minutes 46 seconds East a distance of 110.68 feet to a 5/8" iron pin set;

3) South 36 degrees 29 minutes 27 seconds East a distance of feet to a 5/8" iron pin set; 83.29

4) South 57 degrees 28 minutes 34 seconds West a distance of 125.01 the point of beginning containing .211 acres more or

subject to any public and private easements of record.


The above .211 acre survey is intended to describe all of Lot 50 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's This survey was based upon information obtained from tax maps, Office. deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on November 28, 1994.

> a proced - Mathemalical Hocking County Engineer's office 21 4W Water 11-29-94



PLAT OF .245 ACRE LOT 48 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 48 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

ignmed - Major office in English County Implement office AMAW - 12-2-14

Registered Surveyor no. 6344

Survey by;

# SURVEY DESCRIPTION OF .245 ACRE LOT 48 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 48 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 48 of Walnut Hills Subdivision; thence with the boundary of said Lot 48 the following bearings and distances:


- 1) With a curve to the left having a radius of 236.70 feet and a chord bearing North 43 degrees 30 minutes 32 seconds West a distance of 108.56 feet to a 5/8" iron pin set;
- 2) North 53 degrees 05 minutes 53 seconds East a distance of 121.56 feet to a 5/8" iron pin set;
- 3) South 30 degrees 39 minutes 02 seconds East a distance of 94.15 feet to a 5/8" iron pin set;
- 4) South 44 degrees 53 minutes 36 seconds West a distance of 99.84 feet to the point of beginning containing .245 acres more or less, subject to any public and private easements of record.

The above .245 acre survey is intended to describe all of Lot 48 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

Approved - Mathematics of Hocking County Engineer's June 12-2-94

PLAT OF .218 ACRE LOT 47 OF WALNUT HILLS FOR SUSIE PICKER

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 47 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said, survey.

> 公司 医前部 医静脉管 energ Germy Turcipaciós Colles

Registered Surveyor No. 6344

Survey by:

MAW 11-1-94 Larry/P. Gerstner Larry/P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260 Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 47 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northwest corner of Lot 47 of Walnut Hills Subdivision on the Corporation Limits of the City of Logan; thence with the boundary of said Lot 47 the following bearings and distances:

- 1) With the Corporation Limits of the City of Logan South 84 degrees 31 minutes 22 seconds East a distance of 115.81 feet to a 5/8" iron pin set and passing a 5/8" iron pin previously set at a distance of 40.33 feet;
- 2) Leaving the Corporation Limits of the City of Logan South 30 degrees 39 minutes 02 seconds East a distance of 24.77 feet to a 5/8 iron pin set;
- 3) South 53 degrees 05 minutes 53 seconds West a distance of 121.56 feet to a 5/8" iron pin set;
- 4) With a curve to the left having a radius of 236.70 feet and a chord bearing North 63 degrees 18 minutes 56 seconds West a distance of 54.00 feet to a 5/8" iron pin set;
- 5) North 12 degrees 12 minutes 36 seconds East a distance of 82.98 feet to the point of beginning containing .218 acres more or less, subject to any public and private easements of record.

The above .218 acre survey is intended to describe all of Lot 47 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.


LARRY P.
GERSTNER
S-6344
OV C.

included Mathematical Company Appendix of the Company Appendix of the Company Appendix of the Company of the Co

Jamy P. Vasto

PLAT OF .174 ACRE LOT 46 OF WALNUT HILLS FOR BEVAN BARNETT 20

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 46 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

Approved - Mathematically Hocking County Engineer's office By R. FN Wate 10-20-94

tam V. Va Registered Surveyor

#### SURVEY DESCRIPTION OF .174 ACRE LOT 46 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 46 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northwest corner of Lot 46 of Walnut Hills Subdivision on the Corporation Limits of the City of Logan; thence with the boundary of said Lot 46 the following bearings and distances:

- 1) With the Corporation Limits of the City of Logan South 84 degrees 31 minutes 22 seconds East a distance of 108.61 feet to a 5/8" iron pin set and passing a 5/8" iron pin previously set at a distance of 4.11 feet:
- 2) Leaving the Corporation Limits of the City of Logan South 12 degrees 12 minutes 36 seconds West a distance of 82.98 feet to a 5/8 iron pin set:
- 3) With a curve to the left having a radius of 236.70 feet and a chord bearing North 80 degrees 42 minutes 06 seconds West a distance of 89.00 feet to a 5/8" iron pin set;
- 4) North 2 degrees 01 minutes 49 seconds West a distance of 77.14 feet to the point of beginning containing .174 acres more or less, subject to any public and private easements of record.

The above .174 acre survey is intended to describe all of Lot 46 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.


LARRY P.
GERSTNER
S-6344
OVE

Approved - Mathematically
Hocking County Engineer's office
By FFL Liste 10-2094

Hairy P. Weinter

20

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 45 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



# REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

Approved - Mathematically Hocking County Engineer's office E. R. F. Date 10-20-94

Registered Surveyor No. 6344

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 45 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

particularly described as follows:

Beginning at a 5/8" iron pin set at the Northwest corner of Lot 45 of Walnut Hills Subdivision on the Corporation Limits of the City of Logan; thence with the boundary of said Lot 45 the following bearings and

distances:

1) With the Corporation Limits of the City of Logan South 84 degrees 31 minutes 22 seconds East a distance of 107.25 feet to a 5/8" iron pin set;

2) Leaving the Corporation Limits of the City of Logan South 2 degrees 01 minutes 49 seconds East a distance of 77.14 feet to a 5/8 iron pin set;

3) With a curve to the left having a radius of 236.70 feet and a chord bearing South 86 degrees 09 minutes 24 seconds West a distance of

19.00 feet to a 5/8" iron pin set;

4) With a curve to the right having a radius of 84.60 feet and a chord bearing North 73 degrees 58 minutes 41 seconds West a distance of 63.82 feet to a 5/8" iron pin set;

5) North 51 degrees 49 minutes 04 seconds West a distance of 4.49

feet to a 5/8" iron pin set;

6) With a curve to the left having a radius of 100.00 feet and a chord bearing North 60 degrees 50 minutes 40 seconds West a distance of 31.38 feet to a 5/8" iron pin set;

7) North 1 degree 52 minutes 56 seconds East a distance of 52.96 feet to the point of beginning containing .183 acres more or less,

subject to any public and private easements of record.


The above .183 acre survey is intended to describe all of Lot 45 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4 plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.

Approved - Mathamatically
Hocking County Engineer's office
2 FN Late 10-20-94

Jam P. Veste

Survey by:

WALNUT HILLS LOTYY Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 44 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



#### REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

> hocking County Engineer's offic, MAN West 10-14-14

Surveyor No. 6344

Survey by:

#### SURVEY DESCRIPTION OF . 207 ACRE LOT 44 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 44 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Township 14, Range 17; and being more Office; being part of Section 12, particularly described as follows:

Beginning at a 5/8" iron pin set at the Northwest corner of Lot 44 Walnut Hills Subdivision on the Corporation Limits of the City of Logan; thence with the boundary of said Lot 44 the following bearings and

- 1) With the Corporation Limits of the City of Logan South 84 degrees 31 minutes 22 seconds East a distance of 157.57 feet to a 5/8" iron pin set and passing a 5/8" iron pin previously set at a distance of 124.31
- Leaving the Corporation Limits of the City of Logan South 1 degree 52 minutes 56 seconds West a distance of 52.96 feet to a 5/8 iron pin set;
- with a curve to the left having a radius of 100.00 feet and a 3) chord bearing South 73 degrees 52 minutes 34 seconds West a distance of 118.27 feet to a 5/8" iron pin set;
- 4) North 22 degrees 22 minutes 17 seconds West a distance of 109.02 feet to the point of beginning containing .207 acres more or less, subject to any public and private easements of record.

The above .207 acre survey is intended to describe all of Lot 44 of Walnut Hills Subdivision as deeded to Bevan Barnett, deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's This survey was based upon information obtained from tax maps, Office. deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.


Jany P. Vanter

Maritacia Construction Construction

Acuroved - Mathematically Hocking County Engineer's office By F. A . Wate 10-14-94

20

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 40 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

occord - Malagnatically

Line County Engineer's office

MAW Usia 10 14-14

Registered Surveyor No. 6344

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 40 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northeast corner of Lot 40 of Walnut Hills Subdivision; thence with the boundary of said Lot 40 the following bearings and distances:

- 1) South 3 degrees 00 minutes 02 seconds West a distance of 110.65 feet to a 5/8" iron pin set;
- 2) South 59 degrees 26 minutes 36 seconds West a distance of 23.00 feet to a 5/8" iron pin set;
- 3) with a curve to the left having a radius of 161.49 feet and a chord bearing North 61 degrees 37 minutes 09 seconds West a distance of 28.76 feet to a 5/8" iron pin set;
- 4) North 66 degrees 43 minutes 52 seconds West a distance of 41.82 feet to a 5/8" iron pin set;
- 5) with a curve to the right having a radius of 120.44 feet and a chord bearing North 44 degrees 33 minutes 04 seconds West a distance 90.93 feet to a 5/8" iron pin set;
- 6) with a curve to the right having a radius of 50.00 feet and a chord bearing North 52 degrees 54 minutes 17 seconds East a distance 96.72 feet to a 5/8" iron pin set;
- 7) South 51 degrees 49 minutes 04 seconds East a distance of 4.49 feet to a 5/8" iron pin set;
- 8) with a curve to the left having a radius of 134.60 feet and a chord bearing South 68 degrees 37 minutes 07 seconds East a distance of 77.80 feet to the point of beginning containing .399 acres more or less, subject to any public and private easements of record.

The above .399 acre survey is intended to describe all of Lot 40 of Walnut Hills Subdivision as deeded to Bevan Barnett, deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's This survey was based upon information obtained from tax maps, Office. deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.

> Approved - Mathematically Hocking County Engineer's original Hocking County Engineer's original Hocking Type 10-14-94

Maria Constitution of the Constitution of the


LARRY P. GERSTNER S-6344

()

Survey by:

PLAT OF .250 ACRE LOT 38 OF WALNUT HILLS FOR BEVAN BARNET!

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 38 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 28th day of November, 1994 and that the plat is a correct representation of the premises as described by said survey.

Jytu 11-29-94

Registered Surveyor No. 6344

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 38 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the North corner of Lot 38 of Walnut Hills Subdivision; thence with the boundary of said Lot 38 the following bearings and distances:

1) South 25 degrees 31 minutes 40 seconds East a distance of 92.93 feet to a 5/8" iron pin set;

2) With a curve to the left having a radius of 156.50 feet and a chord bearing South 27 degrees 01 minutes 16 seconds East a distance of 8.15 feet to a 5/8" iron pin previously set;

3) South 59 degrees 37 minutes 50 seconds West a distance of 113.05 feet to a 5/8" iron pin previously set;

4) North 21 degrees 00 minutes 36 seconds West a distance of 100.66 feet to a 5/8" iron pin set;

5) North 58 degrees 51 minutes 15 seconds East a distance of 105.01 feet to the point of beginning containing .250 acres more or less, subject to any public and private easements of record.


The above .250 acre survey is intended to describe all of Lot 38 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on November 28, 1994.

LARRY P.
GERSTNER
S-6344

tracting County Engineer's offices

Jany P. Veste

Survey by:



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 28th day of November, 1994 and that the plat is a correct representation of the premises as described by said survey.

1. MAN June 11-29-94

Registered Surveyor No. 6344

Survey by:

# SURVEY DESCRIPTION OF .236 ACRE LOT 37 OF WALNUT HILLS FOR SUSIE PICKER

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 37 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the North corner of Lot 37 of Walnut Hills Subdivision; thence with the boundary of said Lot 37 the following bearings and distances:

1) South 25 degrees 31 minutes 40 seconds East a distance of 101.00 feet to a 5/8" iron pin set;

2) South 58 degrees 51 minutes 15 seconds West a distance of 105.01 feet to a 5/8" iron pin set;

3) North 22 degrees 28 minutes 49 seconds West a distance of 101.21 feet to a 5/8" iron pin set;

4) North 58 degrees 35 minutes 19 seconds East a distance of 99.65 feet to the point of beginning containing .236 acres more or less, subject to any public and private easements of record.


The above .236 acre survey is intended to describe all of Lot 37 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4 plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on November 28, 1994.

the state of the s

Laun V. Vente

LARRY P.
GERSTNER
S-6344
DVC

Situated in the City of Logan, Falls Township, Hocking County, Onio; being all of Lot 36 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



## REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

14NW 11-94

Registered Surveyor No. 6344

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 36 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the North corner of Lot 36 of Walnut Hills Subdivision; thence with the boundary of said Lot 36 the following bearings and distances:

- 1) With a curve to the right having a radius of 186.70 feet and a chord bearing South 40 degrees 56 minutes 53 seconds East a distance of 99.29 feet to a 5/8" iron pin set;
- 2) South 58 degrees 35 minutes 19 seconds West a distance of 99.65 feet to a 5/8" iron pin set;
- 3) North 37 degrees 59 minutes 41 seconds West a distance of 109.06 feet to a 5/8" iron pin set;
- 4) North 64 degrees 48 minutes 16 seconds East a distance of 96.27 feet to the point of beginning containing .240 acres more or less, subject to any public and private easements of record.

The above .240 acre survey is intended to describe all of Lot 36 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.


Likely county linguistry's enter

Jany & Vaster

Survey by:

PLAT OF .213 ACRE LOT 41 OF WALNUT HILLS FOR NANCY BOWLING

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 41 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



#### REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

Myw ware 1/1-94

Registered Surveyor No. 6344

Survey by:

#### SURVEY DESCRIPTION OF .213 ACRE LOT 41 OF WALNUT HILLS FOR NANCY BOWLING

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 41 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northwest corner of Lot 41 of Walnut Hills Subdivision; thence with the boundary of said Lot 41 the

following bearings and distances:

1) With a curve to the left having a radius of 134.60 feet and a chord bearing North 89 degrees 14 minutes 06 seconds East a distance of 25.16 feet to a 5/8" iron pin set;

2) With a curve to the right having a radius of 186.70 feet and a chord bearing South 76 degrees 15 minutes 18 seconds East a distance of

127.00 feet to a 5/8" iron pin set;

3) South 64 degrees 48 minutes 16 seconds West a distance of 96.27 feet to a 5/8" iron pin set;

4) South 59 degrees 26 minutes 36 seconds West a distance of 78.04

feet to a 5/8" iron pin set;

5) North 3 degrees 00 minutes 02 seconds East a distance of 110.65 feet to the point of beginning containing .213 acres more or less,

subject to any public and private easements of record.

The above .213 acre survey is intended to describe all of Lot 41 of Walnut Hills Subdivision as deeded to Nancy Bowling, deed reference Volume OR 36, Page 688, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.

LARRY P.
GERSINER
S-6344
OVE

approved. Mathematically
Hocking County Engineer's efficiency

E) Machine Louise 11-1-129

Jan Venter

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 33 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.

SCALE: 30**'** N200219361E-20 30 10 SUSIE PICKER LEGEND: OR36-689 LOT 33 • 5/8" iron pin with .233 ACRES 1¼" plastic ID cap no. LPG-6344 set LOT 31 REFERENCES: Tax maps Deed descriptions Previous surveys Existing monumentation Platted Subdivision A best fit of numerous platting errors

## REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described, by said survey.

> Approxima - Molta. Hoching County Engineers 5. Ay AW US 10-13-19

Registered Surveyor

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 33 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 33 of Walnut Hills Subdivision; thence with the boundary of said Lot 33 the following bearings and distances:

1) With a curve to the left having a radius of 161.49 feet and a chord bearing North 37 degrees 32 minutes 32 seconds West a distance of 105.00 feet to a 5/8" iron pin set;

2) North 59 degrees 26 minutes 36 seconds East a distance of 101.04 feet to a 5/8" iron pin set and passing a 5/8" iron pin set at a distance of 23.00 feet;

3) South 37 degrees 59 minutes 41 seconds East a distance of 109.06 feet to a 5/8" iron pin set;

4) South 61 degrees 38 minutes 17 seconds West a distance of 102.46 feet to the point of beginning containing .233 acres more or less, subject to any public and private easements of record.

The above .233 acre survey is intended to describe all of Lot 33 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4 plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.

LARRY P.
GERSINER
S-6344

Approved - Malhamatiquity

Hocking County Engineer's office By My Water 10-13-94

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 34 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.

## SCALE:

301

20 10

LEGEND:

• 5/8" iron pin with 1¼" plastic ID cap no. LPG-6344 set

#### REFERENCES:

Tax maps Deed descriptions Previous surveys Existing monumentation Platted subdivision A best fit of numerous platting errors

## REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

Surveyor No. 6344

LOT 36

LOT 38

BEVAN BARNETT

LOT 34 ,236 ACRES

217-512, DR36-687

Survey by:

L. M. KNOWS 10-13-94 Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

# SURVEY DESCRIPTION OF .236 ACRE LOT 34 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 34 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 34 Walnut Hills Subdivision; thence with the boundary of said Lot 34

following bearings and distances:

1) North 18 degrees 34 minutes 12 seconds West a distance of 95.00 feet to a 5/8" iron pin set;

2) North 61 degrees 38 minutes 17 seconds East a distance of 102.46

feet to a 5/8" iron pin set;

3) South 22 'degrees 28 minutes 49 seconds East a distance of 101.21

feet to a 5/8" iron pin set;

4) South 65 degrees 22 minutes 10 seconds West a distance of 108.48 feet to the point of beginning containing .236 acres more or less,

subject to any public and private easements of record.

The above .236 acre survey is intended to describe all of Lot 34 of Walnut Hills Subdivision as deeded to Bevan Barnett, deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.


This the second LARRY P GERST!

Approved - Malhemotica by Hocking County Engineer's office 6) MAW Date 10-13-94

Jany P. Wister

Survey by: Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138

Lot 35 WalnutHills Situated in the City of Logan, Falls Township, Hocking County, Ohio; being sub. all of Lot 35 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, and revised in Plat Book G, Page 38, both of the Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 19th day of August, 1994 and that the plat is a correct representation of the premises as described by said survey.

> Approved - Mathematicall Hocking County Engineer's who

Surveyor No. 6344

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 35 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, and revised in Plat Book G, Page 38, both of the Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin previously set at the Southwest corner 35 of Walnut Hills Subdivision; thence with the boundary of said Lot 35 the following bearings and distances:

- 1) With a curve to the left having a radius of 306.31 feet and a chord bearing North 36 degrees 03 minutes 59 seconds West a distance of 36.93 feet to a 5/8" iron pin set;
- 2) With a curve to the right having a radius of 160.68 feet and chord bearing North 29 degrees 02 minutes 36 seconds West a distance of 58.42 feet to a 5/8" iron pin set;
- 3) North 65 degrees 22 minutes 10 seconds East a distance of 108.48 feet to a 5/8" iron pin set;
- 4) South 21 degrees 00 minutes 36 seconds East a distance of 100.66 feet to a 5/8" iron pin previously set;
- 5) South 69 degrees 10 minutes 48 seconds West a distance of 90.51 to the point of beginning containing .227 acres more or less, subject to any public and private easements of record.


The above .227 acre survey is intended to describe all of Lot 35 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on August 19, 1994. The state of the s

OF 017

Approved - Mathematically Hocking County Engineer's office By L-Po Date 6-3/-94 Jany P. Vanter

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 43 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

> Approxisa - Maintentalisally Bocking County Engineer's cities 21 And war 10-14-94

aun Registered Surveyor No.

Survey by:

## SURVEY DESCRIPTION OF .318 ACRE LOT 43 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 43 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 43 of Walnut Hills Subdivision; thence with the boundary of said Lot 43 the

following bearings and distances:

1) North 21 degrees 09 minutes 50 seconds West a distance of 184.20 feet to a 5/8" iron pin set on the Corporation Limits of the City of Logan and passing 5/8" iron pins previously set at distances of 40.55 feet, 115.64 feet, and 161.98 feet;

2) With the Corporation Limits of the City of Logan South 84 degrees 31 minutes 22 seconds West a distance of 108.71 feet to a 5/8" iron pin

set;

3) Leaving the Corporation Limits of the City of Logan South 22 degrees 22 minutes 17 seconds East a distance of 97.98 feet to a 5/8 iron pin set;

4) South 48 degrees 08 minutes 12 seconds West a distance of 106.08 feet to the point of beginning containing .318 acres more or less,

subject to any public and private easements of record.

in the second second


The above .318 acre survey is intended to describe all of Lot 43 of Walnut Hills Subdivision as deeded to Bevan Barnett, deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.

Approved - Mathematically
Hocking County Engineer's office
By Fy Late 19-14-44

Lang Vanter

PLAT OF .237 ACRE LOT 42 OF WALNUT HILLS FOR SUSIE PICKER

20 LOGAN CITY Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 42 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



#### REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

> Approved - Walhamuelisally Hocking County Engineer's office MAW 10-14-94

Registered

Survey by:

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 42 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 42 of Walnut Hills Subdivision; thence with the boundary of said Lot 42 the following bearings and distances:

- 1) North 21 degrees 09 minutes 50 seconds West a distance of 86.30 feet to a 5/8" iron pin set:
- 2) North 48 degrees 08 minutes 12 seconds East a distance of 106.08 feet to a 5/8" iron pin set;
- 3) South 22 degrees 22 minutes 17 seconds East a distance of 119.00 feet to a 5/8" iron pin set;
- 4) South 66 degrees 07 minutes 20 seconds West a distance of 101.86 feet to the point of beginning containing .237 acres more or less, subject to any public and private easements of record.

The above .237 acre survey is intended to describe all of Lot 42 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4 plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.

Approved - Malhamulically
Hocking County Engineer's office
By My Lete 10-14-94

LARRY P.
GERSINER
S-6344

OF O

Survey by:

PLAT OF .220 ACRE LOT 39 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 39 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.

#### SCALE:

1" = 30!


0 10 70 30

## LEGEND:

• 5/8" iron pin with 1%" plastic ID cap set

## REFERENCES:

Tax maps
Deed descriptions
Previous surveys
Existing monumentation
Platted subdivision
A best fit of numerous
platting errors



## REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 30th day of August, 1994 and that the plat is a correct representation of the premises as described by said survey.

Jy Aw Date 9-1-44

on of a King spinishing in

Registered Surveyor No. 6344

Survey by:

## SURVEY DESCRIPTION OF . 220 ACRE LOT 39 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 39 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being particularly described as follows:

Beginning at a 5/8" iron pin set at the South corner of Lot 39 Walnut Hills Subdivision; thence with the boundary of said Lot 39 the

following bearings and distances:

seconds West a distance of 103.60 1) North 21 degrees 09 minutes 50

feet to a 5/8" iron pin set;

2) North 66 degrees 07 minutes 20 seconds East a distance of 101.86 feet to a 5/8" iron pin set;

LARRY P. GERSTNER

Proposition IV Co

3) South 22 degrees 22 minutes 17 seconds East a distance of 5.05 feet to a 5/8" iron pin set;
4) With a curve to the left having a radius of 170.44 feet and a chord bearing South 33 degrees 58 minutes 21 seconds East a distance 68.57 feet to a 5/8" iron pin set;

5) South 51 degrees 30 minutes 43 seconds West a distance of 122.61 feet to the point of beginning containing .220 acres more or less,

subject to any public and private easements of record.

The above .220 acre survey is intended to describe all of Lot 39 of Walnut Hills Subdivision as deeded to Bevan Barnett deed Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as All iron pins set by this North 84 degrees 31 minutes 22 seconds West. survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on August 30, 1994.

> Approved - Malitematics Hocking County Engineer's College hAw water 9-1

> > Survey by:

PLAT OF .274 ACRE LOT 32 OF WALNUT HILLS FOR SUSIE PICKER

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 32 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17. WALNUT DRIVE

#### SCALE:

301

10 70

### LEGEND:

• 5/8" iron pin with 14" plastic ID cap set

∘ 5/8" iron pin with 14" plastic ID cap previously set

## REFERENCES:

Tax maps Deed descriptions Previous surveys Existing monumentation Platted subdivision A best fit of numerous platting errors

#### REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

CHERRY STREET SOUTH CORNER LOT 32 LOT 15 Pt.

SUSIE PICKER OR36-629

LOT 32

.Z74 ACRES

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 30th day of August, 1994 and that the plat is a correct representation of the premises as described by said survey.

> Approved - Mathematically hothog County Engineer's office M Audate 9-1-94

ally Registered Surveyor No. 6344

Survey by:

# SURVEY DESCRIPTION OF .274 ACRE LOT 32 OF WALNUT HILLS FOR SUSIE PICKER

Situated in the City of Logan, Falls Township, Hocking County, Ohio; of Lot 32 of Walnut Hills Subdivision of the City of Logan as in Plat Book F, Pages 31 and 32, Hocking County Recorder's ing part of Section 12, Township 14, Range 17; and being more Office; being part of Section 12, particularly described as follows:

Beginning at a 5/8" iron pin previously set at the South corner of Walnut Hills Subdivision; thence with the boundary of said Lot

32 the following bearings and distances:

1) North 21 degrees 09 minutes 50 seconds West a distance of 124.40

feet to a 5/8" iron pin set;

2) North 51 degrees 30 minutes 43 seconds East a distance of 122.61

feet to a 5/8" iron pin set;

White Constitution of the Constitution of the

GERSTNER

left having a radius of 170.44 feet 3) With a curve to the chord bearing South 54 degrees 11 minutes 10 seconds East a distance of 51.00 feet to a 5/8" iron pin set;

4) South 29 degrees 37 minutes 54 seconds West a distance of 186.92 the point of beginning containing .274 acres more or less,

subject to any public and private easements of record.

The above .274 acre survey is intended to describe all of Lot 32 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on August 30, 1994.


> Approved - Mathematically Hocking County Engineer's office

1 Austra 9-1-94

Survey by:

PLAT OF .279 ACRE LOT 57 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 57 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

Approved - Mathematically

Hocking County Engine

12-5-94

Registered Surveyor No. 6344

Survey by:

## SURVEY DESCRIPTION OF .279 ACRE LOT 57 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 57 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 1-3/4" axle found at the Northeast corner of Lot 57 of Walnut Hills Subdivision on the corporation limits of the City of Logan; thence with the boundary of said Lot 57 the following bearings and distances:

- 1) With the corporation limits of the City of Logan South 4 degrees 41 minutes 34 seconds West a distance of 42.93 feet to a 5/8" iron pin set:
- 2) Leaving the corporation limits of the City of Logan South 68 degrees 22 minutes 24 seconds West a distance of 119.13 feet to a 5/8" iron pin set;
- 3) North 39 degrees 34 minutes 00 seconds West a distance of 137.57 feet to a 5/8" iron pin set on the corporation limits of the City of Logan;
- 4) With the corporation limits of the City of Logan South 84 degrees 31 minutes 22 seconds East a distance of 202.81 feet to the point of beginning, passing a 5/8" iron pin previously set at a distance of 51.89 feet, and containing .279 acres more or less, subject to any public and private easements of record.

  The above .279 acre survey is intended to describe all of Lot 57 of

The above .279 acre survey is intended to describe all of Lot 57 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

A Secretary Constitution of the secretary of the secretar

inguismannessis

Approved - Mathematically
Hocking County Engineer's office
By An Accident 12-5-97

Survey by:

PLAT OF .282 ACRE LOT 31 OF WALNUT HILLS FOR BEVAN BARNETT Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 31 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17. LOT SCALE: CORPORA. 301 194-51 562°18'10"E 19.39° 10 05 LEGEND: ● 5/8" iron pin with 1¼" plastic ID cap no. LPG-6344 set BEVAN BARNETT 217-512, OR36-687 LAT 31 EASEMENT 1282 ACRES UTILITY N50°14'08'W. 152.00' ġ REFERENCES: Tax maps Deed descriptions Previous surveys Existing monumentation Platted subdivision A best fit of numerous SOUTHEAST CORNER LOT 31 platting errors JEFFREY & DEBORAH ANGLE 220-425 LOT 23

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

Appropriate Mathematically
Hermography Linguistics Chius
And the 12-2-94

Registered Surveyor No. 6344

Survey by:

REFERENCE BEARING:

#### SURVEY DESCRIPTION OF . 282 ACRE LOT 31 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 31 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Southeast corner of Lot 31 of Walnut Hills Subdivision; thence with the boundary of said Lot 31 the following bearings and distances:

- 1) North 50 degrees 14 minutes 08 seconds West a distance of 152.00 feet to a 5/8" iron pin set;
- 2) With a curve to the left having a radius of 152.33 feet and a chord bearing North 37 degrees 46 minutes 47 seconds East a distance of 195.19 feet to a 5/8" iron pin set;
- 3) South 62 degrees 18 minutes 10 seconds East a distance of 19.39 feet to a 5/8" iron pin set on the corporation limits of the City of Logan;
- 4) With the corporation limits of the City of Logan and leaving the corporation limits of the City of Logan South 4 degrees 41 minutes 34 seconds West a distance of 243.30 feet to the point of beginning containing .282 acres more or less, subject to any public and private easements of record.


The above .282 acre survey is intended to describe all of Lot 31 of Walnut Hills Subdivision as deeded to Bevan Barnett deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

LARRY P.
GERSTNER
S-6344
DV V

Appended - Mathematically Bocking County Engineer's viiles Fy Awburo/2-2-44

20

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 30 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



#### LEGEND:

• 5/8" iron pin with 1¼" plastic ID cap no. LPG-6344 set

#### REFERENCES:

Tax maps Deed descriptions Previous surv ys Existing monumentation Platted subdivision A best fit of numerous platting errors

## REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

> terrigies County Engineer's Utiliu MAN WE 12-2-94

Survey by:

Engineering and Surveying Larry P. Gerstner -119 West Main St., Logan, Ohio 43138 385-4260

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 30 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Southeast corner of Lot 30

of Walnut Hills Subdivision; thence with the boundary of said Lot 30 the

following bearings and distances:

1) North 85 degrees 14 minutes 43 seconds West a distance of 173.53 feet to a 5/8" iron pin set;

North 1 degree 52 minutes 28 seconds West a distance of 80.75 2)

feet to a 5/8" iron pin set;

3) South 86 degrees 08 minutes 32 seconds East a distance of

feet to a 5/8" iron pin set;

4) With a curve to the left having a radius of 152.33 feet and a chord bearing North 85 degrees 43 minutes 57 seconds East a distance of 43.02 feet to a 5/8" iron pin set;


5) South 50 degrees 14 minutes 08 seconds East a distance of 152.00 feet to the point of beginning containing .226 acres more or subject to any public and private easements of record.

The above .226 acre survey is intended to describe all of Lot 30 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of The reference bearing for this survey is the numerous platting errors. North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

approved - Malhemetisally Hocking County Engineer's willes 1AU 100:0 12-2-94

20

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 29 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



### REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 3rd day of December, 1994 and that the plat is a correct representation of the premises as described by said survey.

> haching toung Engineer's Gimus MAW 12-2-94

er jog system i fr

Registered Surveyor No. 6344

Survey by:

# SURVEY DESCRIPTION OF .212 ACRE LOT 29 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 29 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Southeast corner of Lot 29 of Walnut Hills Subdivision; thence with the boundary of said Lot 29 the

following bearings and distances:

1) North 82 degrees 48 minutes 12 seconds West a distance of 94.04 feet to a 1-3/4" iron pipe found;

2) North 81 degrees 09 minutes 53 seconds West a distance of 42.49 feet to a 1-3/4" iron pipe found;

3) North 33 degrees 28 minutes 00 seconds East a distance of 104.77

feet to a 5/8" iron pin previously set;

4) With a curve to the left having a radius of 156.50 feet and a chord bearing South 71 degrees 32 minutes 06 seconds East a distance of 78.93 feet to a 5/8" iron pin set;

degree 52 minutes 28 seconds East a distance of 5) South 1 feet to the point of beginning containing .212 acres more or

subject to any public and private easements of record.


The above .212 acre survey is intended to describe all of Lot 29 of Subdivision as deeded to Bevan Barnett deed reference Walnut Hills 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Volumes This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on December 3, 1994.

GERSTNER RVE paramentacion de la constante

Approved - Malhamiliceil Hoching County Engineer's willing 1 Au tate 12-2-94

PLAT OF .232 ACRE LOT 26 OF WALNUT HILLS FOR BEVAN BARNETT , ...

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 26 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, and revised in Plat Book G, Page 38, both of the Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



## REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 19th day of August, 1994 and that the plat is a correct representation of the premises as described by said survey.

Approved - Mathematically
Hocking County Engineer's office
By FN Date 8-31-94

Registered Surveyor No. 6344

Survey by:

## SURVEY DESCRIPTION OF .232 ACRE LOT 26 OF WALNUT HILLS FOR BEVAN BARNETT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 26 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, and revised in Plat Book G, Page 38, both of the Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin found at the Southeast corner of Lot 26 of Walnut Hills Subdivision; thence with the boundary of said Lot 26 the following bearings and distances:

1) North 77 degrees 23 minutes 09 seconds West a distance of 89.05 feet to a 5/8" iron pin previously set;

2) North 68 degrees 47 minutes 50 seconds West a distance of 57.70

feet to a 5/8" iron pin previously set;
3) North 40 degrees 39 minutes 22 seconds West a distance of 54.33

feet to a 5/8" iron pin previously set;
4) North 69 degrees 24 minutes 08 seconds East a distance of 118.09

feet to a 5/8" iron pin set;
5) South 18 degrees 34 minutes 12 seconds East a distance of 30.45

5) South 18 degrees 34 minutes 12 seconds East a distance of 30.45 feet to a 5/8" iron pin set;

6) With a curve to the left having a radius of 210.68 feet and a chord bearing South 29 degrees 02 minutes 36 seconds East a distance of 76.59 feet to a 5/8" iron pin set;

7) With a curve to the right having a radius of 185.02 feet and a chord bearing South 34 degrees 24 minutes 28 seconds East a distance of 33.03 feet to the point of beginning containing .232 acres more or less, subject to any public and private easements of record.

The above .232 acre survey is intended to describe all of Lot 26 of Walnut Hills Subdivision as deeded to Bevan A. Barnett, deed reference Hocking County Recorder's Office. This survey Volume OR 36, Page 687, was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for survey is the North line of Walnut Hills Subdivision as North 84 degrees iron pins set by this survey or All 22 seconds West. 31 minutes previously set are capped by a 1-1/4" plastic identification cap. above described property was surveyed by Larry P. Gerstner, Registered Surveyor No. 6344, on August 19, 1994.

And the second second

LARRY P. GERSTNER

Approved - Mathematically
Hocking County Engineer's office
By Late 8-31-44

PLAT OF .275 ACRE LOT 25 OF WALNUT HILLS FOR SUSIE PICKER

LOT 25

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 25 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.

# SCALE:

1" = 30'

0 10 20 30

# LEGEND:

 5/8" iron pin with 1¼" plastic ID cap no. LPG-6344 previously set

• 5/8" iron pin with 1¼" plastic ID cap no. LPG-6344 set

#### REFERENCES:

Tax maps
Deed descriptions
Previous surveys
Existing monumentation
Platted subdivision
A best fit of numerous
platting errors

SOUTHWEST CORNER LOT 25 N75°45'50"W

LOT 16

569° 24' 08" W

SUSIE PICKER

ZTS ACRES

0836-689 LOT Z5

# LARRY P. GERSTNER S-6344

## REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

hocking County Engineer's colles to MALL Date 10-13-94

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 25 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Southwest corner of Lot 25 of Walnut Hills Subdivision; thence with the boundary of said Lot 25 the

following bearings and distances:

1) North 24 degrees 14 minutes 17 seconds East a distance of 170.95 feet to a 5/8" iron pin set;
2) With a curve to the right having a radius of 111.49 feet and a chord bearing South 39 degrees 02 minutes 51 seconds East a distance of 78.02 feet to a 5/8" iron pin set;

3) South 18 degrees 34 minutes 12 seconds East a distance of 64.55 feet to a 5/8 iron pin set;

()

4) South 69 degrees 24 minutes 08 seconds West a distance of 118.09

feet to a 5/8" iron pin previously set;

5) North 75 degrees 45 minutes 50 seconds West a distance of 30.27 feet to the point of beginning containing .275 acres more or less,

subject to any public and private easements of record.

The above .275 acre survey is intended to describe all of Lot 25 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 All iron pins set by this survey or previously set are seconds West. capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.

> Metoropour en 1801 est OF On

GERSTNER

A CONTRACTOR


Approved - Mathematically Hocking County Engineer's office (C) Mw Date 10-13-94

Hang P. Vaster

Survey by: Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260

PLAT OF .312 ACRE LOT 24 OF WALNUT HILLS FOR BEVAN BARNETT

20 Lot. 24 Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 24 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 12th day of October, 1994 and that the plat is a correct representation of the premises as described by said survey.

> Logistized - Mail B Hooding County Engineer's County Jy Aww 10-13-94

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 24 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin previously set at the Southwest corner of Lot 24 of Walnut Hills Subdivision; thence with the boundary of said Lot 24 the following bearings and distances:

- 1) North 29 degrees 37 minutes 54 seconds East a distance of 186.92 feet to a 5/8" iron pin set;

  2) With a curve to the left having a radius of 170.44 feet and a chord bearing South 64 degrees 46 minutes 51 seconds East a distance of 11.72 feet to a 5/8" iron pin set;
- 3) South 66 degrees 43 minutes 52 seconds East a distance of 41.82 feet to a 5/8" iron pin set;
  4) With a curve to the right having a radius of 111.49 feet and a
- chord bearing South 63 degrees 08 minutes 32 seconds East a distance of 14.00 feet to a 5/8" iron pin set;
- 5) South 24 degrees 14 minutes 17 seconds West a distance of 170.95 feet to a 5/8" iron pin set;
- 6) North 75 degrees 45 minutes 50 seconds West a distance of 86.41 feet to the point of beginning, passing a 5/8" iron pin previously set at a distance of 21.92 feet, and containing .312 acres more or less, subject to any public and private easements of record.

The above .312 acre survey is intended to describe all of Lot 24 of Walnut Hills Subdivision as deeded to Bevan Barnett, deed reference Volumes 217 and OR 36, Pages 512 and 687, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, a platted subdivision, and a best fit of numerous platting errors. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey or previously set are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on October 12, 1994.

Hall by Constitution of the Constitution of th

LARRY P. GERSTNER S-6344

Approved - Malhematically

Jany P. Vactor

Hocking County Engineer's office By 14AV Uste 10-13-94

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260

61+52122/23


31

# PLAT OF SURVEY

Walnut Hills Sit SITUATED IN THE STATE OF OHIO, COUNTY OF HOCKING, CITY OF LOGAN, TOWNSHIP OF FALLS, SECTION 12, TOWNSHIP 14, RANGE 17 AND BEING ALL OF LOTS 21, 22, AND 23 AS RECORDED IN PLAT CABINET 1, PAGES 129A AND 129B.



- 3/4" iron pipe set 30" in length with plastic ID cap inscribed "6378"
- Δ 5/8" iron pin found with plastic ID cap "LPG-6344"



5/8" iron pin found 0



I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM AN ACTUAL FIELD SURVEY OF THE PREMISES IN \_\_\_\_\_\_OF 20\_/\_ AND FROM EXISTING PUBLIC RECORDS AND THAT SAID PLAT CORRECTLY SHOWS THE LIMITS OF THE PARCEL TO BE CONVEYED.

THIS CERTIFICATION WAS MADE BY ME ON THIS ZGE DAY OF MUNICH, 2001.

12

JERRY L. CASSELL OHIO PROFESSIONAL SURVEYOR NO. 6378 NOTE:

The bearing system for this plat is based on evidence found on the Northerly Right of way line of Jennifer St. and bears N 82° 35' 57" W and is for the determination of angles only.

CASSELL

Jeff Angle JLC DATE: Mar. 23, 2001 PROJ. NO.: HO 031601

JERRY L. CASSELL


**PROFESSIONAL** 

SURVEYORS

20525 Buena Vista Road Rockbridge, Ohio 43149 (740) 969-4101

PLAT OF .230 ACRE LOT 17 OF WALNUT HILLS FOR EARTH WORKS LOGAN CITY
Lot /1 Walnut

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being Hills all of Lot 17 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



The Plat of Walnut Hills Subdivision.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 11th day of February, 1994 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

#### SURVEY DESCRIPTION OF .230 ACRE LOT 17 OF WALNUT HILLS FOR EARTH WORKS

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 17 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more

particularly described as follows:

Beginning at a 5/8" iron pin set at the Northwest corner of Lot 17 of Walnut Hills Subdivision; thence with the boundary of said Lot 17 the following bearings and distances:

1) South 68 degrees 47 minutes 50 seconds East a distance of 57.70 feet to a 5/8" iron pin set;

2) South 4 degrees 36 minutes 10 seconds West a distance of 121.23 feet to a 5/8" iron pin set;

3) North 82 degrees 29 minutes 24 seconds West a distance of feet to a 5/8" iron pin set;

4) With a curve to the right having a radius of 77.90 feet and a chord bearing North 67 degrees 30 minutes 55 seconds West at a distance

of 40.31 feet to a 5/8" iron pin set;

5) North 23 degrees 35 minutes 37 seconds East a distance of 129.38 feet to the point of beginning containing .230 acres more or

subject to any public and private easements of record.

The above .230 acre survey is intended to describe all of Lot 17 of Subdivision as deeded to Larry P. Gerstner et. al., deed Walnut Hills reference Volume 217, Pages 190 and 512, Hocking County Recorder's This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the North Walnut Hills Subdivision as North 84 degrees 31 minutes line of seconds West. All iron pins set by this survey are capped by a plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on February 11, 1994.

The Control of the Co

Approved - Malhanilla Hooking County Engineer's office 14 TP Date 2-17-44

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 16 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



# REFERENCE BEARING:

The Plat of Walnut Hills Subdivision.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 11th day of February, 1994 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by: Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 16 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Township 14, Range 17; and being more Office; being part of Section 12,

particularly described as follows:

Beginning at a 5/8" iron pin set at the Northwest corner of Lot 16 of Walnut Hills Subdivision; thence with the boundary of said Lot 16 the

following bearings and distances:

45 minutes 50 seconds East a distance of 52.19 1) South 75 degrees feet to a 5/8" iron pin set;

2) South 40 degrees 39 minutes 22 seconds East a distance of 54.33 feet to a 5/8" iron pin set;

3) South 23 degrees 35 minutes 37 seconds West a distance of 129.38

feet to a 5/8" iron pin set;

4) With a curve to the right having a radius of 77.90 feet and a chord bearing North 40 degrees 47 minutes 22 seconds West at a distance of 31.68 feet to a 5/8" iron pin set;

5) With a curve to the left having a radius of 116.92 feet chord bearing North 45 degrees 39 mi of 66.65 feet to a 5/8" iron pin set; minutes 36 seconds West at a distance

6) North 18 degrees 30 minutes 32 seconds East a distance of 107.61 feet to the point of beginning containing .269 acres more or subject to any public and private easements of record. less,

The above .269 acre survey is intended to describe all of Lot 16 of Walnut Hills Subdivision as deeded to Larry P. Gerstner et. al., deed reference Volume 217, Pages 190 and 512, Hocking County Recorder's This survey was based upon information obtained from tax maps, Office. deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 All iron pins set by this survey are capped by a 1-1/4" seconds West. plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on February 11, 1994.

HATTING THE COMPANY SORREST OF THE LE OF ON GERSTNER ŵ The Control of the Co


Approved - Mathematically Hocking County Engineer's eli MTP 1000 Z-17-94

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260

PLAT OF .226 ACRE LOT 15 OF WALNUT HILLS FOR EARTH WORKS (Fall) 12

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 15 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.



I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 11th day of February, 1994 and that the plat is a correct representation of the premises as described by said survey

An Tomas Engineering County Engineering 2-17-94

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

# SURVEY DESCRIPTION OF .226 ACRE LOT 15 OF WALNUT HILLS FOR EARTH WORKS

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 15 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northeast corner of Lot 15 of Walnut Hills Subdivision; thence with the boundary of said Lot 15 the

following bearings and distances:

1) South 18 degrees 30 minutes 32 seconds West a distance of 107.61 feet to a 5/8" iron pin set;

2) With a curve to the left having a radius of 116.92 feet and a chord bearing North 85 degrees 27 minutes 50 seconds West at a distance of 92.28 feet to a 5/8" iron pin set;

3) South 70 degrees 53 minutes 45 seconds West a distance of 40.90

feet to a 5/8" iron pin set;

4) North 21 degrees 49 minutes 32 seconds West a distance of 9.54 feet to a 5/8" iron pin set;

5) North 46 degrees 05 minutes 10 seconds East a distance of 152.11

feet to a 5/8" iron pin set;

6) North 21 degrees 09 minutes 50 seconds West a distance of 10.34

feet to a 5/8" iron pin set;

7) South 75 degrees 45 minutes 50 seconds East a distance of 64.49 feet to the point of beginning containing .226 acres more or less,

subject to any public and private easements of record.

The above .226 acre survey is intended to describe all of Lot 15 of Walnut Hills Subdivision as deeded to Larry P. Gerstner et. al., deed reference Volume 217, Pages 190 and 512, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on February 11, 1994.

LARRY P.
GERSTNER
S-6344

Approved - Nathennations Hacking County Engineer's Chica Chica County Engineer's Chica Chi

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260 PLAT OF .02 ACRE EASEMENT OF INGRESS AND EGRESS THROUGH LOT 15
OF WALNUT HILLS SUBDIVISION FOR EARTH WORKS EXSENS NO

Lor 15 Pt. Walnut Hills

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 15 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being a surveyed easement of ingress and egress; and being part of Section 12, Township 14, Range 17.

#### SCALE:

1" = 10!

0 5 10

# 5 10

#### LEGEND:

• Point

• 5/8" iron pin with 1¼" plastic ID cap set

## REFERENCES:

Tax maps
Deed descriptions
Previous surveys
Existing monumentation
Platted Subdivision

#### REFERENCE BEARING:

The North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

LARRY GERSTNER Et al
217-190.512

OZ ACRE EASEMENT

LOT 15 PART

CON C. STANDARD

SOUTH LINE LUT 15

SOUTH LINE LUT 15

SOUTH LINE LUT 15

SOUTH SOUTH STREET

TENNIFER STREET

SOUTHWEST CORNER

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 11th day of February, 1994 and that the plat is a correct representation of the premises as described by said survey.

15

LOT

Jy her 3-29-14

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

Registered Surveyor No. 6344

Survey by:

#### SURVEY DESCRIPTION OF .02 ACRE EASEMENT OF INGRESS AND EGRESS THROUGH LOT 15 OF WALNUT HILLS SUBDIVISION FOR EARTH WORKS

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 15 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being a surveyed easement of ingress and egress; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Southwest corner of Lot 15 of Walnut Hills Subdivision; thence with the South boundary of said Lot 15 North 70 degrees 53 minutes 45 seconds East a distance of 40.90 feet to a 5/8 iron pin set and being the point of Beginning of the easement to be described:

thence North O degrees 00 minutes 00 seconds East a distance of 36.09 feet to a point on the Northwest line of said Lot 15;

thence with the Northwest line of said Lot 15 North 46 degrees 05 minutes 10 seconds East a distance of 27.76 feet to a point;

thence South O degrees OO minutes OO seconds East a distance of 50.48 feet to a point on the South line of said Lot 15;

thence with the South line of said Lot 15 and with a curve to the left having a radius of 116.92 feet and a chord bearing South 76 degrees 20 minutes 30 seconds West at a distance of 20.58 feet to the point of beginning containing .02 acres more or less, subject to any public or private easements of record.

The above .02 acre surveyed easement of ingress and egress intended to describe part of Lot 15 of Walnut Hills Subdivision as deeded to Larry P. Gerstner et. al., deed reference Volume 217, Pages 190 and 512, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on February 11, 1994.

> Approved - Mathematically-only Hooking County Engineer's office

B) Jy Au Date 3-29-74.

GERSTNER

Survey by:

A CONTROLLING Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260 Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 15 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.

LARRY P. GERSTNER

THE REAL STREET SON

# SCALE:

101

#### LEGEND:

• 5/8" iron pin with 1%" plastic ID cap set

· Point

#### REFERENCES:

Tax maps Deed descriptions Previous surveys Existing monumentation Platted Subdivision

LARRY GERSTNER ct. al. 217-190.512 LOT 15 Pt.

WEST CORNER LOT 15 -

- SOUTHWEST CORNER

# REFERENCE BEARING:

JENNIFER STREET North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West.

000000"E-50.48

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 11th day of February, 1994 and that the plat is a correct representation of the premises as described by said survey.

SUBDIVISION REGULATIONS WAIVED

17 In County English City Planning Comm DATE 4-19-94 Registered

Survey Larry P. Gerstner - Engineering and Surveying by: 119 West Main St., Logan, Ohio 43138 385-4260

#### SURVEY DESCRIPTION OF .042 ACRE LOT 15 PART OF WALNUT HILLS SUBDIVISION FOR EARTH WORKS

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 15 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Southwest corner of Lot of Walnut Hills Subdivision; thence with the West boundary of said Lot 15 North 21 degrees 49 minutes 32 seconds West a distance of 9.54 feet to a 5/8" iron pin set at the West corner of said Lot 15;

thence with the Northwest line of said Lot 15 North 46 degrees 05 minutes 10 seconds East a distance of 86.33 feet to a point;

thence South 0 degrees 00 minutes 00 seconds East a distance 50.48 feet to a point on the South line of said Lot 15;

thence with the South line of said Lot 15 and with a curve left having a radius of 116.92 feet and a chord bearing South 76 degrees 20 minutes 30 seconds West at a distance of 20.58 feet to a 5/8" iron pin set:

thence continuing with the South line of said Lot 15 South 70 degrees 53 minutes 45 seconds West a distance of 40.90 feet to the point of beginning containing .042 acres more or less, subject to any public or private easements of record.

The above .042 acre survey is intended to describe part of Lot 15 of Walnut Hills Subdivision as deeded to Larry P. Gerstner et. al., deed reference Volume 217, Pages 190 and 512, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, platted subdivision. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 All iron pins set by this survey are capped by a 1-1/4" seconds West. plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on February 11, Marithus Constitution of the Constitution of t 1994.

Aspended - Maldelmulically Hosling County Engineer's office 1 Date 4-21-94

SUBDIVISION REGULATIONS WAIVED


BY City Planning Comm. DATE 4-17-14

Unve

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260 20 PLAT OF .215 ACRE LOT 12 OF WALNUT HILLS FOR FRANK AND MARTHA JUDY LOGAN CITY (Walnut Hills Lot/2)

Situated in the City of Logan, Falls Township, Hocking County, Ohio; and being all of Lot 12 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



# REFERENCE BEARING:

The Plat of Walnut Hills Subdivision.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 25th day of March, 1991 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by: Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

#### SURVEY DESCRIPTION OF .215 ACRE

#### LOT 12 OF WALNUT HILLS FOR FRANK AND MARTHA JUDY

Situated in the City of Logan, Falls Township, Hocking County, Ohio: being all of Lot 12 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northeast corner of Lot 12 of Walnut Hills Subdivision; thence with the boundary of said Lot 12 the following bearings and distances:

- 1) South 7 degrees 24 minutes 00 seconds West a distance of 78.05 feet to a 5/8" iron pin set;
- 2) South 82 degrees 34 minutes 24 seconds East a distance of 10.00 feet to a 5/8" iron pin set;
- 3) South 7 degrees 24 minutes 00 seconds West a distance of 8.00 feet to a 1" square iron bolt found;
- 4) North 82 degrees 34 minutes 24 seconds West a distance of 123.84 feet to a 5/8" iron pin set and passing a 5/8" iron pin set at a distance of 95.00 feet;
- 5) North 17 degrees 09 minutes 59 seconds East a distance of 95.41 feet to a 5/8" iron pin set;
- 6) With a curve to the left having a radius of 127.90 feet and a chord bearing South 72 degrees 24 minutes 21 seconds East at a distance of 44.96 feet to a 5/8" iron pin set;
- 7) South 82 degrees 31 minutes 44 seconds East a distance of 53.41 feet to the point of beginning containing .215 acres more or less, subject to any public and private easements of record.

The above .215 acre survey is intended to describe all of Lot 12 of Walnut Hills Subdivision as deeded to Frank Mathias Judy and Martha Ruth Judy, deed reference Volume 217, Page 549, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the Plat of Walnut Hills Subdivision. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on March 25, 1991.


Approved • Mathematically
Hocking County Engineer's office
By MAW Date 3-27-9/

THE TENED OF OUR

AVE

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260 Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 11 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



SCALE: 1" = 40' 0 10 20 30 40

#### LEGEND:

• 5/8" iron pin with 1¼" plastic ID cap set

#### REFERENCES:

Tax maps
Deed descriptions
Previous surveys
Existing monumentation
Platted subdivision

# REFERENCE BEARING:

The Plat of Walnut Hills Subdivision.

Approved - Mathematically
Hocking County Engineer's office
By Auroate 3-27-9/

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 25th day of March, 1991 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

Situated in the City of Logan, Falls Township, Hocking County, Ohio: being all of Lot 11 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northeast corner of Lot of Walnut Hills Subdivision; thence with the boundary of said Lot 11 the

following bearings and distances:

1) South 17 degrees 09 minutes 59 seconds West a distance of 95.41

feet to a 5/8" iron pin set;

2) North 82 degrees 34 minutes 24 seconds West a distance of feet to a 5/8" iron pin set and passing a 5/8" iron pin set at a distance of 76.16 feet;

3) North 36 degrees 47 minutes 58 seconds East a distance of

feet to a 5/8" iron pin set;

4) With a curve to the left having a radius of 127.90 feet chord bearing South 45 degrees 41 minutes 44 seconds East at a distance of 73.02 feet to the point of beginning containing .255 acres more or less, subject to any public and private easements of record.

The above .255 acre survey is intended to describe all of Lot 11 of Walnut Hills Subdivision as deeded to Larry P. Gerstner et. reference Volume 217, Pages 190 and 512, Hocking County Office. This survey was based upon information obtained from tax maps. deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the Plat of Walnut Hills Subdivision. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on March 25, 1991.

GERSTNER French DVE Y LESS


Approved - Mathematically Hocking County, Engineer's office By ## 4w Date 3-27-91

Jamy P. Weister

Survey by: Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138

PLAT OF .215 ACRE LOT 10 OF WALNUT HILLS FOR EARTH WORKS LOGAN CITY

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of lot 10 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



SCALE:

20

0 10 20 30 40

#### LEGEND:

- 5/8" iron pin with 1¼" plastic ID cap set
- Wild cherry tree (29" diameter)

#### REFERENCES:

Tax maps Deed descriptions Previous surveys Existing monumentation Platted subdivision

# REFERENCE BEARING:

The Plat of Walnut Hills Subdivision.

Approved - Mathematically Hocking County Engineer's office By 1/1 Aw Date 3-27-91

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 25th day of March, 1991 and that the plat is a correct representation of the premises as described by said survey.

> aun Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260 Situated in the City of Logan, Falls Township, Hocking County, Ohio: being all of Lot 10 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32. Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Southwest corner of Lot 10 of Walnut Hills Subdivision; thence with the boundary of said Lot 10 the

following bearings and distances:

1) North 3 degrees 38 minutes 00 seconds East a distance of 62.20 feet to a 29" diameter wild cherry;

2) North 16 degrees 00 minutes 41 seconds West a distance of 86.25 feet to a 5/8" iron pin set;

3) North 71 degrees 07 minutes 16 seconds East a distance of 37.92

feet to a 5/8" iron pin set;

4) With a curve to the right having a radius of 66.92 feet and a chord bearing South 68 degrees 59 minutes 37 seconds East at a distance of 85.82 feet a 5/8" iron pin set;

5) South 36 degrees 47 minutes 58 seconds West a distance of 158.19

feet to a 5/8" iron pin set;

6) North 82 degrees 34 minutes 24 seconds West a distance of 1.41 feet to the point of beginning containing .215 acres more or less, subject to any public and private easements of record.

The above .215 acre survey is intended to describe all of Lot 10 of Walnut Hills Subdivision as deeded to Larry P. Gerstner et. al., deed reference Volume 217, Pages 190 and 512, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the Plat of Walnut Hills Subdivision. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on March 25, 1991.

LARRY P.
GERSINER
S-6344

LARRY P.
GERSINER
S-6344


LARRY P.
GERSINER
S-6344

Approved - Mathematically
Hocking County Engineer's office
By ### A wbate 3-27-9/

Jany P. Vaster

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260 Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 9 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 25th day of March, 1991 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 9 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin set at the Northeast corner of Lot 9 of Walnut Hills Subdivision; thence with the boundary of said Lot 9 the

following bearings and distances:

1) South 7 degrees 24 minutes 00 seconds West a distance of 100.44 feet to a 5/8" iron pin set;

2) South 2 degrees 18 minutes 50 seconds East a distance of 15.20 feet to a 5/8" iron pin found;

3) North 81 degrees 39 minutes 50 seconds West a distance of 52.86 feet to a 5/8" iron pin found;

4) North 10 degrees 59 minutes 10 seconds East a distance of 99.14

feet to a 5/8" iron pin set;

5) North 3 degrees 38 minutes 00 seconds East a distance of 15.66

feet to a 5/8" iron pin set;

6) South 82 degrees 34 minutes 24 seconds East a distance of 45.11 feet to the point of beginning, passing a 5/8" iron pin set at a distance of 1.41 feet, and containing .124 acres more or less, subject to any public and private easements of record.

The above .124 acre survey is intended to describe all of Lot 9 of Walnut Hills Subdivision as deeded to Larry P. Gerstner et. al., deed reference Volume 217, Pages 190 and 512. Hocking County Recorder's Office. This survey was based upon information obtained from tax maps. deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the Plat of Walnut Hills Subdivision. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on March 25, 1991.


LARRY P.
GERSTNER
S-6344
W S TENEN

Lang P. Westher

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260 PLAT OF .316 ACRE LOT 8 OF WALNUT HILLS FOR EARTH WORKS

Walnut Hills Lot 8 Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 8 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



plastic ID cap set o 5/8" iron pin with 1%" plastic ID cap previously set

> annel - Malanse No. 5 County Engineers

4 Aw was 7-11-94

Previous surveys Existing monumentation Platted Subdivision



I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 16th day of June, 1994 and that the plat is a correct representation of the premises as described by said survey.

6344

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260 Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 8 of Walnut Hills Subdivision of the City of Logan as recorded in Plat Book F, Pages 31 and 32, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being particularly described as follows:

Beginning at a 5/8" iron pin found at the Southeast corner of Lot 8 of Walnut Hills Subdivision; thence with the boundary of said Lot 8

following bearings and distances:

1) North 81 degrees 38 minutes 20 seconds West a distance of 177.66

feet to a 5/8" iron pin set;

2) North 21 degrees 07 minutes 00 seconds West a distance of 36.66

feet to a 5/8" iron pin set;

3) South 83 degrees 32 minutes 00 seconds East a distance of 125.00

feet to a 5/8" iron pin set;

4) North 14 degrees 53 minutes 40 seconds West a distance of 76.25

feet to a 5/8" iron pin set;

5) North 86 degrees 37 minutes 00 seconds East a distance of 87.31

feet to a 5/8" iron pin set;

6) South 75 degrees 00 minutes 50 seconds East a distance of

feet to a 5/8" iron pin previously set;

7) South 10 degrees 59 minutes 10 seonds West a distance of 99.21

feet to a 5/8" iron pin found;

Hilling Constitution of the Constitution of th

SUNVE

GERSTNER

8) South 8 degrees 10 minutes 40 seconds West a distance of 22.47 feet to the point of beginning containing .316 acres more or less,

subject to any public and private easements of record.


The above .316 acre survey is intended to describe all of Lot 8 of Walnut Hills Subdivision as deeded to Susie Picker, deed reference Volume OR 36, Page 689, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the North line of Walnut Hills Subdivision as North 84 degrees 31 minutes 22 seconds West. All iron this survey or previously set are capped by a 1-1/4" plastic pins set by The above described property was surveyed by Larry identification cap. P. Gerstner, Ohio Registered Surveyor No. 6344, on June 16, 1994.

> Approved - Mathematically Hocking County Engineer's office by MAW Date 2-11-94

> > Survey by:

Lany B. Wester

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260 Situated in the City of Logan, Falls Township, Hocking County, Ohio; and being part of Lots 6,7 & 8 of the Oakland Addition to the City of Logan as recorded i Village Plat Book 1, Page 92, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.



#### LEGEND:

o 1-¼" iron bolt found

□ 1" square bolt found

• 5/8" iron pin with 1-¼

• 5/8" iron pin with 1-14" plastic IDecap set

#### REFERENCES:

Tax maps
Deed descriptions
Previous surveys
Existing monumentation
Platted subdivision

#### REFERENCE BEARING:

North line of Lots 6,7, and 8 of Oakland Addition as South 82 degrees 34 minutes 24 seconds East.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 25th day of March, 1991 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

Situated in the City of Logan, Falls Township, Hocking County, Ohio: being part of Lots 6, 7, and 8 of the Oakland Addition to the City of Logan as recorded in Village Plat Book 1, Page 92, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17: and being more particularly described as follows:

Beginning at a 1" square iron bolt found which is North 82 degrees 34 minutes 24 seconds West at a distance of 90.00 feet from the Northeast

corner of Lot 9 of said Oakland Addition;

seconds West a distance thence South 7 degrees 24 minutes 00 100.44 feet to a 1-1/4" iron bolt found:

thence North 82 degrees 34 minutes 24 seconds West a distance 95.00 feet to a 5/8" iron pin set;

thence North 7 degrees 24 minutes 00 seconds East a distance

100.44 feet to a 5/8" iron pin set on the North line of Lot o;

thence with the North lines of Lots 6. 7, and 8 South 82 degrees minutes 24 seconds East a distance of 95.00 feet to the point beginning containing .219 acres more or less, subject to any public private easements of record.

The above .219 acre survey is intended to describe all of the as deeded to Frank Mathias Judy and Martha Ruth Judy, deed references Volumes 109 and 143, Pages 447 and 381, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted The reference bearing for this survey is the North line of subdivision. Lots 6, 7, and 8 of Oakland Addition as South 82 degrees 34 minutes 24 seconds East. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on March 25, 1991.

> Approved - Mathematically Hocking County Engineer's office By FN Date 3-27-1/

Englander of the State of the S

Survey by: Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-42 ، مار سافد JUL 13 '95 08:44AM DAGGER JOHNSTON ÉTALL

LOGANCITY

(Falls 17.2)

LO+2. Oakland Sub.

SURVEYING COMPANY

614 - 888 - 2455

CERTIFIED TO MINUESOTA TITLE COUNTY OF HOCKING

LENDER WATERFIELD MORT PB / PG 90 D8/22 PG 5/5

SCALE 1": 30' DATE GEPT. 5, 1979 BUYER GMITH

\* MORT GAGE GURVEY ONLY RECIEVED 7-13-95 67.06

N. WALNUT GTREET

We hereby certify that the foregoing plat was prepared from an actual survey of the premises and correctly shows the location of the building or buildings including any drives. This plat is prepared for mortgage loan and title purposes only and is not to be construed as having been prepared for the owner or for the use of the owner for any purpose.

Subject to all rights-of-way, easements and restrict - ions, if any, of previous record.


OADER NO. 2224-79

NORTHLAND SURVEYING COMPANY

6797 North High Street - Suite 325 Columbus Ohio 48085 GARY

FRED BACH

Registered Surveyor, No....



THERESY CERTIFY THAT AN ACTUAL CHEVEY BLAS MADE UNDER MY CHECT SUPERVISION OF THE PREMISES SHOWN MERCON ON THE SOURCE THE PLAT IS A CORRECT REPRESENTATION OF THE PREMISES AS DETERMINED BY SHOT SURVEY. I FUTHER CHETTEY THAT THERE MEE NO ENCEGACHIEUTS IS THERE WAY ACROSS ANY EXENCARY EXCEPT AS SHOWN MERCON.

Lary F Jeymony

PROFESSIONAL SUPERIOR TO BOXX

#### EXHIBIT "A"

Being a part of Lot 1 of the "Walnut Hills Subdivision" as recorded in Plat Book "G" at page 38, Hocking County Recorder's Office, said subdivision being situated in the City of Logan, Section 12, T14N, R17W, Falls Township, Hocking County, State of Ohio, and more particularly described as follows:

Beginning at a P.K. nail set on the northwest corner of Lot 1 of the "Walnut Hills Subdivision";

Thence along the lot line between Lots 1 and 3 of said subdivision, North 80 degrees 24 minutes East, passing through iron pins with plastic identification caps found at 98.98 feet and at 125.77 feet, going a total distance of 154.13 feet to a point being the corner to Lot 1, Lot 3, and Lot 5;

Thence along the lot line between Lots 1 and 5 of said subdivision, South 23 degrees 04 minutes 15 seconds East a distance of 30.85 feet to a point;

Thence leaving said lot line and with a new line, South 80 degrees 24 minutes West, passing through a 5/8" iron pin with a plastic identification cap set at 50.00 feet going a total distance of 156.58 feet to a P.K. nail set on the west line of Lot 1 in said subdivision in the center of Walnut Street;

Thence along the west line of Lot 1, North 18 degrees 34 minutes 43 seconds West a distance of 30.37 feet to the place of beginning, containing 0.1070 acre, more or less, subject to the right of way of Walnut Street and all easements of record.

All 5/8" iron pins with plastic identification caps set are stamped "Seymour-6044".

The bearings used in the above described tract were derived from a previous survey and are for the determination of angles only.


The above described tract was surveyed by George F. Seymour, Ohio Professional Surveyor No. 6044, August 20, 1992.

+ Approved • Mathematically
Hocking County Engineer's office

MACU Date 8-24-72

CONDITIONAL APPROVAL/TRANSFER-Not to be used as separate building site or transferred as an independent parcel in the future without Planning Commission and/or health Dept. approval.

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Out—Lot 19 (fka Out—Lot21) and part of Out—Lot 22 (fka Out—Lot 24) as shown on the Plat of the Town of Logan (Original) as recorded in Village Plat Book 1, Page 1; being part of Section 12, Township 14, Range 17.



The east line of Out—Lot 19 as South 07 degrees 25 minutes 59 seconds West. Bearings are based upon an assumed meridian and are to denote angles only.

#### CERTIFICATION:

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 19th day of April, 2010 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 8127

Survey by:

S. Vince Evans Surveying — S. Vince Evans P.S. 8127 64103 Woodgeard Road, Creola, Ohio 45622 Phone (740) 380—3884 FAX (740) 596—5831

# SURVEY DESCRIPTION OF A 0.274 ACRE TRACT FOR IRENE LOUISA

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Out-Lot 19 (fka Out-Lot 21) and part of Out-Lot 22 (fka Out-Lot 24) as shown on the Plat of the Town of Logan (Original) as recorded in Village Plat Book 1, Page 1; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Being all of a 0.21 acre tract as described in deed book Volume OR402, Page 419, to Irene Louisa.

Commencing for reference at a 2-1/4" iron pipe found at the Northeast corner of Out-Lot 19; Thence with the east line of said Out-Lot 19, South 07 degrees 25 minutes 59 seconds West a distance of 49.20 feet to a 5/8" iron pin set at the Southeast corner of a tract of land currently in the name of Shirley Walton as described in Volume OR367, Page 39 and Volume 359, Page 56, and being the point of Beginning of the tract of land to be described;

Thence with the east line of said Out-Lot 19 and Out-Lot 22, South 07 degrees 25 minutes 59 seconds West a distance of 175.36 feet to a 1-1/4" iron pipe found at the Northeast corner of Lot 2 of Walnut Hills Subdivision as recorded in Plat Cabinet 1, Pages 129A and 129B;

Thence North 59 degrees 56 minute 21 seconds West a distance of 86.24 feet to a 5/8" iron pin found at the Northwest corner of Lot 2 of Walnut Hills Subdivision and on the east right of way line of

Thence with the east right of way line of Walnut Drive, North 11 degrees 26 minutes 20 seconds East a distance of 142.49 feet to a 2-1/4" iron pipe found at the Southwest corner of said Shirley

Thence with the south line of said Shirley Walton tract, South 82 degrees 35 minutes 57 seconds East a distance of 69.65 feet to the point of beginning and containing 0.274 acres, more or less, subject to any public or private easements of record.

The above 0.274 acre survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing public road. The reference bearing for this survey is the east line of Out-Lot 19 as South 07 degrees 25 minutes 59 seconds West. Bearings are based upon an assumed meridian and are to denote angles only.

All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap

The above described property was surveyed by S. Vince Evans, Ohio Registered Surveyor No. 8127,

Survey by: S. Vince Evans Surveying S. Vince Evans, P. S. 8127 64103 Woodgeard Road Creola, Ohio 45622 Phone (740) 380-3884


FAX (740) 596-5831

APEROVED MAINTEMATICALLY Hocking County Engineer's Office By: CW Date: M. 4 D. 23 Y. 2010

# PLAT OF 0.060 ACRE, 0.055 ACRE AND 0.016 ACRE TRACTS AND WALNUT DRIVE RELOCATION

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of the west half of Walnut Drive of Walnut Hills Subdivision of the City of Logan as recorded in Plat Cabinet 1, Pages 129 A, B, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17.

P.O.B.



## REFERENCE BEARING:

The east line of said Lot 43 as North 22 degrees 22 minutes 17 seconds West. Bearings are based upon an assumed meridian and are to denote angles only.

#### **CERTIFICATION:**

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 27th day of July, 2021 and that the plat is a correct representation of the premises as described by said survey.

> APPROVED MATHEMATICALLY Hocking County Engineer's Office By: 1 Date: M. (OD. 1 Y. 21

- les timo Registered Surveyor No. 8127

Survey by:

S. Vince Evans Surveying — S. Vince Evans P.S. 8127 64103 Woodgeard Road, Creola, Ohio 45622 Phone (740) 380-3884 FAX (740) 596-5831

#### SURVEY DESCRIPTION OF A 0.060 ACRE TRACT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of the west half of Walnut Drive of Walnut Hills Subdivision of the City of Logan as recorded in Plat Cabinet 1, Pages 129 A, B, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin found at the Northeast corner of Lot 43 of Walnut Hills Subdivision as recorded in Plat Cabinet 1, Pages 129 A, B, and the north Corporation Limit of the City of Logan;

Thence with the north line of Existing Walnut Drive (50' R/W) and said Corporation Limit, South 84 degrees 31 minutes 22 seconds East a distance of 28.27 feet to a 5/8" iron pin set; Thence leaving said Corporation Limit and with the west line of the Proposed New Location of Walnut Drive (50' R/W), South 22 degrees 22 minutes 17 seconds East a distance of 110.28 feet to a 5/8" iron pin set;

Thence North 66 degrees 47 minutes 25 seconds West a distance of 35.72 feet to a 5/8" iron pin found at the Southeast corner of said Lot 43;

Thence North 22 degrees 22 minutes 17 seconds West a distance of 97.98 feet to the point of beginning and containing 0.060 acres, more or less, subject to any public or private easements of record.

The above 0.060 acre survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing public road. The reference bearing for this survey is the east line of said Lot 43 as North 22 degrees 22 minutes 17 seconds West. Bearings are based upon an assumed meridian and are to denote angles only.

All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped "SVE-8127".

The above described property was surveyed by S. Vince Evans, Ohio Registered Surveyor No. 8127, on July 27, 2021.

VINCE

S. Vince Evans, P. S. 8127

Survey by: S. Vince Evans Surveying S. Vince Evans, P. S. 8127 64103 Woodgeard Road Creola, Ohio 45622 Phone (740) 380-3884

FAX (740) 596-5831

#### SURVEY DESCRIPTION OF A 0.055 ACRE TRACT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 44 of Walnut Drive of Walnut Hills Subdivision of the City of Logan as recorded in Plat Cabinet 1, Pages 129 A, B, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin found at the Northwest corner of Lot 44 of Walnut Hills Subdivision as recorded in Plat Cabinet 1, Pages 129 A, B, and the north Corporation Limit of the City of Logan;

Thence with the north line of said Lot 44 and said Corporation Limit, South 84 degrees 31 minutes 22 seconds East a distance of 28.28 feet to a 5/8" iron pin set;

Thence leaving said Corporation Limit and with the east line of the Proposed New Location of Walnut Drive (50' R/W), South 22 degrees 22 minutes 17 seconds East a distance of 85.58 feet to a 5/8" iron pin set on the northwest line of Walnut Drive East (50' R/W);

Thence along said line of Walnut Drive East a curve to the left with the Delta Angle of 15 degrees 31 minutes 40 seconds, a Radius of 100.00 feet, a Tangent of 13.63 feet, a Length of 27.10 feet and a Chord of South 45 degrees 23 minutes 18 seconds West a distance of 27.02 feet to a 5/8" iron pin found at the Southwest corner of said Lot 44;

Thence with the west line of Lot 44, North 22 degrees 22 minutes 17 seconds West a distance of 109.02 feet to the point of beginning and containing 0.055 acres, more or less, subject to any public or private easements of record.

The above 0.055 acre survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing public road. The reference bearing for this survey is the east line of said Lot 43 as North 22 degrees 22 minutes 17 seconds West. Bearings are based upon an assumed meridian and are to denote angles only.

All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped "SVE-8127".

The above described property was surveyed by S. Vince Evans, Ohio Registered Surveyor No. 8127, on July 27, 2021.

5. Vince Evans, P. S. 8127

Survey by: S. Vince Evans Surveying S. Vince Evans, P. S. 8127 64103 Woodgeard Road Creola, Ohio 45622 Phone (740) 380-3884 FAX (740) 596-5831 VINCE EVANS
PS-8127

APPROVED MATHEMATICALLY
Hocking County Engineer's Office
By: Date: M. LOD. L. YZ.

#### SURVEY DESCRIPTION OF A 0.016 ACRE TRACT

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of the west half of Walnut Drive of Walnut Hills Subdivision of the City of Logan as recorded in Plat Cabinet 1, Pages 129 A, B, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 5/8" iron pin found at the Southeast corner of Lot 43 of Walnut Hills Subdivision as recorded in Plat Cabinet 1, Pages 129 A, B;

Thence South 66 degrees 47 minutes 25 seconds East a distance of 35.72 feet to a 5/8" iron pin set on the west line of the Proposed New Location of Walnut Drive (50' R/W);

Thence along said line of Walnut Drive East a curve to the left with the Delta Angle of 54 degrees 18 minutes 44 seconds, a Radius of 60.00 feet, a Tangent of 30.78 feet, a Length of 56.88 feet and a Chord of South 4 degrees 47 minutes 14 seconds West a distance of 54.77 feet to a 5/8" iron pin set on the east line of Lot 42 of Walnut Hills Subdivision;

Thence with the east line of said Lot 42, North 22 degrees 22 minutes 17 seconds West a distance of 74.24 feet to the point of beginning and containing 0.016 acres, more or less, subject to any public or private easements of record.

The above 0.016 acre survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing public road. The reference bearing for this survey is the east line of said Lot 43 as North 22 degrees 22 minutes 17 seconds West. Bearings are based upon an assumed meridian and are to denote angles only.

All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped "SVE-8127".

The above described property was surveyed by S. Vince Evans, Ohio Registered Surveyor No. 8127, on July 27, 2021.

Survey by: S. Vince Evans Surveying S. Vince Evans, P. S. 8127 64103 Woodgeard Road Creola, Ohio 45622 Phone (740) 380-3884 FAX (740) 596-5831 S. VINCE EVANS PS-8127