LOGAN City BEING A PART OF FRAC. LOT NO. A OF SEC. 12, (Fall,12) FALLS TWP., T-12N, E-17W, MOKENIG CO., CITY OF LOGAN, ONTO

NOTE: CITED BENETICS ARE BASED ON THE WEST R/W LINE OF THE C. O. RIR AS RUMING SIR OR 33"W.

AUNTER ST. (SS.AI, PLAT) -CHOIR CUT EN CONCRETE WALK) 389°56'1A"E E/W 60.37 ME COR. LOT NO. 992 OF THE SECOND EAST LANN ADD. 0.1907 275.28 SCALE 1"=50" 0 = 98" JDDN PEN(S) W/ID CAP Approved - Mathematically Healing County Engineer's office

By Aw Date 3-24-88 100.00 R/W S/W

REFERENCES:

COUNTY TAK PLATO SURVEYS OF RECORD VILLAGE PLAT BK.2, 96,157



I AKEEDY DECIABLE THAT THIS BUT IS A TRUE
AND ACCIDENCE REPRESENTATION OF THE PROTECTION
SHOWN AKEEDY AS DETERMENTED BY AN ACTUAL
SUBJECT SHEEV THOSE MY DIRECT SHEEV THOSE
ON THE 5TH DAY OF MARCH, 1988.

MIULDING SUGRESUS NO. 6803

MAZU ST. (82.50) -

DESCRIPTION OF SURVEY FOR MR. & MRS. WALTER DERR

Being the premises transferred to Walter & Pansy Derr in Vol. 177, Pg. 566, Hocking Co. Deed Records, situated in Frac. Lot No. 4 of Sec. 12, Falls Twp., T-14N, R-17W, Hocking Co., City of Logan, Ohio, and being more particularly described as follows:

Beginning at a hole cut in an existing concrete walk from which the NE corner of Lot No. 992 of the second East Lawn Add. to the City of Logan bears N 89° 56' 14" W a distance of 16.00 ft.;

Thence, with the south R/W line of Hunter St., S 89° 56' 14" E a distance of 60.37 ft. to an iron pin set on the westerly R/W line of the C. & O. Railroad;

Thence, with said westerly R/W line, S 12° \circlearrowleft 33" W a distance of 281.53 ft. to an iron pin set on the east R/W line of a 16.0 ft. alley;

Thence, with said alley R/W line, N 0° 13' 21" W a distance of 275.28 ft. to the place of beginning, containing 0.1907 acre, more or less, and being subject to all valid easements.

Cited bearings are based on the westerly R/W line of the C. & O. R/R as running S 12° 09' 33" W.

All iron pins described as being set are 5/8" X 30" with an attached plastic identification cap.

The above description is the result of an actual survey made by Michael P. Berry, Ohio Registered Surveyor No. 6803 on March 5, 1988.

Approved - Mathematically
Hooking County Engineer's office
By 19 Aw Data 3-24-88

Michael P. Berry

#680

程 20

P. O. Box 26


GEORGE F. SEYMOUR & ASSOCIATES Engineering, Surveying & Mapping Service Logan, Ohio 43138 L. C.

FALLS 12

1"=30

Phone: 614/385-4349

BEING LOT #103, OLD TOWN FIRST ALLOTMENT, CITY of LOGAN, SECTION 12, FALLS TOWNShip, Hocking County




Surveyed & Planed by

Correct Sermon DATE 4-6-78

REGISTERED SURVEYOR No. 6044

PLAT OF A 0.056 ACRE TRACT FOR ANNETTE HARRISON (Fall>12)

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 4 of the Crook and Braggs addition to the town of Logan as recorded in Village Plat Book 1, Page 34, Hocking County Recorder's Office; being the North half of the South half of renumbered Lot 304 of the City of Logan; being part of Section 12, Township 14, Range 17.



REFERENCE BEARING:

The West line of renumbered Lot 313 as North 2 degrees 15 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

CERTIFICATION:

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 17th day of September, 1997 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner — Engineering and Surveying 9 East Second Street, Suite A, Logan, Ohio 43138 (614) 385—4260

SURVEY DESCRIPTION OF A .056 ACRE PART LOT FOR ANNETTE HARRISON

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 4 of the Crook and Braggs addition to the town of Logan as recorded in Village Plat Book 1, Page 34, Hocking County Recorder's Office; being the North half of the South half of renumbered Lot 304 of the City of Logan; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Commencing for reference at a 1" iron bolt found at the Northwest corner of renumbered Lot 313 of the City of Logan; thence North 2 degrees 15 minutes 00 seconds East a distance of 53.125 feet to a 5/8" iron pin set on the West line of said Lot 304 and being the point of **Beginning** of the tract of land to be described;

thence with the west line of said Lot 304 North 2 degrees 15 minutes 00 seconds East a distance of 37.125 feet to a 5/8" iron pin set;

thence leaving the West line of said Lot 304 South 87 degrees 45 minutes 00 seconds East a distance of 66.00 feet to a 5/8" iron pin set on the East line of said Lot 304;

thence with the East line of said Lot 304 South 2 degrees 15 minutes 00 seconds West a distance of 37.125 feet to a 5/8" iron pin set;

thence leaving the East line of said Lot 304 North 87 degrees 45 minutes 00 seconds West a distance of 66.00 feet to the point of beginning, containing .056 acres more or less and subject to any public or private easements of record.

The above .056 acre survey is intended to describe all of the partial lot as deeded to Annette Harrison, deed reference Volume OR13, Page 904, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a subdivision plat. The reference bearing for this survey is the West line of renumbered Lot 313 as North 2 degrees 15 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only. All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped LPG-6344. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on September 17, 1997.

au P. Jeste

Approved - Mathematically
Hocking County Engineer's office
By 11 Aug 1016 9-17-17

CARRY P.
GERSTNER S-6344

OTH MICHSTERED

Survey by:

Larry P. Gerstner - Engineering and Surveying 9 East Second Street, Suite A, Logan, Ohio 43138 385-4260

Sec. 12 / Falls Twp. / map 26 OF AUT RO. BIA OF りといけて SEC. 12, 5745 TWP., CO., OMICO XXXXX THE KINGH RIW LIVE OF ろんこし ひか AS TURNES SQU'OD OU W. NEN COR. 2007 NO. 31A - (16.0' ALLEY)

,000 66.60 52.34 66.29 Slw 590000 66.57 SW COLLOT NO. 34 57. (32.50)

> Approved - Mathematically Hocking County Engineer's Office

BY MB DATE 8-20-02 ASREvised 5-19-04

SUFFERENCES:

CJAST XXCT OF RECORD DEEDS (AS NORTH)

A STATE OF THE PARTY OF THE PAR

(SCALE: 1"=30")

and 10 (6) 42 CEX CEX CEX CEX CEX

= 28001 Par (ED.)

= YEON BOLT (FD.)

BERRY
3-6803

SOLVEYORM

قرمها ما المراجع والمراجع والم

DESCRIPTION OF 0.1130 AC. TRACT

Being a part of tracts described in Vol. 209, Pg. 662, and Vol. 232, Pg. 305, Hocking Co. Official Records, situated in Lot No. 314 of the City of Logan, Sec. 12, Falls Twp., T-14N, R-17W, Hocking Co., Ohio, and being more particularly described as follows:

Beginning at an iron pin found on the SW corner of said Lot No. 314;

Thence, with the east line of the tract described in O. R. Vol. 175, Pg. 113, N 0 degrees 02' 58" W a distance of 73.90 ft. to an iron bolt found;

Thence, with a new line, N 89 degrees 52' 34" E, passing an iron pin set at 32.49 ft., going a total distance of 66.49 ft. to an iron pin set;

Thence, with the west line of a 16.0 ft. alley, S 0 degrees 06' 37" E a distance of 74.05 ft. to an iron pin set;

Thence, with the north line of Main St., S 90 degrees 00' 00" W, passing an iron pin set at 34.00 ft., going a total distance of 66.57 ft. to the place of beginning, containing 0.1130 acre, more or less, and being subject to all valid easements.

Cited bearings are based on the north line of Main St. as running S 90 degrees 00' 00" W.

All iron pins described as being set are 5/8" X 30" with an attached plastic identification cap.

The above description is the result of an actual survey made by Michael P. Berry, Ohio Registered Surveyor No. 6803, on August 8, 2002.

Approved - Mathematically Hocking County Engineer's Office

BY A REVISED DATE 5-19-04

Michael P. Berry

#6803

DESCRIPTION OF 0.1142 AC. TRACT

Being a part of tracts described in Vol. 209, Pg. 662, and Vol. 232, Pg. 305, Hocking Co. Official Records, situated in Lot No. 314 of the City of Logan, Sec. 12, Falls Twp., T-14N, R-17W, Hocking Co., Ohio, and being more particularly described as follows:

Beginning at an iron bolt found on the NW corner of said Lot No. 314;

Thence, with the south line of a 16.0 ft. alley, N 90 degrees 00' 00" E a distance of 66.36 ft. to an iron pin set;

Thence, with the west line of the adjoining north-south alley, S 0 degrees 06' 37" E a distance of 74.83 ft. to an iron pin set;

Thence, with a new line, S 89 degrees 52' 34" W, passing an iron pin set at 34.00 ft., going a total distance of 66.49 ft. to an iron bolt found on the NE corner of the tract described in O.R. Vol. 175, Pg. 113;

Thence, N 0 degrees 00' 22" W a distance of 74.97 ft. to the place of beginning, containing 0.1142 acre, more or less, and being subject to all valid easements.

Cited bearings are based on the north line of Main St. as running S 90 degrees 00' 00" W.

All iron pins described as being set are 5/8" X 30" with an attached plastic identification cap.

The above description is the result of an actual survey made by Michael P. Berry, Ohio Registered Surveyor No. 6803, on August 8, 2002.

Approved - Mathematically Hocking County Engineer's Office


BY JUB DATE 8-20-02

Michael P. Berry

#6803

PLAT OF A .169 ACRE LOT 991 FOR LOIS ARTHUR

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 991 of the Second East Lawn Addition to Logan as recorded in Village Plat Book 2, Page 157; and being part of Section 12, Township 14, Range 17.



REFERENCE BEARING:

The North line of Lot 991 as North 90 degrees 00 minutes 00 seconds East.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 2nd day of August, 1994 and that the plat is a correct representation of the premises as described by said survey.

Approved - Mathematic Hocking County Engineer's office By L. F. Late 8-3-14

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

SURVEY DESCRIPTION OF A .169 ACRE LOT 991 FOR LOIS ARTHUR

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 991 of the Second East Lawn Addition to Logan as recorded in Village Plat Book 2, Page 157; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Commencing for reference at a 1/2" iron pin with plastic ID cap no. 6803 found at the the Northeast corner of Lot 989 of the City of Logan; thence North 90 degrees 00 minutes 00 seconds East a distance of 65.70 feet to a 5/8" iron pin set at the Northwest corner of said Lot 991 and being the point of Beginning of the tract of land to be described;

thence North 90 degrees 00 minutes 00 seconds East a distance of 49.50 feet to a 5/8" iron pin set at the Northeast corner of said Lot 991:

thence South 0 degrees 07 minutes 00 seconds East a distance of 148.50 feet to a 5/8" iron pin set at the Southeast corner of said Lot 991:

thence North 90 degrees 00 minutes 00 seconds West a distance of 49.50 feet to a 5/8" iron pin set at the Southwest corner of said Lot 991;

thence North O degrees 07 minutes 00 seconds West a distance of 148.50 feet to the point of beginning containing .169 acres more or less, subject to any public or private easements of record.

The above .169 acre survey is intended to describe all of Lot 991 of the City of Logan as deeded to Lois Arthur, deed reference Volume OR5, Page 729, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and a platted subdivision. The reference bearing for this survey is the North line of Lot 991 as North 90 degrees 00 minutes 00 seconds East. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on August 2, 1994.


Approved - Mathematically
Hocking County Engineer's office
By Late 8-3-94



Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 202 of the Robert R. Wright's First Old Town Allotment to the City of Logan as recorded in Village Plat Book B, Pages 42 and 43, Hocking County Recorder's Office; being part of Section 12, Town ship 14, Range 17.



REFERENCE BEARING:

The West line of Lot 202 as North 0 degrees 00 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

CERTIFICATION:

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 17th day of May, 1996 and that the plat is a correct representation of the premises as described by said survey.

Larry P. Gerstner - Engineering and Surveying
Chical Logan Ohio 43138 (614) 385-4260 Survey by:

119 West Main Street, Logan, Ohio 43138

SURVEY DESCRIPTION OF A .171 ACRE LOT 202

FOR EUGENE AND MABEL HARDEN

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being all of Lot 202 of the Robert R. Wright's First Old Town Allotment to the City of Logan as recorded in Village Plat Book B, Pages 42 and 43, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 1" iron pipe found at the Northeast corner of said Lot 202; thence with the boundaries of said Lot 202 the following four bearings and distances:

- 1) South 0 degrees 30 minutes 50 seconds West a distance of 149.43 feet to a 3/4" iron pipe found at the Southeast corner of said Lot 202;
- 2) North 88 degrees 55 minutes 40 seconds West a distance of 49.11 feet to a 5/8" iron pin set at the Southwest corner of said Lot 202;
- 3) North 0 degrees 00 minutes 00 seconds East a distance of 149.62 feet to a 5/8" iron pin set at the Northwest corner of said Lot 202 and passing a 5/8" iron pin set at a distance of 90.50 feet;
- 4) South 88 degrees 44 minutes 20 seconds East a distance of 50.45 feet to the point of beginning, containing .171 acres more or less and subject to any public or private easements of record.

The above .171 acre survey is intended to describe all of Lot 202 of the City of Logan as deeded to Eugene and Mabel Harden, deed reference Volume OR 72, Page 889, Hocking County Recorder's Office. This survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing subdivision plat. The reference bearing for this survey is the West line of Lot 202 as North 0 degrees 00 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only. All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped LPG-6344. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on May 17, 1996.

Approved - Mathematically accents Engineer's office

In co Date 5-21-96

any P. Dester

P V E TO

Falls 12 L. C. 10.treks 2tulan & Dunter 172,87 Mens, Plat 192,25 FWWW LIFE MOVE NAI! 832 505 Ritgers WJZ W 50 paul (1)

Phof Fra. Sof #5

LA 5 164 unde

,,,/


Situated in the City of Logan, Falls Township, Hocking County, Ohio; being Lots 2, 3, and 4 of the Jergensmier Subdivision of the City of Logan as recorded in Plat Cabinet 1, Page 34A, Hocking County Recorder's Office; and being part of Section 12, Township 14, Range 17.

NORTHEAST CORNER SECOND STREET NORTHEAST CORNER LOTY

NORTHEAST CORNER LOTY

NORTHEAST CORNER LOTY

NORTHEAST CORNER LOTY



REFERENCE BEARING:

The North line of Lots 2, 3, and 4 of the Jurgensmier Subdivision as North 90 degrees 00 minutes 00 seconds East.

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 10th day of January, 1995 and that the plat is a correct representation of the premises as described by said survey.

Jy Aw una 1-12-95

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

SURVEY DESCRIPTION OF .516 ACRE LOTS 2, 3 AND 4 OF THE JERGENSMIER SUBDIVISION OF THE CITY OF LOGAN FOR THE

HOCKING METROPOLITAN HOUSING AUTHORITY

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being Lots 2, 3, and 4 of the Jergensmier Sub-Division of the City of Logan as recorded in Plat Cabinet 1, Page 34A, Hocking County Recorder's Office; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Beginning at a 1" iron pin found at the Northwest corner of said Lot 2; thence with the North line of said Lot 2 North 90 degrees 00 minutes 00 seconds East a distance of 62.50 feet to a 1" iron pipe found at the Northeast corner of said Lot 2;

thence with the North line of said Lot 3 North 90 degrees 00 minutes 00 seconds East a distance of 62.50 feet to a damaged 1" iron pipe found at the Northeast corner of said Lot 3;

thence with the North line of said Lot 4 North 90 degrees 00 minutes 00 seconds East a distance of 62.50 feet to a 5/8" iron pin set at the Northeast corner of said Lot 4;

thence with the East line of said Lot 4 South 0 degrees 23 minutes 10 seconds East a distance of 119.27 feet to a 1/2" iron pin found at the Southeast corner of said Lot 4;

thence with the South line of said Lot 4 South 89 degrees 36 minutes 20 seconds West a distance of 62.50 feet to a 5/8" iron pin set at the Southwest corner of said Lot 4;

thence with the South line of said Lot 3 South 89 degrees 36 minutes 20 seconds West a distance of 62.78 feet to a 1" iron pipe found at the Southwest corner of said Lot 3;

thence with the South line of said Lot 2 South 89 degrees 44 minutes 30 seconds West a distance of 62.25 feet to a damaged 1/2" iron pin found at the Southwest corner of said Lot 2;

thence with the West line of said Lot 2 North 0 degrees 22 minutes 20 seconds West a distance of 120.41 feet to the point of beginning containing .516 acres more or less, subject to any public or private easements of record.

The above .516 acre survey is intended to describe all of Lots 2, 3, and 4 of the Jurgensmier Sub-Division of the City of Logan as deeded to Trustees of the O'Neill Allen Home, deed reference Volume 109, Page the Hocking County Recorder's Office. This survey was based upon 516. obtained from tax maps, information deed descriptions, a subdivision, previous surveys, and existing monumentation. The reference bearing for this survey is the North line of Lots 2, 3, and 4 of the Jergensmier Sub-Division as North 90 degrees 00 minutes 00 seconds East. iron pins set by this survey are capped by a 1-1/4" plastic identification cap no. LPG-6344. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on January 10, 1995.

AN 112-95

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260 LARRY P. GERSINER S.6344

OF

5-6344 615**7E**4


DVEY.

Falls Twp. / Logum City Sec. 12 Map 26

PLAT OF A 0.059 ACRE TRACT FOR ANNETTE HARRISON

0.059 Ac

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 4 of the Crook and Braggs Addition to the Town of Logan as recorded in Village Plat Book 1, Page 34, Hocking County Recorder's Office; being part of renumbered LOT 304 of the City of Logan; being part of Section 12, Township 14, Range 17.



REFERENCE BEARING:

The West line of renumbered Lot 313 as North 02 degrees 15 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

CERTIFICATION:

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 4th day of October , 2006 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 8127

Survey by:

SVE Surveying — S. Vince Evans P.S. 8127 37381 Davis Chapel Road, Logan, Ohio 43138 Phone (740) 380—3884 FAX (740) 380—0134

SURVEY DESCRIPTION OF A 0.059 ACRE TRACT FOR ANNETTE HARRISON

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 4 of the Crook and Braggs Addition to the Town of Logan as recorded in Village Plat Book 1, Page 34, Hocking County Recorder's Office; being part of renumbered Lot 304 of the City of Logan; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Being part of the North half of renumbered Lot 304 of the City of Logan as recorded in deed book Volume OR115, Page 336 to Aaron Swope. Being part of the North half of the South half of renumbered Lot 304 of the City of Logan as recorded in deed book Volume OR13, Page 336.

Commencing for reference at a 1" iron pin found at the Northwest corner of renumbered Lot 313 of the City of Logan;

Thence crossing a 16.00' wide alley and with the west line of Lot 304, North 02 degrees 15 minutes 00 seconds East a distance of 53.13 feet to a 5/8" iron pin with 1-1/4" plastic ID cap stamped LPG-6344 found at the Southwest corner of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997) and being the point of **beginning** of the tract of land to be described;

Thence with the West line of Lot 304, North 02 degrees 15 minutes 00 seconds East a distance of 39.61 feet to a 5/8" iron pin set, passing a 5/8" iron pin with 1-1/4" plastic ID cap stamped LPG-6344 found at the Northwest corner of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997) at a distance of 37.13 feet;

Thence leaving the West line of Lot 304, South 87 degrees 45 minutes 00 seconds East a distance of 55.05 feet to a 5/8" iron pin set;

Thence South 00 degrees 40 minutes 36 seconds West a distance of 1.20 feet to a 5/8" iron pin set;

Thence South 87 degrees 45 minutes 00 seconds East a distance of 10.91 feet to a 5/8" iron pin set on the East line of Lot 304;

Thence with the East line of Lot 304, South 02 degrees 15 minutes 00 seconds West a distance of 38.41 feet to a 5/8" iron pin with 1-1/4" plastic ID cap stamped LPG-6344 found at the Southeast corner of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997), passing a 5/8" iron pin with 1-1/4" plastic ID cap stamped LPG-6344 found at the Northeast corner of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997) at a distance of 1.28 feet;

Thence with the South line of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997), North 87 degrees 45 minutes 00 seconds West a distance of 66.00 feet to the point of beginning and containing 0.059 acres (0.003 acres out of the North half of Lot 304 Pt. and 0.056 acres out of the North half of the South half of Lot 304 Pt.), more or less, subject to any public or private easements of record.

The above 0.059 acre survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing public road. The reference bearing for this survey is the West line of renumbered Lot 313 as North 02 degrees 15 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped "SVE-8127".

The above described property was surveyed by S. Vince Evans, Ohio Registered Surveyor No. 8127, on October 4, 2006.

PAORIS SONAL S

S. Vince Evans, P. S. 8127

Survey by: SVE Surveying


S. Vince Evans, P. S. 8127 37381 Davis Chapel Road Logan, Ohio 43138 Phone (740) 380-3884 FAX (740) 380-0134 Approved - Mathematically Hocking County Engineer's Office

BY 24 DATE 10-17-06

PLAT OF A 0.0035 ACRE TRACT FOR ANNETTE HARRISON

0,0035 Ac.

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 4 of the Crook and Braggs Addition to the Town of Logan as recorded in Village Plat Book 1, Page 34, Hocking County Recorder's Office; being part of the North half of renumbered Lot 304 of the City of Logan; being part of Section 12, Township 14, Range 17.



REFERENCE BEARING:

The West line of renumbered Lot 313 as North 02 degrees 15 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

CERTIFICATION:

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 4th day of October, 2006 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 8127

Survey by:

SVE Surveying — S. Vince Evans P.S. 8127 37381 Davis Chapel Road, Logan, Ohio 43138 Phone (740) 380—3884 FAX (740) 380—0134

SURVEY DESCRIPTION OF A 0.0035 ACRE TRACT FOR ANNETTE HARRISON

Situated in the City of Logan, Falls Township, Hocking County, Ohio; being part of Lot 4 of the Crook and Braggs Addition to the Town of Logan as recorded in Village Plat Book 1, Page 34, Hocking County Recorder's Office; being part of the North half of renumbered Lot 304 of the City of Logan; being part of Section 12, Township 14, Range 17; and being more particularly described as follows:

Being part of the North half of renumbered Lot 304 of the City of Logan as recorded in deed book Volume OR115, Page 336 to Aaron Swope.

Commencing for reference at a 1" iron pin found at the Northwest corner of renumbered Lot 313 of the City of Logan;

Thence crossing a 16.00' wide alley and with the west line of Lot 304, North 02 degrees 15 minutes 00 seconds East a distance of 53.13 feet to a 5/8" iron pin with 1-1/4" plastic ID cap stamped LPG-6344 found at the Southwest corner of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997);

Thence with the West line of Lot 304, North 02 degrees 15 minutes 00 seconds East a distance of 37.13 feet to a 5/8" iron pin with 1-1/4" plastic ID cap stamped LPG-6344 found at the Northwest corner of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997) and being the **point of beginning** of the tract of land to be described;

Thence with the West line of Lot 304, North 02 degrees 15 minutes 00 seconds East a distance of 2.48 feet to a 5/8" iron pin set;

Thence leaving the West line of Lot 304, South 87 degrees 45 minutes 00 seconds East a distance of 55.05 feet to a 5/8" iron pin set;

Thence South 00 degrees 40 minutes 36 seconds West a distance of 1.20 feet to a 5/8" iron pin set;

Thence South 87 degrees 45 minutes 00 seconds East a distance of 10.91 feet to a 5/8" iron pin set on the East line of Lot 304;

Thence with the East line of Lot 304, South 02 degrees 15 minutes 00 seconds West a distance of 1.28 feet to a 5/8" iron pin with 1-1/4" plastic ID cap stamped LPG-6344 found at the Northeast corner of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997);

Thence with the North line of a 0.056 acre Lot 304 Pt. (surveyed by Larry P. Gerstner, September 17, 1997), North 87 degrees 45 minutes 00 seconds West a distance of 66.00 feet to the point of beginning and containing 0.0035 acres, more or less, subject to any public or private easements of record.

The above 0.0035 acre survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing public road. The reference bearing for this survey is the West line of renumbered Lot 313 as North 02 degrees 15 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped "SVE-8127".

The above described property was surveyed by S. Vince Evans, Ohio Registered Surveyor No. 8127, on October 4, 2006.

S. Vince Evans, P. S. 8127

Survey by: SVE Surveying

S. Vince Evans, P. S. 8127 37381 Davis Chapel Road Logan, Ohio 43138 Phone (740) 380-3884 FAX (740) 380-0134 S. VINCE
EVANS
8127

ROSTONAL SURTH

Approved - Mathematically Hocking County Engineer's Office

11 DATE 10-4-06

TONDITIONAL APPROVAL/
TRANSFER Not to be used as separate building site or transferred as an independent parcel in the future without Planning Commission and/or Health Department approval

QUIT CLAIM Marvin Conkle Pt. Lot 4, Sec. 12, Falls South Side Hunter Street, Logan


Being a part of Lot 4, in the East half of the Southwest quarter of Section L2, Falls Township, Tl4N, Rl7W, Hocking County and State of Ohio, and more particularly described as follows: Beginning at an iron pin set on the North line of said Lot 4 and on the south line of Hunter Street in Logan, 5.98 feet west of the iron pin marking the north west corner of the Heigle lot as described in Vol. 79, Page 201, Hocking County Recorder's Office; thence west on the said south line of Hunter Street 25.56 feet to a hub; thence South 11° - 36' West 166.33 feet, parallel with the center line of the C. & O. R. R. branch and 25 feet distant therefrom on the east side of the right of way of said railfoad to a hub; thence East 25.56 feet to a hub set on the east right of way line of said Railroad branch: thence on said east right of way line North 11° - 36' East 166.33 feet to the place of beginning, containing .095 acres, more or less.

WARRANTY Marvin Conkle Pt. Lot 4, Sec. 12, Falls South Side Hunter Street, Logan

Being a part of Lot 4 in the East half of the Southwest quarter of Section 12, Falls Township, T14N, R17W, Hocking County and State of Ohio, and more particularly described as follows:

Beginning at an iron pin set on the north line of said Lot 4 and on the South line of Hunter Street, in Logan, and marking the northwest corner of the Heigle lot as described in Volume 79, Page 201, Hocking County Recorder's Office, South 0° - 57' East 163.00 feet on the west line of said Heigle lot to an iron pin; thence West 42.17 feet to a hub set on the east right of way line of the C. & O. R. R. branch; thence on said right of way line N 11° - 36' East 166.33 feet to an iron pin set on said south line of Hunter Street; thence on said south line of Hunter Street; thence of beginning, containing .089 Acres.

HUNTER ST



ALBERT W. SEABRIGHT MINING ENGINEER

South Line East Second St Mary Wilburn Note 2 story frame house on lot well within property lines Donated, June 16 COUNTY ENGINEER 1949 -Survey Mary Wilburn lot South side East Second St Logan Ohio Deed Record Hocking County O. Vol 109 pg 139.

A.W. Seabright En. 153 Sur. Logan Ohio

30,203

L.C. Falls -12

Description of Mary Wilburn Property (Recorded Book 109, Page 139, Deed Records) As resurveyed April 5, 1965

Situate in the City of Logan, and being a part of the East part of Lot 2, Section 12, Falls Township, T14N, R17W, Hocking County and State of Ohio, and further described as beginning at an iron pipe in the south line of Second Street of the City of Logan, Ohio, fifty (50) feet west of the iron pin marking the northwest corner of Lot 2 of Jurgensmier Allotment in said city, and 252.8 feet north of the south line of said Section 12; thence west along the said south line of Second Street, 45.44 feet to an iron pin on the east right of way line of the C. & O. Railroad; thence south 12 degrees - O4 minutes west 133.20 feet to an iron pin; thence north 89 degrees - O4 minutes east 74.38 feet to an iron pin; thence north Q degrees - 29 minutes west 129.04 feet to the beginning, containing 0.17 Acres.

Denoted, June 1982, by (LEFFIT W. CHADRICHT, P.E., P. CUUNTY ENGINEER 1949 - 180

THIS PAGE LEFT BLANK

INTENTIONALLY

DESCRIPTION OF MARY WILBURN PROPERTY Deed Book 109, Page 139, Deed Records Hocking County, Ohio

Situate in the City of Logan, County of Hocking and State of Ohio, and bounded and described as follows:

Being a part of the East part of Lot 2, Section 12, Falls Township, T14N, R17W, Hocking County and State of Ohio, and further described as beginning in the South line of Second Street of the City of Logan, Ohio, fifty (50) feet West of an iron pin marking the Northwest corner of Lot 2 of Jurgensmier Allotment in said City and 252.8 feet North of the South line of said Section 12, thence West along the South side of Second Street in said City 45.44 feet to an iron pin on the East right of way of the C. & O. Railroad, thence South 12° - 04' West along said right of way 133.29 feet to an iron pin; thence North 89° - 04' East 74.38 feet to a point; thence North 0° - 29' West 128.53 feet to the place of beginning, containing 0.17 acres, more or less.

400411/2111 Mary Wilburn City of Logan Hocking Co. Donated, June 1982, by ALBERT W. SEADRIGHT, P.E., P.C COUNTY ENGINEER 1940 / 1000 Mark ... 26

Falls 12 Falls 12 Falls 12 Falls 12 TO THE CITY OF LOGAN AS DELINEATED IN VILLAGE PLAT BK. 2, PG. 157

2/4/ 49.50 SCALE: 1"-50" 0 = 1/2" IRON PIN(5) W/ID CAP (anos) his rost cro. . 0 = % xxxx PXX (FOUND) Appears ! - Mothematically Hooking County Engineer's office By 471 Date 10-1-Date 10-1-86 * No Description * sec Note Attached

SCENEYED BY:

MAZU 57. -

MUDICIDADE NOVEROR NO. 6803

Note:
- Plat Of East Lawn Add. Gives No Width
For Hunter Street Nor Does Second East Lawn
Add (VPB 2, Pgs 156, 157)

- Logan Pottery Co-Add. Shows Hunter St. AS 58.41' So Does Tannahill Add-, Murphy Add., Crook + Braggs Add. (U.P.B. 1, Pg = 34, 37, 51 And U.P.B. 2. Pg. 177)

-Attached Survey By Michael P-Berry Shows 65-30' Width For Hunter St. He Says 65-30' Works With Monumentation To The North & South Of Hunter Street

- Old Town Add Plat Drawer #2, Pg 19,20 Shows Hunter St- 45 60.00

- We Will Show Plat Distances * + Survey Distance On Our Logan City Maps

- See Attached Survey

Falls Twp. Sec. 12/Logar City/Map 26 30 ACI. CON TOP =0 CONTESTUD OF LOT WORD OF RUSSERVE OLD TO THE STARTER S TSELECUR CITY OF LOGAN (PLAT CABINETI, RO. SAECA), PART OF SEE. 12, PAUS TUP. T-LU, R-TW, HOCKER CO. 04/20 とこ、ロスプロト のからいという COMEY TAX SEAS SEVER TO EVENYAL - (16.5' ALLEY) -YOUL DLAT BK. "B". 216 865. AZEA3 TRACT A: 3710.15 Ft.2 (37. OF VX. 135, 86.10T) DOWND E BOULTS J. LUZZINA 589,07 49.99 (3CALE: 1"=>0") 0 = ye xxx xxxx Parks) Como do ce 1/1/1/ 13000 B ~~6803 " (free vest) less vest ? AS DESCESSED A. ろうか = 43 mon con(10) Ö 3751.23 A.2 **(**) (St. OFVOL. 135, Sc. 107) 50.22 W ,000,000,000 Trdo, oo, oo, M **≤**0.∞ ON 701, 500 WG 100 SUSCOULD ST. (50.0°) EVEL LESON SHE UP CENT ESA CENTS : ENON 05 LOT NO. 104 AS DIWIENCE N/20,00 00/25. PLAT DESCRIPTION VELLE COST OF OF OF ONE OF ONE 16/2/3/2 29/ 2005, 13/: ecray 12.60 \$010×85

からしいいというと

PURVETOS.

の人というからのよう

DESCRIPTIOIN OF SURVEY FOR MR. DON ALLISON

TRACT "A":

Being a part of Lot No. 104 of Robert R. Wright's First Old Town Allotment of the City of Logan (Plat Cab. 1 Pgs. 5A, 6A). As transferred to Donald & Billie Joe Allison in Vol. 135, Pg. 107, Hocking Co. Deed Records, situated in Sec. 12, Falls Twp., T-14N, R-17W, Hocking Co., Ohio, and being more particularly described as follows:

Beginning at an iron pin set on the NE corner of Lot No. 104;

Thence, with the east line of said lot, S 0 degrees 57' 05" E a distance of 73.80 ft. to an iron pin set;

Thence, with a new line, S 89 degrees 02' 52" W a distance of 49.99 ft. to an iron pin set on the west line of Lot 104;

Thence, with said west line, N 0 degrees 57' 05" W a distance of 74.63 ft. to an iron pin set on the south line of a 16.5 ft. alley;

Thence, with said south line, N 90 degrees 00' 00" E a distance of 50.00 ft. to the place of beginning, containing 3710.15 sq. ft., more or less, and being subject to all valid easements.

Cited bearings are based on the north line of Lot No. 104 as running N 90 degrees 00' 00" E.

All iron pins described as being set are 5/8" X 30" with a 1 1/4" I.D. cap stamped "M.P.B. S-6803".

The above description is the result of an actual survey made by Michael P. Berry, Ohio Registered Surveyor No. 6803, on November 29, 2005.

Approved - Mathematically Hocking County Engineer's Office

BY Wβ DATE 12-00-2005

Michael P. Berry

#6803

12-6-0-

DESCRIPTION OF SURVEY FOR MR. DON ALLISON

TRACT "B":

Being a part of Lot No. 104 of Robert R. Wright's First Old Town Allotment of the City of Logan (Plat Cab. 1 Pgs. 5A, 6A). As transferred to Donald & Billie Joe Allison in Vol. 135, Pg. 107, Hocking Co. Deed Records, situated in Sec. 12, Falls Twp., T-14N, R-17W, Hocking Co., Ohio, and being more particularly described as follows:

Beginning at a 5/8" iron pin found on the SW corner of Lot No. 104;

Thence, with the west line of said lot, N 0 degrees 57' 05" W a distance of 74.62 ft. to an iron pin set;

Thence, with a new line, N 89 degrees 02' 52" E a distance of 49.99 ft. to an iron pin set on the east line of Lot No. 104;

Thence, with said east line S 0 degrees 57' 05" E a distance of 75.45 ft. to an iron pin set on the north line of Second Street;

Thence, with said north line, N 90 degrees 00' 00" W a distance of 50.00 ft. to the place of beginning, containing 3751.23 sq. ft. and being subject of all valid easements.

Cited bearings are based on the north line of Lot No. 104 as running N 90 degrees 00' 00" E.

All iron pins described as being set are 5/8" X 30" with a 1 1/4" I.D. cap stamped "M.P.B. S-6803".

The above description is the result of an actual survey made by Michael P. Berry, Ohio Registered Surveyor No. 6803, on November 29, 2005.

Approved - Mathematically Hocking County Engineer's Office

BY WB DATE 12-00-2005

Michael P. Berry

#6803

THIS PAGE LEFT BLANK

INTENTIONALLY

CITY OF LOGAN ZONING BOARD OF APPEALS

City Building LOGAN, OHIO 43138

May 20, 1975

Mr. James E. Stilwell, Attorney Logan, Federal Building Logan, Ohio. 43138

Dear Sir:

This is to inform you that a hearing was held in Council Chambers on May 19, 1975, at 7:30 P.M. on the appeal of Donald S. and Billie Jo Allison, Logan, Ohio, requesting division of Lot # 104 of Robert R. Wright's First Old Town Allotment in Logan, Ohio, into two separate and distinct tracts.

As a result of that hearing the appeal was granted.

John N. Eberst

Secretary

Zoning Board of Appeals.

MUST HAVE SURVEY PRIOR TO ANY TRANSFER

11198-99

THIS PAGE LEFT BLANK

INTENTIONALLY

OTTO SHAW


East part Lot 2 Section 12 Falls.

Being a part of the East Part of Lot 2 Section 12, Falls Township, T 14 N, R 17 W Hocking County and State of Chio and further described as beginning at an iron pin at the North West corner of Lot 2 of the Jourgensmier Allotment in the City of Logan and on the East line of said lot 2 and 252.8 feet north of the south line of said Section 12, thence west along the south side of Second Street in said City of Logan, 95.44 feet to an iron pin on the east right of way of the C & O Railroad, thence South 12°-04' West along said right of way 133.28 feet to an iron pin; thence North 89°-04' East 124.38 feet to the east line of said Lot 2, and passing an iron pin at 121.91 feet; thence North 0°-29' West 128.53 feet to the place of beginning, containing 0.324 acres.


Note to Attorney, a graveled lane closely paralleling the C & O RR crosses this parcel.

Donated, Julia 1995 TOTAL SEASAID OF FIRE

& MAIN ST. PART OF FRACTIONAL LOT 5 SITUATE N B 90 11, 50, M P241.52' IN SECTION 12, THYN, RITH, TILE MODEMENT FALLS TOWNSHIP, CITY OF LOGAN, HOCKING COUNTY, STATE OF OHIO 40.747 1 = 20 Poor Closure? I HEREBY CERTIFY THAT AN ACTUAL SURVEY WAS MADE UNDER MY SUPERVISION OF THE PREMISES SHOWN HEREON ON THE 17TH DAY OF MAY, 1978; AND THAT THE PLAT IS A CORRECT REPRESENTATION OF THE 6 PREMISES AS DETERMINED BY SAID SURVEY. I FURTHER CERTIFY THAT THERE ARE NO ENCROACHMENTS EITHER WAY ACROSS ANY BORNDARY LINE EXCEPT AS SHOWN MEREON. 40.743 40.743 N 10'02'43" E. N 89° 54' 18"E 85.27' APPROVED FOR TRANSFER BY HOCKING COUNTY ENGINEER'S OFFICE LOT 10 JURGENSMEIR'S SUBDIVISION PLAT BOOK "C" PAGE 12 GEORGE F. SEYMOUR & ASSC. P.O. BOX 26 LOGAN, ONIO 43/38 614-385-4349 N 89º 34' 43"W 249.94' SHEVEY FOR MARK BUMBARDNER



LOGAN CITY (Falls 12) & SECOND ST. (50)



SURVEYED & PLATTED BY:

Michael Subjevor 60. 6003

HOTE: CITED BEALINGE ARE FOR THE DETERMINATION

MACINE MACINE Surfield

Invert Elev 19360' Surface Boi E O'NEILL-ALLEN HOME PROPERTY EAST SECOND STREET Jourgensmier Allotment Lots 2-3-4-5 A W. Sambright Logan , Ohio Scale 1"=20" Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P. COUNTY ENGINEER 1949 - 19 Water Line North aide of Street 2 SECOND ST. 50' wide Asphaltic Concrete > Storm Sewer Invert 790.25 Gas Line Near Curb B.M. Curb 800.00' Rolled Conc. Curb 31/2' Concrete Sidewalk 250' 62.5 62.5 62.5' 800.00 0199.63 199.03 LOT 2 LOT 4 LOT3 LOT 5 JOURGENSMIER ALLOTMENT. • 199.89 749.74 07913' 800.00 0 800.02' o 800.47 800.50 Pai Diel. Pale 62.5' Alley 16'2' Unpared Deadend Sanitary Sewer Depth unknown Electric Power Line - 3 wire Transformer Pole ORigina 04




CERTIFICATION: WE HEREBY CERTIFY THAT THIS PLAT OF A MORTICAGE LOCATION SURVEY WAS PREPARED FROM ACTUAL FIELD MEASUREMENTS IN ACCORDANCE WITH CHAPTER 4733-38, OHIO ADMINISTRATIVE CODE, AND IS NOT A BOUNDARY SURVEY PURSUANT TO CHAPTER 4733-37 OF SAID CODE.

GEORGE F. SEYMOUR OHIO PROFESSIONAL SURVEYOR NO. 6044

RECORDER'S OFFICE DEED BOOK OR OFFICIAL RECORD PAGE MORTGAGE SURVEY

Situated in the State of Ohio, County of Hocking, Township of Falls, City of Logan and being Lot No. 3 in "Oldtown" aka "R.R. Wright" as recorded in Plat Cabinet 1, Page 5A




CERTIFIED TO: Lanco Title Co.

Colony Mortgage

SELLER: Jeffrey Rothe BUYER: Tandy Karns

DATE: 6/09/97

BY: JLC





CERTIFICATION: WE HEREBY CERTIFY THAT THIS PLAT OF A MORTICAGE LOCATION SURVEY WAS PREPARED FROM ACTUAL FIELD MEASUREMENTS IN ACCORDANCE WITH CHAPTER 4733—30 OHO ADMINISTRATIVE CODE, AND IS NOT A BOUNDARY SURVEY PURSUANT TO CHAPTER 4733—37 OF SAID CODE.

GEORGE F. SEYMOUR OHIO PROFESSIONAL SURVEYOR NO. 6044

RECORDER'S OFFICE Hocking
DEED BOOK OR
OFFICIAL RECORD 198 PA PAGE 155 MORTGAGE SURVEY

Situated in the State of Ohio, County of Hocking, City of Logan and being Lot No.'s 337 and 338 of the City of Logan.




CERTIFIED TO: National City Bank Hocking Valley Title Agency, Inc.


SELLER: Courtney Hanning BUYER: Michael Holbrook

DATE: Jan. 31, 1997

BY: JLC

ADDRESS: 512 East Front Street





FRONT STREET (60')

From: Seymour 2012

BEING LOT No. 10 OF THE JURGENSMIER SUBDIVISION OF THE CITY OF LOGAN, RECORDED IN PLAT CABINET 1 AT PAGE 34A, SITUATED IN FRACTIONAL LOT No. 5 OF SECTION 12, FALLS TOWNSHIP, T-14N, R-17W, CITY OF LOGAN, HOCKING COUNTY, STATE OF OHID REFERENCES Current and previous tax plats and surveys were taken from Hocking County Drafting Department's website Deeds: as noted on plat **BROWN PLAT** EURIAH BROWN PLAT, PLAT CABINET 1, PAGE 18A David & Donna Frac. Lot 4pt. **Brian Cremeans** Scott Schrader James H. Brooks Williamson, Trustee OR679-942 OR190-750 OR649-115 OR51-420 Mary McBride LOT 4 & LOT 3pt. LOT 3pt. SCALE 1"=30" LOT 2 LOT 1 OR32-182, DV196-52 **EURIAH** N 89°51'12" E N 89°51'12" E 125.91' NE corner 38.09 85.33' S 89°35'34" E Lot No. 10 5/8" X 30" iron pin w/ 1 1/4" plastic ID cap stamped "M.P.B. S-6803" set R Susan A. Nihiser TRACT "B' TRACT "A" 16.50 00°09'13" 0.1091 ACRES+/-OR675-737 0.1278 ACRES+/-1/2" iron pipe found loseph & Barbara Fowler OR149-142 ALLEY Place of Beginning Southwest corner Lot No. 10 3/4" iron pin found Place of Beginning Frac. Lot 2pt. Southeast corner Lot No. 10 3/4" iron pipe found N 89°39'11" W 124.06 N 89°39'11" W 125.92 ALLEY 16.50' R/W ALLEY 16.50' R/W point boundary line LOT 6 LOT 7 LOT 8 LOT 9 right of way line adjacent boundary and/or political subdivision lines JURGENSMIER SUBDIVISION, PLAT CABINET 1, PAGE 34A PPROVED MATHEMATICALLY Filed Hocking County Hocking County Engineer's Office Note: Cited bearings are based on found BV: (20) Date: MOL D.22 Y. 2022 Auditor's Office 1-27-22 FN monumentation on the east line of Lot No. 10 MICHAEL P. as running S0°09'13" E. Surveyed and platted by Plat prepared from an actual survey made on the 9th day of December. MICHAEL P. BERRY OHIO PROFESSIONAL SURVEYOR #6803 2021 by. P.O. BOX 1127 LOGAN, OHIO 43138 Michael P. Berry Ohio Professional Surveyor No. 6803 740-385-3279

DESCRIPTION OF SURVEY FOR SUSAN NIHISER

TRACT "A":

Being a part of Lot No. 10 of the "Jurgensmier Subdivision" of the City of Logan (Plat Cabinet 1, Pg. 34A) as transferred to Susan A. Nihiser in O.R. Vol. 675, Pg. 737, and situated in Fractional Lot No. 5 of Section 12, Falls Twp., T-14N, R-17W, Falls Twp., City of Logan, Hocking County, Ohio, and being more particularly described as follows:

Beginning at an iron pin set on the SW corner of said Lot No. 10;

Thence with the west and part of the north boundaries of said lot the following four (4) courses;

- 1) N 0 degrees 24' 03" W a distance of 36.01 ft. to a ½" iron pipe found;
- 2) S 89 degrees 35' 34" E a distance of 85.33 ft. to a 3/4" iron pin found;
- 3) N 6 degrees 00' 11" E a distance of 7.45 ft. to an iron pin set;
- 4) N 89 degrees 51' 12" E a distance of 38.09 ft. to an iron pin set;

Thence, with a new line, S 0 degrees 08' 48" E a distance of 43.66 ft. to an iron pin set on the south line of Lot No. 10;

Thence, with said south line and with the north line of a 16.50 ft. alley, N 89 degrees 39' 11" W a distance of 124.06 ft. to the Place of Beginning, containing 0.1091 acre, more or less, and being subject to all valid easements.

Cited bearings are based on found monumentation on the east line of Lot No. 10 as running S 0 degrees 09' 13" E.

All iron pins described as being set are 5/8" X 30" with a 1 1/4" plastic I.D. cap stamped "M.P.B. S-6803".

The above description is the result of an actual survey made buy Michael P. Berry, Ohio Registered Surveyor No. 6803, on Dec. 9, 2021.

Michael P. Berry

#6803

APPROVED MATHEMATICALL Hopking County Engineer's Office By: Date: M.O. D. 27 Y. 2021

DESCRIPTION OF SURVEY FOR SUSAN NIHISER

TRACT "B":

Being a part of Lot No. 10 of the "Jurgensmier Subdivision" of the City of Logan (Plat Cabinet 1, Pg. 34A) as transferred to Susan A. Nihiser in O.R. Vol. 675, Pg. 737, and situated in Fractional Lot No. 5 of Section 12, Falls Twp., T-14N, R-17W, Falls Twp., City of Logan, Hocking County, Ohio, and being more particularly described as follows:

Beginning at a 3/4" iron pipe found on the SE corner of said Lot No. 10;

Thence, with the south line of said lot and along the north line of a 16.50 ft. alley, N 89 degrees 39' 11" W a distance of 125.92 ft. to an iron pin set;

Thence, with a new line, N 0 degrees 08' 48" W a distance of 43.66 ft. to an iron pin set on the north line of Lot No. 10;

Thence, with said north line, N 89 degrees 51' 12" E a distance of 125.91 ft. to a 1/2" iron pipe found on the NW corner of said Lot No. 10;

Thence, with the west line of said lot and along the west line of a 16.50 ft. alley, S 0 degrees 09' 13" E a distance of 44.74 ft. to the place of beginning, containing 0.1278 acre, more or less, and being subject to all valid easements.

Cited bearings are based on found monumentation on the east line of Lot No. 10 as running S 0 degrees 09' 13" E.

All iron pins described as being set are 5/8" X 30" with a 1 1/4" plastic I.D. cap stamped "M.P.B. S-6803".

The above description is the result of an actual survey made by Michael P. Berry, Ohio Registered Surveyor No. 6803, on Dec. 9, 2021.

Michael P. Berry

#6803

Hocking County Engineer's Office
By: Date: M.O.I. D.27 Y.2022

NE east