
# SPRINGHILL Falls15

Situated in Falls Township, Hocking County, Ohio; being part of Out Lot 28 of the Spring Hill Allotment to West Logan as recorded in Plat Book B, Page 50, Hocking County Recorder's Office; and being part of Section 15, Township 14, Range 17.



I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 30th day of November, 1989 and that the plat is a correct representation of the premises as described by said survey.

Registered Surveyor No. 6344

Survey by:

Larry P. Gerstner - Engineering and Surveying 119 West Main St., Logan, Ohio 43138 385-4260

## SURVEY DESCRIPTION OF 585.53 FEET

#### OF PROPERTY LINE FOR SKYLINE TRAILOR COURT, INC.

Situated in Falls Township, Hocking County, Ohio; being part of Out Lot 28 of the Spring Hill Allotment to West Logan as recorded in Plat Book B, Page 50, Hocking County Recorder's Office; being part of Section 15, Township 14, Range 17; and being more particularly described as follows:

Commencing for reference at a point being the Northwest Corner of Out Lot 28; thence South 47 degrees 47 minutes 30 seconds East a distance. of 50.00 feet to a point; thence South 40 degrees 00 minutes 00 seconds West a distance of 24.93 feet to a 5/8" iron pin set and being the point

of Beginning of the property lines to be described; thence continuing South 40 degrees 00 minutes 00 distance of 138.77 feet to a 5/8" iron pin set; seconds West a

thence South 47 degrees 51 minutes 00 seconds East a distance of 135.00 feet to a point in a concrete block garage and passing a 5/8" iron pin set at a distance of 116.51 feet;

thence South 36 degrees 47 minutes 30 seconds West a distance of 5.00 feet to a 3/4" iron pin found;

thence South 47 degrees 55 minutes 30 seconds East a distance of 55.00 feet to a 1" iron pin found;

thence continuing South 47 degrees 55 minutes 30 seconds East a distance of 216.30 feet to a 5/8" iron pin set;

thence South 47 degrees 31 minutes 00 seconds East a distance of 585.53 feet 35.46 feet to a 5/8" iron pin set and being the end of of property line.

The above 585.53 feet of property line survey is intended describe part of the boundaries of the various tracts as deeded to to Skyline Trailor Court, Inc., deed reference Volumes 196 and 199, Pages 514 and 924, Hocking County Recorder's Office. This line survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing platted subdivision. The reference bearing for this survey is the plat of Spring Hill Allotment to West Logan. All iron pins set by this survey are capped by a 1-1/4" plastic identification cap. The above described property was surveyed by Larry P. Gerstner, Ohio Registered Surveyor No. 6344, on November 30, 1989. 

Approved - Mathematically Hocking County Engineer's office By K-FN Date 12-1-89

ł.

RVE

Jamy P. Ventre

Survey by: Larry P. Gerstner - Engineering and Surveying 119 West Main Street, Logan, Ohio 43138 385-4260

Falls 15 Springhill 50 0.L. 29 PT. d, Lot 9 CBLEASure Subdinsion (unacordad) 138.09 \*\* 9 Pt 0.1.29 Springhill Sublivision Sec 15 Falls Tap Pt OL. 29 Springhill Subdivision 0.2406ac 24415E N66:09W 138.09 N66-09 W 138.09 5 E South Bouloward tering County Log - Jevence Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S COUNTY ENGINEER 1949 - 1964 8000 . 0000 0 M 90 COMOO • 0000000 000 0 - 00 000  $\circ$  $\sim$ 000000 . 0  $^{\circ}$ 0 0 . • 9 5 5 0  $\mathfrak{D}$ 50004 000 9 0 0 0 0 4 **C**: ٠  $\mathbf{O}$ • \$ э .  $\square$ 4 + 000 C  $\mathbf{C}$ \*\*\*\* MO 0 04 4  $\infty$ NOOVO • 0 • 5 6 0 0 . • 4 Ś 6 ٠ OBM 0 ~  $\infty$ 2000 5  $\circ$ 000 4 200 0 0 m 0 0 9 . . • -۲ . . . . ۲ . . ۲ . . ۲ 3 . ٠ . . . • . . • . . . . . A - A A MENER ING OBM - NO M MO 1000m-41000. 5 M M M NO  $\sim$ ~ 4 5 2 00 0 44 1 1 1

# Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

# Lot 9 C. B. Leasure Subdivision Pt. O.L. 29 Spring Hill Subdivision Sec. 15, Falls

Being a part of Out Lot 29, Spring Hill Subdivision, Section 15 BERALS (TOWNRHIP, DT14N, R17W, Hocking County and State Deuglad (Due 1985 (NA)) of Ohio, and further described as follows: Commencing at the southeast corner of said Out Lot 29 and in the center line of South Boulevard; thence on the said center line of South Boulevard North 66° - 00' West 138.09 feet to a point; thence North 24° - 15' East 20 feet to a point and the place of beginning for the tract of land conveyed; thence North 24° - 15' East 76.20 feet to a point; thence South 65° - 45' East 138.09 feet to the east line of said Out Lot 29; thence on the East line of said Out Lot 29, South 24° - 15' West 75.58 feet to a point; thence North 66° - 00' West 138.09 feet to the place of beginning, containing 0.2406 acres.

<1 - 10 • 0000 • N > MM • • 00 MM 0 • 00 4 10 00 10 • 5 0-0-0000.0000.0000.0000.0000.0000 ٠ ٠ VINM- . 0000 . NA-C . . 00-00 . 000-944 S ٠ .00000.00000MN. c . • 0000 • 4000 • . . . . . . . . . . . . . . . . . 500 • A-00 • • 00000 - @MOON@O 4 . . . . . . . . . а 5 CIM-6001-4500 000 · · 00 MQ t> . 44 • 2-10 C-ON MID O 00.00 <**t** ٠ 0 - 0 0 5000 • 10 IN ٠ (N . . オオ


Approved - Mathematicc... Hocking County Engineer's offi-Date

Falls 15 SPRING HILL (ALOT) Pr . 0.6.28


Drive

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

the of traveled kund liver well



50



C.B. Leasure 30x170 strip pt lot pt 0.L. 28 spring Hill Allotment Sec 15 Falls Tup Platand Description Sprepared by

Approved - Mathematically Hocking County Engineer's office By Date C. B. LEASURE 30° Strip by 170 near Leasure Residence O. L. 28, Spring Hill Allotment, Falls Tvp., Sec. 15

Being a part of Out Lot 28 of Spring Hill Allotment, Section 15, Falls Township, Hocking County and State of Ohio, and further described as follows:

Commencing at a spike in the center of the traveled Parkway Drive, the northwest corner of said Out Lot bears North  $47^{\circ} - 47^{\circ} - 30^{\circ}$  West 206.68 feet, and an iron pin bears South  $23^{\circ} - 25^{\circ} - 30^{\circ}$  West 12.13 feet; thence from said spike, South  $36^{\circ} - 47^{\circ} - 30^{\circ}$  West 168.83 feet to a point; thence North  $47^{\circ} - 55^{\circ} - 30^{\circ}$  West 30 feet to a point; thence North  $36^{\circ} - 47^{\circ} - 30^{\circ}$  East 168.89 feet to the said center line of the traveled Parkway Drive; thence on said center line South  $47^{\circ} - 47^{\circ} - 30^{\circ}$  Hast 30 ft. to the place of beginning, containing 0.1157 Acres.

Donated, June 1982, by BERT W. SEABRIGHT, P.E., P.S. OUNTY ENGINEER 1949 - 1964 Approved - Mathematically Hocking County Engineer's office By\_\_\_\_\_\_Date\_\_\_\_\_

101.97/281 KING SUCHER ET M BE PAT

Falls 15 Springhill O.L. 29 PT.

C. B. LEASURE Part O. L. 29, Spring Hill Allotment Sec. 15, Falls Twp. Lots 5 and 6

Being a part of Out Lot 29 of Spring Hill Allotment, situate Section 15, Falls Township, Tl4N, R17W, Hocking County and State of Ohio, and further described as follows: Beginning at an iron pin on the east line of said Out Lot 29, said iron pin being North  $24^{\circ} - 15'$  East 316.68 feet from the southeast corner of said Out Lot 29; thence North 65° - 45' West 138.09 feet to an iron pin; thence South  $24^{\circ} - 15'$  West 100 feet to an iron pin and passing an iron pin at 50 feet; thence South  $65^{\circ} - 45'$  Hast 138.09 feet to a point on said east line of Out Lot 29: thence on said east line North  $24^{\circ} - 15'$  East 100 feet and passing an iron pin at 50 feet to the place of beginning, containing 0.317 Acres.

NOTE TO ATTORNEY:

Also the right of ingress and egress (see easement)

Asproved - Misthematically Hocking County Engineer's office By\_\_\_\_\_\_ Date

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S COUNTY ENGINEER 1949 - 1964

Falls 15 Loth CB Leasure Subdivision 50 (unrecorded) GINEEB 1840 - 1805 VEHICHI DE DSec N Fails Twp. 1895 DA SE 138.09 3 Pt 01,79 0. 1585 a SP 1 62.30 N 240 12 E the citz N66"-00 W 138.09 Sauth Boulovard Approved - Methematically Hocking County Engineer's office Date

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S COUNTY ENGINEER 1949 - 1964 Constell, Juno 1982, cy PERT W. SEABRIGHT P.J. P DUMIY ENGINEER 1949

Lot 7 C. B. Leasure Subdivision Pt. O.L. 29 Spring Hill Sec. 15, Falls

Being a part of Out Lot 29, Spring Hill Subdivision in Section 15, Falls Township, T14N, R17W, Hocking County and State of Ohio, and further described as follows:

Commencing at the southeast corner of said Out Lot 29 and in the center line of South Boulevard; thence with the said center line of South Boulevard North  $66^{\circ} - 00^{\circ}$  West 138.09 feet to a point; thence North  $24^{\circ} - 15^{\circ}$  East 167.30 feet to an iron pin and the place of beginning for the tract of land herein conveyed; thence North  $24^{\circ} - 15^{\circ}$  East 50 feet to a point; thence South  $65^{\circ} - 45^{\circ}$  Bast 138.09 feet to the east line of said Out Lot 29; thence on the east line of Out Lot 29 South  $24^{\circ} - 15^{\circ}$  West 50 feet; thence North  $65^{\circ} - 45^{\circ}$ West 138.09 feet to the place of beginning, containing 0.1585 Acres, more or less.

> Approved - Methematically Heching County Engineer's offic Date

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

Falls 15 Springhill O.L. 29 PT.

Approved - Mathematically Hocking County Engineer's office Date  $(\mathcal{C})$ K LINE CL E 138.48 Pt 02.79 5pmph 0,225 1110 Il Septimsion 162.30 17:3×25 2018 Lot 8 C A Leasure Subdivision 24.01.2 138,05 (unrecordal) PFOL 29 Springhill Subdivision Sec 15 Falls ANdealingth Sept-25- J1959 K66.00 × 138.09 South Beuterard

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

THERE ABOVE 1885 THE HIGHLE BE BE

50

Donated, June 1982, by LBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

CONTRACTOR FEDERAL M. CREATER LANSING

Lot 8 C. B. Leasure Subdivision Pt. of O. L. 29 Spring Hill Subdivision Sec. 15 - Falls

Being a part of O. L. 29 of Spring Hill Subdivision and in Section 15, Falls Township, T14N, R17W, Hocking County and State of Ohio, and further described as follows:

Commencing at the southeast corner of said O. L. 29, and in the center line of South Boulevard; thence on the said center line of South Boulevard North  $66^{\circ} - 00^{\circ}$  West 138.09 feet to a point; thence North  $24^{\circ} - 15^{\circ}$  East 167.30 feet to an iron pin and the place of beginning for the tract of land herein conveyed; thence South  $65^{\circ} - 45^{\circ}$  East 138.09 feet to the east line of said Out Lot 29; thence on said east line of Out Lot 29, South  $24^{\circ} - 15^{\circ}$  West 71.10 feet to a point; thence North  $65^{\circ} - 45^{\circ}$  West 138.09 feet; thence North  $24^{\circ} - 15^{\circ}$  East 71.10 feet to the place of beginning, containing 0.2254 Acres.

> Approved - Mathematically Hocking County Engineer's office 3y\_\_\_\_\_\_Date\_\_\_\_\_

Falls 15 Springhy/18 PT analytics is copore' share to a 0.6 29 1.11 the second of the second states of the second s B. Leasure Lo Vatas. copy of clearsteal Pf O, L. 29 Springhill Allotmint SEC IS Falls Tup. a 2. Con É BRANDON 106.931 5 8. 7 ° £ \* of Aug 2 4 19 55 - 196-600 DE" 6 36 Øλ Star Approved - Mathematically **Jocking County Engl** a affica 5E Cor 0.1.29 Springhill Allotment Donated, June 1982, by ú ALBERT W. SEABRIGHT, P.E., P.S. 38 COUNTY ENGINEER 1949 - 1964

C. B. LEASURE TO YATES Part O.L. 29, Springhill Allotment Section 15, Falls Township

TO ALN HIMBAR TELES AT ALTS TELETS

Being a part of Out Lot 29 of Springhill Allotment situate Section 15, Falls Township, Tl4N, R17W, Hocking County and State of Ohio and further described as follows: beginning at an iron pin on the east line of said Out Lot 29, said iron pin being N  $24^{\circ} - 15'$  East 471.59 ft. from the southeast corner of said Out Lot 29; thence North  $48^{\circ} - 24'$  West 151.22 ft. to an iron pin; thence South  $18^{\circ} - 21'$  West 60.67 ft. to an iron pin; thence South 24' - 15' East 138.09 ft. to said east line of Out Lot 29, and pessing an iron pin at 136.51 ft; thence on said east line of Out Lot 29, North  $24^{\circ} - 15'$  East 54.58 ft. to the place of beginning containing 0.2456 acres, more or less.

Approved - Mathematically Hocking County Engineer's office Date Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

15 FALLS (SPRINGHILL) O.L. 29 PT. 50  $(\tilde{\omega})$ h 38.09 Subilien 31700 524:10-11 4.24. N-E - +12.30 TRIANGULAR PARCEL Out of #3 CALCASUR & Subrivision PH O.L. 29 Springhill Subdivision Secis Fails Twp thins outse E bouth Boulassed NGGOOW 138.09 SEABRIGHT PE. PS ENGINEER 1949 · 196 Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S COUNTY ENGINEER 1949 - 1964

# Pt. of Lot 3 C. B. Leasure Subdivision Pt. O.L. 29 Spring Hill Subdivision Sec. 15, Falls

# Donated, Juite 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

Being a part of Out Lot 29, Spring Hill Subdivision, Section 15, Falls Township, T14N, R17W, Hocking County and State of Ohio, and further described as follows:

Commencing at the southeast corner of said Out Lot 29, and on the center line of South Boulevard; thence on center line of said South Boulevard North  $66^{\circ} - 00^{\circ}$  West 138.09 feet to a point; thence North  $24^{\circ} - 15^{\circ}$  East 417.30 feet to the Northwest corner of the tract of land owned by the Grantor herein and recorded in Volume \_\_\_\_\_, Page \_\_\_\_\_\_, Hocking County Deed Records and the place of beginning for the tract of land herein conveyed; thence South  $65^{\circ} - 45^{\circ}$ East 138.09 feet to the east line of said Out Lot 29; thence on said east line of Out Lot 29, South  $24^{\circ} - 15^{\circ}$  West 20 feet to a point; thence North  $74^{\circ} - 59^{\circ}$  West 139.53 feet to the place of beginning, containing 0.0317 Acres, more or less.

												ŧ	ı							I										T	ł								
	•														וט	•	•	5	5			•						U:	4			•						וט	1
. 1	•		•	0	Ν										õ							3	~*						Ś			•							
2	• •	• . •			ý				$\sim$						0										-	7 -		•••		m	 00		20		 	_		N)	
N	• •	) a ) 1		က စ	7.	•	•	01 •	•	(N)	•	7.	•	•	•		•			•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•		ì
0	• •												-																				0.0						
Ň	• •		· · ·									-	-																				00					৩ জ	
~	• •			00	$\odot$	$\mathbf{v}$	J	0	0		4	$\sim$		0	.)		٠	~7	œ	<b>ا</b> ست.	$\sim$		0	$\circ$	$\odot$	0	۲	ဟ	$\mathcal{T}$	$\mathcal{M}$	$\sim$	٠	$\odot$	$\odot$	$\mathbf{O}$	$\odot$		N	-
6	• •			UI.	$\odot$	6	\$	0	C	٠	$\sim$	-)	ω	.)	$(\mathbf{)}$	9	•	$\sim$	•		3	•	0	د.)	L)	$\bigcirc$	•	12	V)	~	5	•	0	<u> </u>	$\bigcirc$			10	Ì
2																																							
W																																							
8	• •	•	•	٠	•					⋗		٠		•	3	٠		۰	٠	٠	٠		٠				7-	٠	٠	•	٠		٠				$\geq$	٠	٢
0							-	-1			-d-											*		¥	-*							*		*	¥	-34-			

Falle 15 Springhill O.L. 28 PT 50 D PRICH PL 19: 47: Joi E Cor 0.1.28 206.67 Spring Hill Allottons 100 PtO.L. 28 2.13. AW Scalught Awy 1 1951 5230 1/3 N47-51 W 40' Approved - Mathematically Heching County Englacer's office Date

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

# Leasure to Harley Notestine Part Lot O. L. 28, Spring Hill Allotment Sec. 15, Falls


Being a part of Out Lot 28, Spring Hill Allotment, situate Section 15, Falls Township, Tl4N, R17W, Hocking County and State of Ohio, and further described as fol ows:

Beginning at a nail in center of the traveled Parkvay Drive; thence South  $23^{\circ} - 25^{\circ} - 30^{\circ}$  West 172.23 feet to an iron pin and passing a second iron pin at 12.13 feet; thence North  $47^{\circ} - 51^{\circ}$ West 40 feet to a point; thence North  $36^{\circ} - 47^{\circ} - 30^{\circ}$  East 163.83 feet to the place of beginning, containing .075 Acres; the said starting nail being South  $47^{\circ} - 47^{\circ} - 30^{\circ}$  East 206.67 feet from the Northwest corner of said Out Lot 28.

> Donated, June 1982, by \*\* ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

Approved - Mathematically Hocking County Engineer's office By\_\_\_\_\_\_ Date\_\_\_\_\_

1-24-64-



L'AN CAR

2

• • <del>3</del> 0

• 〇

• u..

• 02

• LU

• >

• •

٠ ۲

• 1044

. .

٠

٠

3

• . 00

NN

00

NO ENGINEER 1949 194

0 0

0' 17

. . . . . . . . . . . . . . . . .

mm -

# C. B. Leasure to Harley Notestine Pt. O. L. 28, Spring Hill Allotment Section 15, Falls Tvp.

Harld La 163,83 Being a part of Out Lot 28 of the Spring Hill Allotment, Section 15, Falls Township, T17N, R14W, Hocking County and State of Ohio, and further described as commencing at the northwest corner of said Out Lot 28 at a nail in center of the traveled Parkway Drive: thence with the center of said traveled Parkway Drive South 47° - 47' - 30" East 206.67 feet; thence South 36° - 47' - 30" West 168.3 feet to the place of beginning for the tract of land herein conveyed; thence South  $47^{\circ}$  -51' East 40.00 feet to an iron pin; thence continuing with said bearing South 47° - 51' East 99.94 feet to a point; thence South 20° - 23' West 5.00 feet; thence North 47° - 55' - 30" Start 141.35 feet; thence North 36° - 47' - 30" East 5.00 feet to the place of beginning, and containing 0.016 Acros, more or less.

Donated, June 1982, by BERT W. SEABRIGHT, P.E., P.S. 'OUNTY ENGINEER 1949 - 1964

) 0 • - 4 & M • 0 0 0 0 • N M - - • 0 0 - - A • 0 0 0 M B M • 1 • • • 0 0 A A DO . MANO . COCO . AMMO . . COMO - . OO, - AKD AUAI . . . . 

0 • 0 0 0 0 0 0 0 0 • 4 4 0 M • • 0 0 0 0 • 0 0 M • 0 4 M •

. . . . . . . . . . . . . .

.

M ST MY

) () •

) N') •

0000

ı

- 30

せせ

,

こよ .

> -----.

00.000

00.00

56. • 55

Falls 15 Springhill Outlots 28,29 PT.

#### CHAS. CASTO Part of Out Lots 28 and 29, Springhill Allotment Sec. 15, Falls Township

50

Being a part of Out Lot 28 and 29, Springhill Allotment, situate Section 15, Falls Township, T14N, R17W, Hocking County and State of Ohio, and further described as follows: Beginning at an iron pin set in South Boulevard at the southeast corner of said Out Lot 29; thence in the center of said South Boulevard North 66° - 00' West 238.03 feet to an iron pin; thence continuing in said center line, North 75° - 20' West 614.32 feet to the Southwest corner of said Out Lot 28; thence on the west line of said Out Lot 28, North 40° - 00' Hast 922.12 feet to a nail in the center of the traveled Parkvay Drive; thence with the center of said traveled Parkvay Drive South 47° - 47' - 30" East 206.67 feet; thence South 23° - 25' - 30" West 1.72.23 feet to an iron pipe, and passing an iron pipe at 12.15 feet; thence South 47° - 51' East 199.89 fast to an iron pipe; thence North 20° - 23' East 30.80 feet to an iron pipe; thence South 47° - 31' East 50.20 feet to an iron pipe; thence North 24° - 10' East 114.46 feet to an iron pipe in said Parkway Drive; thence South 46° - 37' East 16.24 feet to a point; thence South 24° - 10' West 114.46 feet to an iron pipe; thence South 48° - 21' East 150.25 feet to an angle iron set in the east line of said Out Lot 29; thence on the said east line of Out Lot 29, South 24° - 07' West 471.59 feet to the place of beginning, containing 10.7705 Acres, more or less.

> Approved - Mathematically Hocking County Engineer's office By\_\_\_\_\_\_Date\_\_\_\_\_

Donated, Juno 1982, の ALBERT W. SEABRIGHT の「 COUNTY ENGINEER 1949

Donated, June 1982, by 50.80 ALBERT W. SEABRIGHT, P.E., P.S. ". JI E 50.20 COUNTY ENGINEER 1949 - 1964 236 Begin 520-23 W 5.00 37'516.24 \$ 80-21'E 150.2 C.B. Leasure to Lee Notestinic Pt O. L 28 Spring Hill Allotment Sec 15 Falls Twp. Hocking County Ohio N20 23 E 5.60 0110 SKETCH PLAT - NOT to SCALE Jen 121951 5285 5 مرزى


#### C. B. Leasure to Lee Notestine Pt. O. L. 28, Spring Hill Allotment Section 15, Falls Township


C.

 $g_{\mu\nu}$ 

1 3

Being a part of Out Lot 28 of Spring Hill Allotment in Section 15, Falls Township, T17N. R14W, Hocking County and State of Ohio, and further described as follows: Beginning at an iron pin from which the southeast cornst of Out Lot 29 bears North 20° - 23' East 50.80 feet, South 47° - 31' East 50.20 feet, South 46° - 37' East 16.24 feet. South 48° - 21' East 150.25 feet and South 24° -07' West 471.59 feet; thence from said place of beginning, North 47° - 51' West 99.95 feet; thence South 20° - 23' West 5.00 feet; thence South 47° - 55' - 30" East 99.95 feet; thence North 20° -23' East 5.00 feet to the place of beginning, containing 0.011 Acres, more or less.





# Seymour-Shaw & Associates, Inc.

Consulting Engineers & Surveyors

WILLIAM R. SHAW, P.E. GEORGE F. SEYMOUR, P.S.

# PHONE 614 - 385-4349

615 WALHONDING AVE. LOGAN, OHIO 43138

Description of Survey for Walter Hampshire

Being a part of Farm Lot 30 in the "Spring Hill Subdivision" situate in Section 15, T14N, R17W, Falls Township, Hocking County, State of Ohio, and more particularly described as follows:

Beginning at the northeast corner of Farm Lot 30 in "Spring Hill Subdivision";

Thence with the east line of said farm lot, South 24° 15'

West a distance of164.08 feet to a 5/8" iron pin; Thence leaving said east line, North 22° 10' 44" East a distance of 166.27 feet to a 5/8" iron pin on the north line of said Farm Lot 30;

Thence with said north line, South 46° 37' East a distance of 6.36 feet to the place of beginning, containing .0113 acre, more or less, subject to the right of way of Parkway Drive and all easements of record.

The above described tract was surveyed by George F. Seymour, Ohio Registered Surveyor No. 6044, September 10, 1979.

Aller Hymour

Approved - Mathematically Hocking County Engineer's Office By Alu Du Date 9-17-79

SUBDIVISION REGULATIONS WAIVED \*

BY ACC DATE 9-17-79

\* Not TO BE USED as a separate building gife or transferred as an independent parcel in the future.

Falls 15 Springhill 0.L. 29 pr.

138.09 565° - 45 E Pt 01 39 0.1585ac 3 20 N ß N65-45W 138.09 565.452 30 4 14. 0.1. 29 0.158 São 6 N N65-45 W 138.09 369.30 Earthine outlet 29 Lots J-A C.BLEASONG Detteligen Ptot QL.29 Springhill Hillotmint N 24-15E C. N. LEasura Subdivision Mas nover Recorded in the Official plats in Hocking Count Note Court House 2 South Boutevard. Spring hill Allalment. Approved - Mathematically Hocking County Engineer's offic Date Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P. COUNTY ENGINEER 1949 - 196

3 × 2.

50

# Lot 3 C. B. Leasure Subdivision (unplatted in Court House) Part Out Lot 29, Sec. 15, Falls Ray Anderson

Being a part of Out Lot 29, Spring Hill Allotment, Section 15, Falls Township, Tl4N, R17W, Hocking County and State of Ohio, and further described as follows: Commencing in the center line of South Boulevard and North  $66^{\circ} - 00^{\circ}$  West 138.09 feet from the east line of said Out Lot 29; thence North  $24^{\circ} -$ 15' Bast 367.30 feet to an iron pin and the place of beginning for the tract of land herein conveyed; thence continuing with said bearing North  $24^{\circ} - 15^{\circ}$  Bast 50 feet to an iron pin; thence South  $65^{\circ} - 45^{\circ}$  East 138.09 feet to the east line of said Out Lot 29; thence on said east line of Out Lot 29, South  $24^{\circ} - 15^{\circ}$  West 50 feet; thence North  $65^{\circ} - 45^{\circ}$  West 138.09 feet to the place of beginning, containing 0.1585 Acres, more or less.

> Approved - Mathematica Hoching County Engineer's of Br.\_\_\_\_\_Date

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964 Lot 4 C. B. Leasure Subdivision (unplatted in Court House) Part Outlot 29, Sec. 15, Falls

Being a part of Out Lot 29, Spring Hill Allotment, Section 15, Falls Township, Tl4N, R17W, Hocking County and State of Ohio, and further described as follows: Commencing in the center line of South Boulevard and North  $66^{\circ} - 00^{\circ}$  West 138.09 feet from the east line of said Out Lot 29; thence North 24° -15' East 367.30 feet to an iron pin and the place of beginning for the tract of land herein conveyed; thence South  $65^{\circ} - 45^{\circ}$ East 138.09 feet to the said east line of Out Lot 29; thence on said east line of Out Lot 29, South  $24^{\circ} - 15^{\circ}$  West 50 feet; thence North  $65^{\circ} - 45^{\circ}$  West 138.09 feet to a point; thence North  $24^{\circ} - 15^{\circ}$  East 50 feet to the place of beginning, containing 0.1585 acres, more or less.

> Approved - Mathematically Hecking County Engineer's offic Br \_\_\_\_\_Date\_\_\_\_

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 196

Sell Ost in Red SHETCH PLAT 5 Sell Out By Mrs. Hailey Notestine N47-55-30W 55 all of Tract Rec. Volt 1/381 . 1159ac St. onlar - 16/94/024 .003ac Part av Tract , 101 90155 0644400 part of Trad . Vol 9 4/64 . 029200 .2123ac Total Sall out Ulbert W Spealinghr E= aug 28/962 10/97/381 194994 8 1.0644 No sellouth .1159ac (.1159ac) (0292) 10/90/64 ?aus è iP. 12 NWGr OL 28 Spik. 547 47-30 444 Spite 206.67 Donated, June 1982, by 30 ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964

# MRS. HARLEY NOTESTINE Pt. O. L. 28, Spring Hill Allotment Section 15, Falls Twp.

Ĺ

Being a part of Out Lot 28, Spring Hill Allotment, Section 15, T14N, R17W, Palls Township, Hocking County and State of Ohio, and further described as being the .1157 acres recorded in Volume 97, Page 381, Hocking County Deed Record, and also the west part of the .075 acre tract recorded in Volume 96, Page 565, of said Record, and also the west part of the .016 acre tract recorded in Volume 96, Page 564 of said Record, and also the west part of the acre tract recorded in Volume 90, Page 64 of said Record, and all in the name of Harley Notestine, and now more particularly described as follows: Commencing at a nail in the center of the traveled Parkway Drive of said Allotment, the northwest corner of said Out Lot 28 bears North 47° - 47° - 30" West 206.67 feet and an iron pin bears South 23° -25' - 30" West 12.13 feetp thence South 47° - 47' - 30" Rast 25 feet to a spike in said center of the traveled Parkway Drive; .nence South 36° - 47' - 30" East 168.83 feet to an iron pin and passing an iron pin at 20.15 feet; thence North 47° - 55' - 30" West 55 feet to an iron pin; thence North 36° - 47' - 30" East 168.89 feet to a spike in the said center of the traveled Parkway Drive, and passing an iron pin at 151.67 feet; thence with said center line of the traveled Park-way Drive South 47° - 47' - 30" East 30 feet to the place of beginning, containing .2123 Acres, more or less, of which .1157 Acres is the .1157 acre tract, .0644 acres are cut out of the .075 acre tract, .003 acres are cut out of the .016 acre tract, and .0292 acres are cut out of the \_\_\_\_\_ acre tract.

> Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.& COUNTY ENGINEER 1949 - 1964

Falls 15 Red denotes. D.L. 28PT. my survey for C.B. Leqsure 50 PRAMBY N46031W 1.8 DRIVE 5 460-37 16,24 Swide Lee Notestu Lee Notoslins to URIG ALLEY C. B Leasurs. ห่ 12. Note Leaves Notestine 1,2. 95/387 1 W 99.95 145 -2/15 150,25 99,95 5470-31/2 520°-23N IP. 5.0 C, BLEASURS to Los Notes tres 95/387 N20-23E 50 NA1-31W 35.46 Approved - Mathematically \* Hocking County Engineer's office \_Date By. C.B. LGQSUrb. \* . 0:15 Ac. Tract Only 3 7 to Loc Notostinic 0 240. (Not Rocorded) h Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P. COUNTY ENGINEER 1949 - 196 SELON OIL

JUNIN EVICENT LBERT W SE Donated, June 1982, by 003160 ALBERT W. SEABRIGHT, P.E., P.S. COUNTY ENGINEER 1949 - 1964 U.W. Seager H 27'E 16.24 Lostino to N 460-371 1/2 e Not Casure casurato 5 410-31'E 35.46 lotostine 150. Start 14.67 541 N200-23'E 50.8 W 50.8 W 35.4 11-0 14. GRITICULAR NOTE ine & Reasure Must be 14.76 'intere of 10' nee to Natistice Only 35.46' material Note ALL ROADS MUSTABE 30' at LEAST.

PRFth my DPAG ŝ 5-46-37 6 16,24 REDLINES. C. BLEASURE SURVEY Notaslins Nutostin From C. Casto. 89/459 94/10 0 = 1, P.S. Note to Leasure N 54705100 4 346° 398 16.24 いい DY5 95/387 -2.1 8 150,25 ⊁ -Joe 95 5200-2360 5.0. 315 50,22 from Leasure - 31 W 35,46 Approved - Mathematically \* locking County Engineer's office \*.045Ac. Tract Only Date Note This Tract unrecuded 6514 Jan 26 1953. From Leasure 041 11/001 BOWER OR eabur ht 4 N 26 19 53 Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P. COUNTY ENGINEER 1949 - 190 J.E. Cur

### C. B. Leasure from Lee Notestine Part Out Lot 29, Spring Hill Allotment Sec. 15, Falle

Being a part of Out Lot 29, Spring Hill Allotment, situate Section 15, Falls Township, T14N, R17W, Hocking County and State of Ohio, and further described as follows:

Beginning at an iron pin marking the Northeast corner of the Lee Notestine parcel of land as recorded in Volume <u>89</u>, Page <u>457</u>, Hocking County Deed Record, the Southeast corner of said Out Lot 29 bears South 46° - 37' East 16.24 feet, South 24° - 10' West 114.46 feet; South 48° - 21' East 150.25 feet and South 24° - 07' West 471.59 feet from the said iron pin; thence from said iron pin North 46° - 37' West 14.76 feet; thence South 24° - 10' West 114.46 feet; thence South 47° - 31' East 14.76 feet; thence North 24° - 10' East 114.46 feet to the place of beginning, congaining 038 Acres.

NOTE TO LEASURE: All roads must be at least 30 feet wide. I therefore have made the strip 14.76 feet wide instead of 10 feet as you proposed. This will make your road approximately 30 feet wide.

ບາບາ

ON

OVI

. .

3

. . .

.

4

V)

N

5 \* 5 \* AN

3 5

0 N 0 0 0 0 N - 0 0 0 0 0 .

• 0 0 - - 0 • 0 0 C (1 4 - 0

. . .

. . . . . . .

00 •

00.

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.& COUNTY ENGINEER 1949 - 1964

• 0 4 0 0 •

0000 • 00040 • 0000 • 01000 • • 00000 • 0000 4 6 0

-4004 • 4000 •

• •

4 4 9 6

U V

V U U W

A O -

~

. 4

.

- N

• •

• VI VI

• 0 0

# C. B. Leasure to Lee Notestine Part Dut Lot 28, Spring Hill Allotment Sec. 15, Falls

Being a part of Out Lot 28, Spring Hill Allotment, situate Section 15, Falls Township, TLAN, RL7W, Hocking County and State of Ohio, and further described as follows:

Beginning at an iron pin from which the Southeast corner of said Out Lot 29 bears South  $47^{\circ}$  - 31' East 50.22 feet, South  $46^{\circ}$  -37' East 16/24 feet; South  $48^{\circ}$  - 21' East 150.25 feet and South  $24^{\circ}$  -07' West 471.59 feet; thence from said iron pin South  $47^{\circ}$  - 31' East 35.46 feet to a point; thence South  $20^{\circ}$  - 23' West 5558 feet to a point; thence North  $47^{\circ}$  - 31' West 35.46 feet to a point; thence North  $20^{\circ}$  - 23' East 5.0 feet to an iron pin; thence North  $20^{\circ}$  -23' Bast 50.8 feet to the place of beginning, containing .045 Acres.


Approved - Methematically Hocking County Excerts after

ð

Donated, June 1982, by ALBERT W. SEABRIGHT, P.E., P.S COUNTY ENGINEER 1949 - 1964

> NOTE TO LEASURE: I have made the width of this tract 35.46 feet instead of 40 feet as you requested for the reason that all roads must be at least 30 feet wide.

NOTS: Revised description, giving Lee Notestine an additional five feet in depth. This revision changes the original description from 30.8 feet to 55.8 feet.



# REFERENCE BEARING:

The east line of Section 15 as South 05 degrees 40 minutes 40 seconds West. Bearings are based upon an assumed meridian and are to denote angles only.

# **CERTIFICATION:**

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 1st day of July, 2008 and that the plat is a correct representation of the premises as described by said survey.

S. 65 Guo Registered Surveyor No. 8127

Survey by:

S. Vince Evans Surveying - S. Vince Evans P.S. 8127 64103 Woodgeard Road, Creola, Ohio 45622 Phone (740) 380-3884 FAX (740) 596-5831

# SURVEY DESCRIPTION OF A 0.069 ACRE TRACT FOR RON POTTS

Situated in Falls Township, Hocking County, Ohio; being part of Out-Lot 21 of the platted Spring Hill Addition to West Logan as recorded in Plat Book B, Page 50, now Plat Cabinet 1, Page 9A, Hocking County Recorder's Office; being part of the Northeast quarter of Section 15, Township 14, Range 17; and being more particularly described as follows:

Being part of a 1.469 acre tract as described in deed book Volume 192, Page 860 to Charles Frasure, Jr...

Commencing at a Point at the Northeast corner of Out Lot 21 and being on the east line of Section 15; Thence with the east line of Section 15, South 05 degrees 40 minutes 40 seconds West a distance of 21.23 feet to a 5/8" iron pin with 1-1/4" plastic ID cap stamped LS-6344 found and being the point of **Beginning** of the tract of land to be described;

Thence with the east line of Section 15, South 05 degrees 40 minutes 40 seconds West a distance of 26.68 feet to a 5/8" iron pin set;

Thence leaving the east line of Section 15, North 77 degrees 41 minutes 58 seconds West a distance of 127.21 feet to a Point in the centerline of Township Road 541 (South Boulevard), passing a 5/8" iron pin set at a distance of 116.83 feet;

Thence with the centerline of said Township Road 541 (South Boulevard), North 04 degrees 51 minutes 00 seconds East a distance of 20.65 feet to a 5/8" iron pin with 1-1/4" plastic ID cap stamped LS-6344 found;

Thence leaving the centerline of said Township Road 541 (South Boulevard), South 80 degrees 25 minutes 20 seconds East a distance of 126.95 feet to the point of beginning and containing 0.069 acres, more or less, subject to the public easement of said Township Road 541 (South Boulevard) and any other public or private easements of record.

The above 0.069 acre survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing public road. The reference bearing for this survey is the east line of Section 15 as South 05 degrees 40 minutes 40 seconds West. Bearings are based upon an assumed meridian and are to denote angles only.

All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped "SVE-8127".

The above described property was surveyed by S. Vince Evans, Ohio Registered Surveyor No. 8127, on July 1, 2008.

ince Evans, P. S. 8127

Survey by: S. Vince Evans Surveying S. Vince Evans, P. S. 8127 64103 Woodgeard Road Creola, Ohio 45622 Phone (740) 380-3884 FAX (740) 596-5831

<u>APPROVED FOR TRANSFER</u> Hocking County Engineer's Office By: 7 Date: M. 7 D. **TY** 28

CONDITIONAL APPROVAL Not to transfer separately without Appropriate Approvals. Note:\_\_\_\_\_

APPROVED MATHEMATICALLY Hocking County Engineer's Office By:\_\_\_\_\_\_Date: M.\_\_Z.D.\_\_\_Y.\_\_\_Q.



SILVATED IN THE STATE OF OND, CONTY OF HORERG, AND PRET PRET OF FASHLAST NO. 28 OF THE SPEAK -Nex ADDITION" (PLATE OND. I. 86.9A), PART OF SEC. 15, FALS TW. J. T- KN, Q-ITW. LOW CORD ASSAND AND AND

15 BARNOT

Correct Carry Mark

C.Deen imai)

2

0. 5000 XX. (20%.)

the of the

20. F

X

× 53.0"

10.01.

N. J.

(2 (ABO JUNEX)

St. S.

EN son Edd and versit action DETERMENTED OF ANGLES ONLY.

REFERENCES:

COULT VXX PLATS SUBVERS OF RECORD DATE CAB. 1 R. PAA DAX & CO. BJ. BBD W RECORDED PLAT OF C.B. LEADLE JUBD.

· 8. 9. 7

5.9. J.3. 2.5 W

à

14 AG.

1. P. 12.


0

IN REAL PLAN

(Scape: 1=20)

A

and a second 57 Licer Hinch NCAF CAN 22 MAD 5-6803 =1/2" 5100 PLE(-D.)  $\odot$ 0  $\odot$ ZIII. The And Ą 54 C. D. C. C. n (129. St. 1981) Approved - Mathematically (only) Hocking County Engineer's Office' BYWB DATE 08-10-01 MIGHAEL P BERIN 0-0093 PERMED FROM 5 ADE えんご POINTER LAVE (2) のこうしょう うじ 120 6803





**Ultat** BEULAH F. MYERS, an unremarried widow,

of the City of Logan ,County of Hocking and State of Ohio Grantor , in consideration of the sum of One Dollar (\$1.00) and other good and valuable considerations to her paid by JAMES R. MYERS

of the City of Logan ,County of Hocking and State of Ohio Grantee ,the receipt whereof is hereby acknowledged, does hereby grant, bargain, sell and runney to the said Grantee JAMES R. MYERS,

following **Real Estate** situated in the County of Hocking in the State of Ohio and in the Township of Falls

Being a part of Farm Lot 30 of Spring Hill Subdivision, situated in Section 15, Tl4N, Rl7W, Falls Township, Hocking County, Ohio, and more particularly described as follows:

Beginning at an iron pin on the east line of Farm Lot 30 of Spring Hill Sub-Division, from which the northeast corner of said farm lot bears North 24 degrees 15' East 164.08 feet; thence along the east line of said farm lot South 24 degrees 15' West 128.82 feet to an iron pin; thence leaving said east line North 65 degrees 45' West 120.19 feet to a point; thence North 24 degrees 15' East 147.00 feet to an iron pin; thence South 57 degrees 08' 47" East 121.55 feet to the place of beginning, containing .3805 acre, more or less.

The above described tract was surveyed by George F. Seymour, Registered Surveyor No. 6044, November 19, 1974.

This deed is given to correct and confirm of record by surveyed description the residue owned by said Beulah Myers after the conveyance to Walter E. Hampshire by deed recorded in Volume 157, Page 333, Records of Deeds, Hocking County, Ohio, and to convey all interest in said residue that the grantors may have obtained by reason of a defective description contained in the former deed recorded in Volume 118, Page 313, said deed records.

Last Transfer: Deed Record Volume 63 , Page 224, and Volume 110 , Page 578

Ou have and to hold said premises, with all the privileges and appurtenances thereunto belonging, to the said Grantee,

JAMES R. MYERS,

-----

And the said Grantor ,

his heirs and assigns forever.

<b><b><b>Unit</b></b> BEU</b>	LAR MYERS	. unmarrice	•	
· · ·				
of the Township	of	Falls	County of	Hocking
and State of		Ohio	Grantor In consider	ration of the sun
One Dollar (\$1.00	) and othe	er yood and	valuable considerations	
to ner pain	رية JA:	AES L. MYERS	and CHARLOTTE MYERS	
of the Township	01	Falls	County of	Hocking
and State of	1	Ohio	Grantee's , the recei	pt whereof is he
acknowledged, does	s here	edy grant	largain, sell and	convey to the s
Grantees JAMES L.				

Form No. L 12-8

# FIRST TRACT:

Being a part of Farm Lot No. 30 of Spring Hill Sub Division, situated in Section 15. T14N, R17W, Falls Township, Hocking County, Ohio, and more particularly described as follows:

and bounded and described as follows:

Falls

Beginning at an iron pin on the northwest corner of Farm Lot No. 30 of Spring Hill Sub Division; thence along the west line of said farm lot South 24 degrees 15' West, passing through an iron pin at 199.78 feet, going a total distance of 341.88 feet to an iron pin; thence leaving said west line South 65 degrees 45' East 21.00 feet to a point; thence North 24 degrees 15' East, passing through iron pins 147.00 feet and 314.14 feet, going a total distance of 334.00 feet to a point on the north line of said farm lot, thence along said north line North 46 degrees 37' West 22.23 feet to the place of beginning, containing .1631 acre, more or less, subject to all legal highways.

The above described tract was surveyed by George F. Seymour, Registered -Surveyor No. 6044, November 19, 1974.

Reserving and excepting to the Grantor, a right of way for ingress and egress over, upon and through the aforesaid tract.

SECUND TRACT:

2ñ,

Being a part of Farm Lot No. 30 of Spring Hill Sub Division, situated in Section 15, T14N, R17N, Falls Township, Hocking County, Ohio, and more particularly described as follows:

Beginning at an iron pin set on the West line of Farm Lot No. 30 of Spring Hill Sub Division, said iron pin bears North 24 degrees 15' East 192.37 feet from an iron pin set on the southwest corner of said farm lot; thence along the west line of said

An lot North 24 degrees 15' East 46.81 feet to an iron pin, thence South 65 degrees 6' East 141.19 feet to an iron pin on the east line of said farm lot; thence along said east line South 24 degrees 15' West 46.81 feet to the northeast corner of a tract as recorded in Volume 117 at page 37, Hocking County Recorder's Office; thence along the north line of said tract to the northwest corner thereof North 65 degrees 45' West 141.19 feet to the place of beginning containing .1517 acre, more or less.

The above described tract was surveyed by George F. Seymour, Registered Surveyor No. 6044, November 19, 1974.

These two tracts constitute a portion of the real estate owned by the Grantor after the conveyance to Walter E. Hampshire, et al. recorded in Volume 157, Page 333 Records of Deeds, Hocking County, Ohio. These tracts are in addition to the residue of .3805 acres described in deed recorded in Volume 157, Page 336, said deed records. The residue of .3805 acres described therein is the acreage remaining in Grantor after this said conveyance. See Plat recorded in Volume \_\_\_\_\_, Page \_\_\_\_\_, Miscellaneous Records, Hocking County, Ohio.

bas compiled with Section 319,202

# TRANSFERRED

MAY 2 5 1976

FEDNARD A. MYERS

, Page

her

heirs

LAST TRANSFER: Deed Record Volume,

**Op have and to hold** said premises, with all the privileges and appurtenances thereinto belonging, to the said Grantees JAMES L. MYERS and CHARLUTTE MYERS

their heirs and assigns forever

and

And the said Grantor BEULAH MYERS

8.

1


herself for

do es hereby covenant with the said Grantees JAMES L. MYERS and CHARLOTTE HYERS

their heirs and assigns, that she is lawfully seized of the premises aforesaid; that the said premises are Free and Clear from all Incumbrances whatsoever

# PLAT OF A 1.486 ACRE TRACT

Situated in Falls Township, Hocking County, Ohio; being part of Farm Lot 30 and all of Farm Lot 31 of the Springhill Subdivision, as recorded in Plat Cabinet 1, Page 9A, Section 15, Township 14, Range 17.



# **REFERENCE BEARING:**

The west line of Farm Lot 31 as North 24 degrees 15 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

# **CERTIFICATION:**

I hereby certify that an actual survey was made under my supervision of the premises shown hereon on the 13th day of April, 2016 and that the plat is a correct representation of the premises as described by said survey.

S. (S Como Registered Surveyor No. 8127

Survey by:

S. Vince Evans Surveying — S. Vince Evans P.S. 8127 64103 Woodgeard Road, Creola, Ohio 45622 Phone (740) 380—3884 FAX (740) 596—5831

# **SURVEY DESCRIPTION OF A 1.486 ACRE TRACT**

Situated in Falls Township, Hocking County, Ohio; being part of Farm Lot 30 and all of Farm Lot 31 of the Springhill Subdivision, as recorded in Plat Cabinet 1, Page 9A, Section 15, Township 14, Range 17; and being more particularly described as follows:

Being all of a 0.0113 acre tract and all of a 1.40 acre tract as described in Volume OR454, Page 880, Volume OR171, Page 262, and Volume OR6, Page 45, to Donald Wyskiver.

Beginning at a 5/8" iron pin set at the Northeast corner of Farm Lot 31 of said Springhill Subdivision;

Thence with the east line of said Farm Lot 31, South 25 degrees 14 minutes 02 seconds West a distance of 445.39 feet to a Point in the centerline of 40' wide South Boulevard (T-541) at the Southeast corner of said Farm Lot 31, passing a 5/8" iron pin set at a distance of 425.39 feet;

Thence with the centerline of said South Boulevard, North 77 degrees 40 minutes 09 seconds West a distance of 132.00 feet to a Point at the Southwest corner of said Farm Lot 31;

Thence with the west line of said Farm Lot 31, North 24 degrees 15 minutes 00 seconds East a distance of 355.97 feet to a 5/8" iron pin found, passing a 5/8" iron pin set at a distance of 20.00 feet and passing a 5/8" iron pin found at a distance of 227.08 feet;

Thence leaving the west line of Farm Lot 31, North 22 degrees 10 minutes 45 seconds East a distance of 166.27 feet to a Point in a paved drive in the centerline of Platted Parkway Drive (T-552), passing a 1-1/4" iron pipe found at a distance of 161.60 feet;

Thence with the centerline of Platted Parkway Drive, South 46 degrees 37 minutes 00 seconds East a distance of 151.16 feet, passing the Northwest corner of Farm Lot 31 at a distance of 6.36 feet, to the point of beginning and containing 1.486 acres (0.0113 acres Farm Lot 30 and 1.4747 acres Farm Lot 31), more or less, subject to any public or private easements of record.

The above 1.486 acre survey was based upon information obtained from tax maps, deed descriptions, previous surveys, existing monumentation, and an existing public road. The reference bearing for this survey is the west line of Farm Lot 31 as North 24 degrees 15 minutes 00 seconds East. Bearings are based upon an assumed meridian and are to denote angles only.

All iron pins set by this survey are 5/8" by 30" and are capped by a 1-1/4" plastic identification cap stamped "SVE-8127".

The above described property was surveyed by S. Vince Evans, Ohio Registered Surveyor No. 8127, on April 13, 2016.

5. 5 mm S. Vince Evans, P. S. 8127

Survey by: S. Vince Evans Surveying S. Vince Evans, P. S. 8127 64103 Woodgeard Road Creola, Ohio 45622 Phone (740) 380-3884 FAX (740) 596-5831


Approved Mathmatically

Hocking County Engineer's Office By: 71 Date: M.OYD.25Y./6



Phone (440) 585-9800

# McSteen.com



#### Filed Hocking County Auditor's Office Frank Nelson April 13, 2023

OR BK [Book] PG [Page]



# Exhibit "A" Legal Description For File: 56170833

Situated in the Township of Falls, County of Hocking and State of Ohio:

#### Section 15

FIRST TRACT: T14N, R17W, Being part of Lot 28 Spring-Hill Subdivision to West Logan. Beginning 165 feet West of the North East comer of Lot No. 28, on the North line of said Lot; thence along said North line in a Northwesterly direction 100 feet and being along the South line of Parkway Drive; thence South 115 feet and parallel with the East line of said Lot No. 28 to a stake; thence in a Southeasterly direction 100 feet and parallel with the South line of Parkway Drive to stake in the Weat line of the premises now owned by Lee and Mary Notestine; thence North and parallel along the West line of said Notestine premises, 115 feet to the place of beginning.

#### SECOND TRACT: Being a part of Lot 28 in Spring-Hill Subdivision to West Logan.

Beginning 165 feet West of the Northeast corner of said Lot No. 28, on the North line of said Lot; thence South and parallel with the East line of said Lot No. 28, 115 feet to a stake, the point of beginning for the premises herein conveyed; thence continue South 50 feet to a stake; thence West 100 feet on a line parallel with the South right of way of Parkway Drive which is the North line of said Lot No. 28; thence North 50 feet on a line parallel with the East line of said Lot No. 28, thence East 100 feet on a line parallel with the South right of way line of said Parkway Drive to the place of beginning.

THIRD TRACT: Being a part of Out Lot 28 of the Spring Hill Allotment, Section 15, Falls Township, T14N, R17W, Hocking County and State of Ohio, and further described as commencing at the Northwest corner of said Out Lot 28 at a nail in center of the traveled Parkway Drive; thence with the center of said traveled Parkway Drive South 47° 47' 30" East 206.67 feet; thence South 36° 47' 30" West 168.3 feet to the place of beginning for the tract of land herein conveyed; thence South 47° 51' East 40.00 feet to an iron pin; thence continuing with said bearing. South 47° 51' East 99.94 feet to a point; thence South 20° 23' West 5.00 feet; thence North 47° 55' 30" west 141.35 feet; thence North 36° 47' 30" East 5.00 feet to the place of beginning, and containing 0.016 acres, more or less.

FOURTH TRACT: Being a part of Lot 28 Spring Hill Subdivision to West Logan.

Beginning at a nail in center of the traveled Parkway Drive; thence South 23° 25' 30" West 172.23 feet to an iron pin and passing a second iron pin at 12.13 feet; thence North 47° 51' West 40 feet to a point; thence North 36° 47' 30" East 163.83 feet to the place of beginning, containing .075 acres; the said starting nail being South 47° 47' 30" East 206.67 feet from the Northwest corner of said Out Lot 28.

FIFTH TRACT: Being a part of Lot 28 in Spring Hill Subdivision to West Logan.

Commencing at a spike in the center of the traveled Parkway Drive, the Northwest corner of said Out Lot bears North 47º 47' 30" West 206.68 feet, and an iron pin bears South 23° 25' 30" West 12.13 feet; thence from said spike, South 36° 47' 30" West 168.83 feet to a point; thence North 47° 55' 30" West 30 feet to a point; thence North 36° 47' 30" East 168.69 feet to the said center line of the traveled Parkway Drive; thence on said center line OR BK [Book] PG [Page]

South 47° 47' 30" East 30 feet to the place of beginning, containing 0.1157 acres, fore or less.

## EXCEPT THE FOLLOWING:

Being a part of Out Lot 28, Spring Hill Allotment, Section 15, T14N, R17W, Falls Township, Hocking County and State of Ohio, and further described as being the .1157 acres recorded in Volume 97, Page 351, Hocking county Deed Record, and also the west part of the .075 acre tract recorded in Volume 96, Page 355, of said Record, and also the west part of the .016 acre tract recorded in Volume 96, Page 564 of said Record, and also the west part of the acre tract recorded in Volume 90, Page 64 of said Record, and all in the name of Harley Notestine, and now more particularly described as follows:

Commencing at a nail in the center of the traveled Parkway Drive of said Allotment the northwest corner of said Out Lot 28 bears North 47° 47' 30" West 206.67 feet and an iron pin bears South 23° 25' 30" West 12.13 feet; thence South 47° 47' 30" East 25 feet to a spike in said center of the traveled Parkway Drive; thence South 36° 47' 30" East 168.83 feet to an iron pin and passing an iron pin at 20.15 feet; thence North 47° 55' 30" West 55 feet to an iron pin, thence North 36° 47' 30" East 168.89 feet to a spike in the said center of the traveled Parkway Drive, and passing an iron pin at 151.67 feet; thence with said center line of the traveled Parkway Drive South 47° 55' 30" East 30 feet to the place of beginning, containing .2123 Acres, more or less, of which .1157 Acres is the .1157.acres tract, .0644 acres are cut out of the .075 acre tract, .003 acres are cut out of the .016 acre tract, and .0292 acres are cut out of the \_\_\_\_acre tract.

The Plat of the Spring Hill Subdivision is recorded in Plat Cabinet 1, Page 9A.